















### GCC Energy Hydrologic Monitoring Data

MW-1-MI																								
Year	2017							2018							2019				2020					
Quarter	Q2	Q3		Q4			Q1		Q2		Q3			Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3			
Month	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	11	2	5	8	11	2	5	9	
Sample Date	6/7	7/18	8/23	9/26	10/26	11/16	12/5	1/2	2/9	3/22	4/11	5/10	--	7/23	8/7	11/1	2/20	5/30	8/14	11/5	2/12	5/28	9/1	
Lab Analysis (Y/N)	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	N	N	N	N	
Field Parameters:																								
Purge Flow Rate	gpm	NM	NM*	NM	NM																			
Total Purged	gal	19.5	NM*	<0.5	NM																			
Depth to Water	ft bgs	259.99	NM*	258.29	258.34																			
Temperature	deg C	15.8	NM*	11.8	21.7	dry	dry	dry	dry	dry	dry	dry	***	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	
pH	SU	8	NM*	7.94	7.86																			
Specific Conductance	µS/cm	2032	NM*	2137	2119																			
Oxygen Reduction Potential	mV	160.5	NM*	65.7	61.4																			
Lab Analytical Results:																								
Hardness as CaCO3	mg/L	231																						
pH (Lab)	SU	8.14																						
Total Dissolved Solids (Lab)	mg/L	1520																						
Calcium	mg/L	46.7																						
Magnesium	mg/L	27.9																						
Sodium	mg/L	470																						
Potassium	mg/L	2.55																						
Alkalinity, Total	mg/L	600																						
Alkalinity, Bicarbonate	mg/L	600																						
Alkalinity, Carbonate	mg/L	<10.0																						
Alkalinity, Hydroxide	mg/L	<10.0																						
Chloride	mg/L	7.69																						
Fluoride	mg/L	1.14																						
Sulfate as SO4	mg/L	739																						
Total Organic Carbon (TOC)	mg/L	5.14																						
Nitrate/Nitrite as N	mg/L	0.103																						
Aluminum	mg/L	<0.050																						
Arsenic	mg/L	0.0029																						
Cadmium	mg/L	<0.0001																						
Copper	mg/L	0.0067																						
Iron	mg/L	<0.050																						
Lead	mg/L	0.0010																						
Manganese	mg/L	0.0445																						
Mercury	mg/L	<0.0002																						
Molybdenum	mg/L	0.0796																						
Selenium	mg/L	0.0028																						
Silica (SiO2)	mg/L	11.6																						
Silicon	mg/L	5.44																						
Uranium	mg/L	0.0505																						
Zinc	mg/L	1.52																						

**Notes & Definitions:**

- \*\*\* La Plata County stage 3 fire restrictions prevented sampling activity**
- Y/N yes or no
  - gpm gallons per minute
  - deg C degrees Celsius
  - SU standard pH units
  - µS/cm microsiemens per centimeter
  - mV millivolts
  - mg/L milligram per liter
  - pCi/L picocuries per liter
  - NM not measured (field)
  - NA not analyzed (lab)
1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
  2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
  3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.





### GCC Energy Hydrologic Monitoring Data

MW-2-A																						
Year	2017							2018							2019				2020			
Quarter	Q1	Q2	Q3		Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	3	6	7	8	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	9	
Sample Date	3/30	6/7	7/18	8/23	10/30	11/16	12/5	1/2	2/9	3/22	4/11	5/10	8/7	11/1	2/20	5/29	8/14	11/6	2/11	5/27	9/1	
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
Field Parameters:																						
Purge Flow Rate	gpm																					
Total Purged	gal																					
Depth to Water	ft bgs																					
Temperature	deg C	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	
pH	SU																					
Specific Conductance	µS/cm																					
Oxygen Reduction Potential	mV																					
Lab Analytical Results:																						
Hardness as CaCO3	mg/L																					
pH (Lab)	SU																					
Total Dissolved Solids (Lab)	mg/L																					
Calcium	mg/L																					
Magnesium	mg/L																					
Sodium	mg/L																					
Potassium	mg/L																					
Alkalinity, Total	mg/L																					
Alkalinity, Bicarbonate	mg/L																					
Alkalinity, Carbonate	mg/L																					
Alkalinity, Hydroxide	mg/L																					
Chloride	mg/L																					
Fluoride	mg/L																					
Sulfate as SO4	mg/L																					
Total Organic Carbon (TOC)	mg/L																					
Nitrate/Nitrite as N	mg/L																					
Aluminum	mg/L																					
Arsenic	mg/L																					
Cadmium	mg/L																					
Copper	mg/L																					
Iron	mg/L																					
Lead	mg/L																					
Manganese	mg/L																					
Mercury	mg/L																					
Molybdenum	mg/L																					
Selenium	mg/L																					
Silica (SiO2)	mg/L																					
Silicon	mg/L																					
Uranium	mg/L																					
Zinc	mg/L																					

**Notes & Definitions:**

<p>Y/N yes or no</p> <p>gpm gallons per minute</p> <p>deg C degrees Celsius</p> <p>SU standard pH units</p> <p>µS/cm microsiemens per centimeter</p> <p>mV millivolts</p> <p>mg/L milligram per liter</p> <p>pCi/L picocuries per liter</p> <p>NM not measured (field)</p> <p>NA not analyzed (lab)</p>	<ol style="list-style-type: none"> <li>1. "&lt;" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.</li> <li>2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.</li> <li>3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.</li> </ol>
---	---

### GCC Energy Hydrologic Monitoring Data

MW-2-MI																					
Year	2017							2018							2019				2020		
Quarter	Q1	Q2	Q3		Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3
Month	3	6	7	8	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	9
Sample Date	3/30	6/7	7/18	8/23	10/30	11/16	12/5	1/2	2/9	3/22	4/11	5/10	8/7	11/1	2/20	5/29	8/14	11/6	2/11	5/27	9/1
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Field Parameters:																					
Purge Flow Rate	gpm																				
Total Purged	gal																				
Depth to Water	ft bgs																				
Temperature	deg C	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
pH	SU																				
Specific Conductance	µS/cm																				
Oxygen Reduction Potential	mV																				
Lab Analytical Results:																					
Hardness as CaCO3	mg/L																				
pH (Lab)	SU																				
Total Dissolved Solids (Lab)	mg/L																				
Calcium	mg/L																				
Magnesium	mg/L																				
Sodium	mg/L																				
Potassium	mg/L																				
Alkalinity, Total	mg/L																				
Alkalinity, Bicarbonate	mg/L																				
Alkalinity, Carbonate	mg/L																				
Alkalinity, Hydroxide	mg/L																				
Chloride	mg/L																				
Fluoride	mg/L																				
Sulfate as SO4	mg/L																				
Total Organic Carbon (TOC)	mg/L																				
Nitrate/Nitrite as N	mg/L																				
Aluminum	mg/L																				
Arsenic	mg/L																				
Cadmium	mg/L																				
Copper	mg/L																				
Iron	mg/L																				
Lead	mg/L																				
Manganese	mg/L																				
Mercury	mg/L																				
Molybdenum	mg/L																				
Selenium	mg/L																				
Silica (SiO2)	mg/L																				
Silicon	mg/L																				
Uranium	mg/L																				
Zinc	mg/L																				

**Notes & Definitions:**

Y/N	yes or no	1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
gpm	gallons per minute	
deg C	degrees Celsius	
SU	standard pH units	2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
µS/cm	microsiemens per centimeter	
mV	millivolts	
mg/L	milligram per liter	
pCi/L	picocuries per liter	3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
NM	not measured (field)	
NA	not analyzed (lab)	

### GCC Energy Hydrologic Monitoring Data

MW-2-C																						
Year	2017							2018							2019				2020			
Quarter	Q1	Q2	Q3		Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	3	6	7	8	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	9	
Sample Date	3/30	6/7	7/18	8/23	10/30	11/16	12/5	1/2	2/9	3/22	4/11	5/10	8/7	11/1	2/20	5/29	8/14	11/6	2/11	5/27	9/1	
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
Field Parameters:																						
Purge Flow Rate	gpm																					
Total Purged	gal																					
Depth to Water	ft bgs																					
Temperature	deg C	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	
pH	SU																					
Specific Conductance	µS/cm																					
Oxygen Reduction Potential	mV																					
Lab Analytical Results:																						
Hardness as CaCO3	mg/L																					
pH (Lab)	SU																					
Total Dissolved Solids (Lab)	mg/L																					
Calcium	mg/L																					
Magnesium	mg/L																					
Sodium	mg/L																					
Potassium	mg/L																					
Alkalinity, Total	mg/L																					
Alkalinity, Bicarbonate	mg/L																					
Alkalinity, Carbonate	mg/L																					
Alkalinity, Hydroxide	mg/L																					
Chloride	mg/L																					
Fluoride	mg/L																					
Sulfate as SO4	mg/L																					
Total Organic Carbon (TOC)	mg/L																					
Nitrate/Nitrite as N	mg/L																					
Aluminum	mg/L																					
Arsenic	mg/L																					
Cadmium	mg/L																					
Copper	mg/L																					
Iron	mg/L																					
Lead	mg/L																					
Manganese	mg/L																					
Mercury	mg/L																					
Molybdenum	mg/L																					
Selenium	mg/L																					
Silica (SiO2)	mg/L																					
Silicon	mg/L																					
Uranium	mg/L																					
Zinc	mg/L																					

Notes & Definitions:		
<p>Y/N    yes or no</p> <p>gpm    gallons per minute</p> <p>deg C    degrees Celsius</p> <p>SU    standard pH units</p> <p>µS/cm    microsiemens per centimeter</p> <p>mV    millivolts</p> <p>mg/L    milligram per liter</p> <p>pCi/L    picocuries per liter</p> <p>NM    not measured (field)</p> <p>NA    not analyzed (lab)</p>		<ol style="list-style-type: none"> <li>1.    "&lt;" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.</li>   <li>2.    Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.</li>   <li>3.    Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.</li> </ol>















**GCC Energy Hydrologic Monitoring Data**

MW-6-A														
Year	2018	2019										2020		
Quarter	Q4	Q1			Q2			Q3			Q4	Q1	Q2	Q3
Month	12	1	2	3	4	5	6	7	8	9	11	2	5	8
Sample Date	12/28	1/31	2/21	3/21	4/23	5/20	6/19	7/23	8/15	9/24	11/7	2/5	5/14	8/11
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	Y	Y	Y	Y
<b>Field Parameters:</b>														
Purge Flow Rate	gpm	NM	NM	0.10	2.00	0.03	0.03	0.06	0.03	0.02	0.01	0.05	0.13	0.05
Total Purged	gal	36.3	0.5	0.5	2.0	2.0	1.3	1.0	1.3	1.1	1.3	1.5	1.1	1.0
Depth to Water	ft bgs	304.33	306.41	307.40	309.60	311.05	312.50	314.20	315.75	316.43	NM	318.70	315.46	319.63
Temperature	deg C	7.4	10.7	8.1	7.5	9.6	7.3	12.5	12.3	11.9	10.4	10.4	7.8	9.8
pH	SU	7.32	6.64	6.66	6.74	6.65	6.73	6.76	6.75	6.76	6.80	6.79	6.89	6.95
Specific Conductance	µS/cm	6573	6053	6072	6107	6012	6057	5725	5598	5562	5451	5108	5043	4779
Oxygen Reduction Potential	mV	-22.8	19.4	24.6	12.6	11.8	34.8	86.6	25.8	6.5	29.2	20.5	36.7	51.7
<b>Lab Analytical Results:</b>														
Hardness as CaCO3	mg/L	4360		4190			3920			3540		3070	3200	2780
pH (Lab)	SU	7.10		6.85			6.77			6.85		6.87	6.9	6.93
Total Dissolved Solids (Lab)	mg/L	6520		6520			120*			6080		5210	4980	4670
Calcium	mg/L	615		559			553			492		431	467	400
Magnesium	mg/L	687		678			617			560		484	495	431
Sodium	mg/L	294		283			296			304		276	296	274
Potassium	mg/L	15.0		14.4			12.4			12.8		11.1	<20	10.6
Alkalinity, Total	mg/L	160		160			143			183		220	215	233
Alkalinity, Bicarbonate	mg/L	160		160			143			183		220	215	233
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0		<10.0	<10	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0		<10.0	<10	<10.0
Chloride	mg/L	97.4		28.6			27.3			29.9		29.6	28.4	29.0
Fluoride	mg/L	2.83		<0.500			<0.500			<0.500		<0.500	<0.5	<0.500
Sulfate as SO4	mg/L	205		4300			4280			4260		3460	3080	3020
Total Organic Carbon (TOC)	mg/L	3.45		3.08			2.91			3.57		3.10	3.16	3.39
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020		<0.020	0.049	0.154
Ammonia as N ^	mg/L											2.72		
Ortho-Phosphate as P ^	mg/L											<0.0500		
Aluminum	mg/L	<0.500		<0.250			<0.250			<0.250		<0.250	<1.00	<0.500
Arsenic	mg/L	<0.0025		<0.0025			0.0009			<0.0025		<0.0025	<0.0025	<0.0050
Cadmium	mg/L	<0.0005		<0.0005			0.0001			<0.0005		<0.0005	<0.0005	<0.0010
Copper	mg/L	0.0116		0.0081			0.0035			0.0039		0.0017	0.0028	<0.0050
Iron	mg/L	1.37		3.75			3.93			3.22		2.72	1.95	1.38
Lead	mg/L	<0.0025		<0.0025			<0.0005			<0.0025		<0.0025	<0.0025	<0.0050
Manganese	mg/L	0.788		0.802			0.724			0.690		0.585	0.551	0.526
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002		<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	<0.0025		<0.0025			<0.0005			<0.0025		<0.0025	<0.0025	<0.0050
Selenium	mg/L	<0.0050		<0.0050			0.0028			<0.0050		<0.0050	<0.005	<0.0100
Silica (SiO2)	mg/L	12.3		11.9			14.3			13.4		12.5	<21.4	11.0
Silicon	mg/L	5.77		5.57			6.69			6.28		5.83	<10	5.17
Uranium	mg/L	<0.0005		<0.0005			<0.0001			<0.0005		<0.0005	<0.0025	<0.0050
Zinc	mg/L	0.0689		<0.0100			0.0082			0.0108		0.0117	0.0107	<0.0200

**Notes & Definitions:**

- \* Anomalous value under review
- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

### GCC Energy Hydrologic Monitoring Data

MW-6-C															
Year	2018	2019										2020			
Quarter	Q4	Q1			Q2			Q3				Q4	Q1	Q2	Q3
Month	12	1	2	3	4	5	6	7	8	9	11	2	5	8	
Sample Date	12/24	1/30	2/21	3/21	4/23	5/20	6/19	7/23	8/15	9/24	11/7	2/5	5/12	8/11	
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
Field Parameters:															
Purge Flow Rate	gpm	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	
Total Purged	gal														
Depth to Water	ft bgs														
Temperature	deg C														
pH	SU														
Specific Conductance	µS/cm														
Oxygen Reduction Potential	mV														
Lab Analytical Results:															
Hardness as CaCO3	mg/L														
pH (Lab)	SU														
Total Dissolved Solids (Lab)	mg/L														
Calcium	mg/L														
Magnesium	mg/L														
Sodium	mg/L														
Potassium	mg/L														
Alkalinity, Total	mg/L														
Alkalinity, Bicarbonate	mg/L														
Alkalinity, Carbonate	mg/L														
Alkalinity, Hydroxide	mg/L														
Chloride	mg/L														
Fluoride	mg/L														
Sulfate as SO4	mg/L														
Total Organic Carbon (TOC)	mg/L														
Nitrate/Nitrite as N	mg/L														
Aluminum	mg/L														
Arsenic	mg/L														
Cadmium	mg/L														
Copper	mg/L														
Iron	mg/L														
Lead	mg/L														
Manganese	mg/L														
Mercury	mg/L														
Molybdenum	mg/L														
Selenium	mg/L														
Silica (SiO2)	mg/L														
Silicon	mg/L														
Uranium	mg/L														
Zinc	mg/L														

Notes & Definitions:		
Y/N	yes or no	
gpm	gallons per minute	
deg C	degrees Celsius	
SU	standard pH units	
µS/cm	microsiemens per centimeter	
mV	millivolts	
mg/L	milligram per liter	
pCi/L	picocuries per liter	
NM	not measured (field)	
NA	not analyzed (lab)	
		<ol style="list-style-type: none"> <li>1. "&lt;" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.</li> <li>2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each component reported as equivalent CaCO3.</li> <li>3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.</li> </ol>

**GCC Energy Hydrologic Monitoring Data**

MW-6-MI															
Year	2018	2019										2020			
Quarter	Q4	Q1			Q2			Q3			Q4	Q1	Q2	Q3	
Month	12	1	2	3	4	5	5	6	7	8	9	11	2	5	8
Sample Date	12/29	1/31	2/25	3/21	4/19	5/20	5/30	6/19	7/23	8/15	9/24	11/7	2/5	5/14	8/11
Lab Analysis (Y/N)	Y	N	Y	N	N	N <sup>#</sup>	N	N	N	N	N	N	N	N	N
Field Parameters:															
Purge Flow Rate	gpm	NM	NM	NM	0.5	0.1	0.015								
Total Purged	gal	11.3	0.5	1.5	0.5	1.0	0.9								
Depth to Water	ft bgs	374.49	368.09	367.92	370.49	369.50	371.00								
Temperature	deg C	14.3	13.6	10.8	9.7	16.7	3.9	dry	dry	dry	dry	dry	dry	dry	dry
pH	SU	8.26	7.43	7.21	7.55	7.97	7.84								
Specific Conductance	µS/cm	3390	3620	3132	2619	2202	2527								
Oxygen Reduction Potential	mV	103.0	-80.2	77.6	59.8	38.3	64.9								
Lab Analytical Results:															
Hardness as CaCO3	mg/L	679		147											
pH (Lab)	SU	8.18		8.35											
Total Dissolved Solids (Lab)	mg/L	2480		1880											
Calcium	mg/L	104		23.4											
Magnesium	mg/L	102		21.6											
Sodium	mg/L	646		565											
Potassium	mg/L	12.0		5.30											
Alkalinity, Total	mg/L	395		615											
Alkalinity, Bicarbonate	mg/L	345		615											
Alkalinity, Carbonate	mg/L	50.0		<10.0											
Alkalinity, Hydroxide	mg/L	<10.0		<10.0											
Chloride	mg/L	175		178											
Fluoride	mg/L	2.06		2.46											
Sulfate as SO4	mg/L	1210		585											
Total Organic Carbon (TOC)	mg/L	3.63		4.55											
Nitrate/Nitrite as N	mg/L	0.023		<0.020											
Aluminum	mg/L	<0.100		<0.100											
Arsenic	mg/L	0.0084		0.0144											
Cadmium	mg/L	<0.0001		<0.0002											
Copper	mg/L	0.0113		0.0112											
Iron	mg/L	<0.100		<0.100											
Lead	mg/L	<0.0005		<0.0010											
Manganese	mg/L	0.0500		0.0224											
Mercury	mg/L	<0.0002		<0.0002											
Molybdenum	mg/L	0.0558		0.0690											
Selenium	mg/L	0.0098		0.0127											
Silica (SiO2)	mg/L	9.93		9.05											
Silicon	mg/L	4.64		4.23											
Uranium	mg/L	0.0200		0.0118											
Zinc	mg/L	0.0092		0.0143											

**Notes & Definitions:**

- # No sample collected, due to low yield, insufficient volume for lab sample after field parameters we measured**
  - Y/N yes or no
  - gpm gallons per minute
  - deg C degrees Celsius
  - SU standard pH units
  - µS/cm microsiemens per centimeter
  - mV millivolts
  - mg/L milligram per liter
  - pCi/L picocuries per liter
  - NM not measured (field)
  - NA not analyzed (lab)
1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
  2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
  3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

## GCC Energy Hydrologic Monitoring Data

MW-6-LM																	
Year	2018	2019										2020					
Quarter	Q4	Q1			Q2			Q3				Q4			Q1	Q2	Q3
Month	12	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	
Sample Date	12/30	1/31	2/25	3/21	4/23	5/20	6/19	7/23	8/15	9/24	10/28	11/7	12/30	1/31	2/25	3/21	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y		
Field Parameters:																	
Purge Flow Rate	gpm	NM	NM	0.06	2.00	0.03	0.03	0.10	0.06	0.03	0.02	0.01	0.03	0.01	0.13	0.01	
Total Purged	gal	0.5	0.5	1.5	2.0	2.0	2.3	1.3	1.3	1.8	2.0	1.5	2.0	2.0	2.0	2.0	
Depth to Water	ft bgs	535.72	538.73	539.34	540.64	539.98	537.58	540.00	540.35	540.24	540.17	539.80	540.18	539.70	539.45	539.98	
Temperature	deg C	7.9	14.3	7.8	8.1	9.1	9.3	11.7	14.0	13.4	11.6	10.1	12.4	10.5	11.3	14.8	
pH	SU	7.64	7.38	7.51	7.54	7.49	7.54	7.67	7.80	7.65	7.43	7.45	7.37	7.39	7.54	7.44	
Specific Conductance	µS/cm	6011	3784	3503	1461	1164	1296	1400	1272	1532	2104	2267	2113	2283	2287	2442	
Oxygen Reduction Potential	mV	185.3	10.7	40.9	-32.8	-35.8	-111.0	-194.5	-163.6	-67.2	6.4	-48.0	19.9	-128.9	-222.9	32.1	
Lab Analytical Results:																	
Hardness as CaCO3	mg/L	2260		1270			431			621			843	1060	965	1130	
pH (Lab)	SU	7.60		7.52			7.47			7.59			7.32	7.43	7.18	6.95	
Total Dissolved Solids (Lab)	mg/L	5100		2840			875			1150			1630	1840	1840	2040	
Calcium	mg/L	367		216			75.9			103			136	173	150	179	
Magnesium	mg/L	325		177			58.7			88.3			122	153	143	165	
Sodium	mg/L	459		248			129			153			172	203	188	194	
Potassium	mg/L	173		64.5			14.0			13.7			11.3	11	7.82	7.20	
Alkalinity, Total	mg/L	205		315			371			381			355	320	353	335	
Alkalinity, Bicarbonate	mg/L	205		315			371			381			355	320	353	335	
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10	<10.0	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10	<10.0	<10.0	
Chloride	mg/L	256		43.7			5.73			8.70			11.4	11	11.7	12.2	
Fluoride	mg/L	0.530		<0.500			0.324			<0.500			<0.500	0.352	<0.500	0.346	
Sulfate as SO4	mg/L	3050		1790			338			492			830	951	904	1260	
Total Organic Carbon (TOC)	mg/L	3.46		2.61			1.57			1.78			1.85	1.76	1.84	1.87	
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.02	<0.020	<0.020	
Ammonia as N ^	mg/L												1.99				
Ortho-Phosphate as P ^	mg/L												<0.0500				
Aluminum	mg/L	<0.250		<0.250			<0.050			<0.050			<0.100	<0.25	<0.250	<0.150	
Arsenic	mg/L	0.0039		0.0049			0.0036			0.0038			0.0035	0.0044	0.0034	0.0038	
Cadmium	mg/L	<0.0005		<0.0005			<0.0001			<0.0001			<0.0002	<0.0002	<0.0005	<0.0003	
Copper	mg/L	0.0135		0.0064			0.0017			0.0018			0.0069	0.0014	<0.0025	<0.0015	
Iron	mg/L	<0.250		<0.250			<0.050			<0.050			<0.100	<0.25	<0.250	<0.150	
Lead	mg/L	<0.0025		<0.0025			<0.0005			<0.0005			<0.0010	<0.001	<0.0025	<0.0015	
Manganese	mg/L	0.383		0.223			0.0692			0.148			0.166	0.184	0.171	0.267	
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	
Molybdenum	mg/L	0.0490		0.0169			0.0037			0.0025			0.0022	0.002	<0.0025	0.0023	
Selenium	mg/L	0.0080		<0.0050			<0.0010			<0.0010			<0.0020	<0.002	<0.0050	<0.0030	
Silica (SiO2)	mg/L	10.5		13.5			17.0			17.4			15.9	17.1	15.1	14.7	
Silicon	mg/L	4.91		6.29			7.96			8.12			7.43	7.97	7.07	6.88	
Uranium	mg/L	0.0230		0.0075			0.0039			0.0054			0.0047	0.0055	0.0043	0.0046	
Zinc	mg/L	0.0323		<0.0100			<0.0020			<0.0040			<0.0040	<0.004	<0.0100	0.0069	

### Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

# GCC Energy Hydrologic Monitoring Data

MW-7-EAA															
Year	2018	2019										2020			
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8
Sample Date	12/23	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y
<b>Field Parameters:</b>															
Purge Flow Rate	gpm	1.10	1.10	1.00	3.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.25	0.13
Total Purged	gal	15.0	18.0	15.0	3.0	15.0	16.0	15.3	15.3	17.0	15.0	15.0	15.0	36.5	16.0
Depth to Water	ft bgs	36.13	36.27	36.45	36.52	36.70	36.25	36.22	36.48	36.49	36.88	36.85	36.85	36.72	36.35
Temperature	deg C	10.0	10.0	10.0	9.9	10.1	10.4	10.4	10.6	10.5	10.3	10.4	10.6	10.4	10.3
pH	SU	6.99	7.01	7.04	6.93	7.00	7.06	7.07	6.28	6.95	7.06	7.03	7.06	6.91	7.09
Specific Conductance	µS/cm	2001	1910	1910	1926	1912	1767	1836	1885	1890	1913	1936	1922	1993	1772
Oxygen Reduction Potential	mV	-68.0	-36.7	-41.4	-38.1	-48.8	14.1	-13.8	-33.9	-37.8	-29.5	-25.6	-21.3	0.9	-49.2
<b>Lab Analytical Results:</b>															
Hardness as CaCO3	mg/L	936		1030			982			997			1020	963	1080
pH (Lab)	SU	7.2		7.37			7.17			7.09			6.99	6.92	7.23
Total Dissolved Solids (Lab)	mg/L	1460		1480			1490			1480			1530	1520	1480
Calcium	mg/L	170		179			171			173			162	165	183
Magnesium	mg/L	124		142			135			137			144	134	150
Sodium	mg/L	75.3		81.3			75.0			75.2			74.9	73.7	80.9
Potassium	mg/L	3.87		3.9			<5.00			3.74			3.74	3.82	<5.00
Alkalinity, Total	mg/L	380		367			405			392			350	357	268
Alkalinity, Bicarbonate	mg/L	380		367			405			392			425	357	268
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0
Chloride	mg/L	11.9		10.7			10.8			10.9			11.6	10.3	10.2
Fluoride	mg/L	<0.500		0.332			0.322			0.322			<0.500	0.354	0.330
Sulfate as SO4	mg/L	732		736			733			844			746	774	767
Total Organic Carbon (TOC)	mg/L	3.72		3.57			3.73			3.70			3.45	3.42	4.01
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.02	<0.020
Ammonia as N ^	mg/L												0.178		
Ortho-Phosphate as P ^	mg/L												<0.0500		
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.100			<0.050	<0.1	<0.250
Arsenic	mg/L	0.0014		0.0015			0.0013			0.0016			0.0013	0.0013	<0.0015
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0002	<0.0002	<0.0003
Copper	mg/L	0.0003		0.0018			0.0011			0.0008			0.0006	<0.001	<0.0015
Iron	mg/L	1.82		1.95			1.81			2.12			2.00	1.84	2.16
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0010	<0.001	<0.0015
Manganese	mg/L	3.72		4.49			4.01			4.22			4.76	4.86	4.49
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0008		0.0011			0.0007			0.0009			<0.0010	0.001	<0.0015
Selenium	mg/L	<0.0020		<0.0020			<0.0010			0.0011			<0.0020	<0.002	<0.003
Silica (SiO2)	mg/L	16.6		16.1			16.1			16.9			16.8	16.4	16.9
Silicon	mg/L	7.75		7.52			7.55			7.90			7.83	7.67	7.91
Uranium	mg/L	0.0021		0.0018			0.0017			0.0018			0.0020	0.0019	0.0018
Zinc	mg/L	<0.0050		<0.0040			0.0021			0.0020			<0.0040	<0.004	<0.006

### Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

### GCC Energy Hydrologic Monitoring Data

MW-8-EAA																	
Year	2018		2019										2020				
Quarter	Q4		Q1			Q2			Q3				Q4		Q1	Q2	Q3
Month	12		1	2	3	4	5	6	7	8	9	10	11				
Sample Date	12/23		1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y		
Field Parameters:																	
Purge Flow Rate	gpm	0.85	1.10	0.50	3.00	0.50	0.75	1.00	1.00	0.75	0.50	1.00	0.25	1.00	0.25	0.13	
Total Purged	gal	18.0	14.0	15.0	3.0	15.0	17.0	15.3	15.3	18.0	15.3	15.5	15.0	15.2	15.0	16.0	
Depth to Water	ft bgs	40.00	39.95	40.10	43.45	40.44	40.05	39.94	40.10	40.08	40.25	40.31	40.22	40.40	40.45	34.50	
Temperature	deg C	10.3	10.2	10.0	9.9	10.3	10.5	10.6	10.5	10.6	10.3	10.2	11.2	10.5	11.0	11.1	
pH	SU	7.12	7.09	7.13	7.17	7.09	7.02	7.17	7.09	7.05	7.03	6.99	6.99	6.99	7.14	7.19	
Specific Conductance	µS/cm	1781	1696	1720	1725	1729	1628	1676	1699	172	1739	1774	1739	1758	1760	1675	
Oxygen Reduction Potential	mV	-65	-52.8	-51.8	-53.0	-59.7	11.0	-29.5	-46.6	-44.8	-33.5	-38.8	-39.2	-18.2	-72.4	1.4	
Lab Analytical Results:																	
Hardness as CaCO3	mg/L	870		861			864			883			867	861	907	937	
pH (Lab)	SU	7.28		7.36			7.13			7.05			7.01	7.11	6.96	7.18	
Total Dissolved Solids (Lab)	mg/L	1220		1290			1240			1280			1380	1290	1260	1280	
Calcium	mg/L	152		151			148			154			143	149	153	160	
Magnesium	mg/L	119		118			120			121			124	119	127	130	
Sodium	mg/L	81.7		82.6			77.2			78.6			77.1	77.2	77.7	82.9	
Potassium	mg/L	3.80		3.27			3.55			3.18			3.52	3.8	<5.00	<5	
Alkalinity, Total	mg/L	400		435			450			431			445	404	385	288	
Alkalinity, Bicarbonate	mg/L	400		435			450			431			445	404	385	288	
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10	<10.0	<10	
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10	<10.0	<10	
Chloride	mg/L	9.83		10.5			10.3			11.1			11.0	10.2	10.3	10.1	
Fluoride	mg/L	0.380		0.370			0.338			0.342			<0.500	0.33	0.346	0.336	
Sulfate as SO4	mg/L	533		559			606			643			577	602	625	605	
Total Organic Carbon (TOC)	mg/L	3.77		3.59			3.77			3.68			3.52	3.49	3.56	3.82	
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.02	<0.020	<0.02	
Ammonia as N ^	mg/L												0.216				
Ortho-Phosphate as P ^	mg/L												<0.0500				
Aluminum	mg/L	<0.100		<0.100			<0.050			<0.100			<0.050	<0.1	<0.250	<0.25	
Arsenic	mg/L	0.0020		0.0018			0.0018			0.0021			0.0018	0.0017	0.0017	0.0018	
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0002	<0.0002	<0.0003	
Copper	mg/L	0.0004		0.0024			0.0023			0.0008			0.0010	0.001	<0.0010	<0.0015	
Iron	mg/L	2.12		2.13			2.42			2.46			2.30	2.28	2.29	2.31	
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.001	<0.0010	<0.0015	
Manganese	mg/L	3.17		3.52			3.06			3.37			3.39	3.7	3.36	3.54	
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	
Molybdenum	mg/L	0.0009		0.0011			0.0008			0.0011			0.0008	<0.001	<0.0010	<0.0015	
Selenium	mg/L	<0.0020		<0.0020			0.0010			0.0013			<0.0010	<0.002	<0.0020	<0.003	
Silica (SiO2)	mg/L	16.3		15.3			15.7			16.1			15.9	15.7	15.0	16.1	
Silicon	mg/L	7.63		7.15			7.32			7.52			7.42	7.32	7.02	7.53	
Uranium	mg/L	0.0021		0.0017			0.0016			0.0018			0.0019	0.0019	0.0017	0.0017	
Zinc	mg/L	<0.0050		<0.0040			<0.0020			<0.0020			<0.0020	<0.004	<0.0040	<0.006	

- Notes & Definitions:**
- ^ one-time analysis
  - Y/N yes or no
  - gpm gallons per minute
  - deg C degrees Celsius
  - SU standard pH units
  - µS/cm microsiemens per centimeter
  - mV millivolts
  - mg/L milligram per liter
  - pCi/L picocuries per liter
  - NM not measured (field)
  - NA not analyzed (lab)
1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
  2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
  3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.



**GCC Energy Hydrologic Monitoring Data**

MW-8-MI																
Year	2018	2019										2020				
Quarter	Q4	Q1			Q2			Q3				Q4		Q1	Q2	Q3
Month	12	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3
Sample Date	12/23	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	12/23	1/29	2/19	3/20
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y
<b>Field Parameters:</b>																
Purge Flow Rate	gpm	1.10	1.00	0.50	3.00	0.50	0.50	0.25	0.50	0.75	0.50	1.00	0.25	0.25	0.13	0.10
Total Purged	gal	27.5	18.0	1.0	3.0	1.5	2.5	2.5	2.3	3.0	2.0	2.5	1.0	1.0	1.0	2.0
Depth to Water	ft bgs	45.75	43.48	43.50	44.30	44.47	44.10	44.24	44.45	44.59	44.90	45.12	45.10	45.20	45.42	45.84
Temperature	deg C	10.8	10.8	10.6	11.2	10.4	11.1	11.4	11.0	11.4	10.9	10.3	11.4	10.2	11.3	13.1
pH	SU	7.57	7.50	7.48	7.47	7.34	7.31	7.48	7.42	7.38	7.30	7.23	7.15	7.08	7.44	7.44
Specific Conductance	µS/cm	1786	1667	1651	1658	1643	1595	1639	1645	1658	1637	1689	1642	1651	1659	1598
Oxygen Reduction Potential	mV	-84.4	-177.1	-122.1	-113.3	-87.2	-54.4	-97.1	-116.4	-119.4	-88.4	-82.0	-59.3	-136.6	-184.9	-107.0
<b>Lab Analytical Results:</b>																
Hardness as CaCO3	mg/L	167		249			273			253			267	254	309	355
pH (Lab)	SU	7.73		7.54			7.24			7.46			7.44	7.53	7.25	7.34
Total Dissolved Solids (Lab)	mg/L	1050		1030			1100			1110			1050	1060	1040	1010
Calcium	mg/L	34.0		48.5			52.4			49.7			51.3	48.7	58.5	65.9
Magnesium	mg/L	19.9		31.0			34.5			31.4			33.8	32.1	39.6	46.2
Sodium	mg/L	344		312			289			289			275	269	272	260
Potassium	mg/L	4.47		5.25			<5.00			4.55			5.07	4.71	5.00	5.56
Alkalinity, Total	mg/L	500		565			560			573			585	543	545	448
Alkalinity, Bicarbonate	mg/L	500		565			560			573			585	543	545	448
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	12.7		10.0			9.33			9.06			9.66	8.19	8.23	8.12
Fluoride	mg/L	<0.500		<0.200			<0.200			<0.200			<0.500	<0.2	<0.200	<0.2
Sulfate as SO4	mg/L	347		353			343			366			317	314	316	335
Total Organic Carbon (TOC)	mg/L	2.73		2.83			2.81			2.74			2.65	2.6	2.94	2.87
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.02	<0.020	<0.02
Ammonia as N ^	mg/L												1.31			
Ortho-Phosphate as P ^	mg/L												<0.0500			
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.100			<0.050	<0.1	<0.250	<0.25
Arsenic	mg/L	0.0008		<0.0010			0.0006			0.0005			0.0005	<0.001	<0.0010	<0.0015
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0002	<0.0002	<0.0003
Copper	mg/L	0.0031		0.0066			0.0036			0.0035			0.0037	0.0027	<0.0010	<0.0015
Iron	mg/L	0.137		0.162			<0.250			0.129			0.130	0.108	<0.250	<0.250
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.001	<0.0025	<0.0015
Manganese	mg/L	0.0495		0.0383			0.0327			0.0351			0.0377	0.0391	0.0393	0.0551
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.001	<0.0010	<0.0015
Selenium	mg/L	<0.0020		<0.0020			0.0010			0.0010			<0.0010	<0.002	0.0020	<0.003
Silica (SiO2)	mg/L	12.1		12.4			12.8			12.5			12.6	12.2	11.9	12.9
Silicon	mg/L	5.65		5.78			5.99			5.83			5.88	5.71	5.55	6.05
Uranium	mg/L	0.0002		0.0002			0.0002			0.0001			0.0001	<0.001	<0.0025	<0.0015
Zinc	mg/L	<0.0050		<0.0040			<0.0020			<0.0020			<0.0020	<0.004	<0.0040	<0.0060

**Notes & Definitions:**

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

## GCC Energy Hydrologic Monitoring Data

MW-8-LM																
Year	2018	2019										2020				
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	
Sample Date	12/28	1/29	2/19	3/21	4/16	5/29	6/18	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	
Field Parameters:																
Purge Flow Rate	gpm	NM	1.00	0.25	1.00	0.50	0.10	0.25	0.25	0.50	0.25	0.12	0.25	0.25	0.13	
Total Purged	gal	30	4.0	1.5	1.0	2.0	1.3	6.8	2.0	2.0	1.0	1.0	1.5	1.0	2.0	
Depth to Water	ft bgs	136.39	130.52	134.30	144.03	140.03	137.48	142.23	144.15	138.06	137.50	137.60	137.34	139.15	129.70	127.90
Temperature	deg C	4.1	13.9	13.2	8.7	13.6	13.9	12.8	13.7	13.4	13.0	11.7	13.3	11.4	13.4	13.6
pH	SU	8.37	8.70	8.71	8.41	8.70	8.50	8.66	8.64	8.58	8.44	8.44	8.47	7.98	8.76	8.83
Specific Conductance	µS/cm	2306	1274	1265	1310	1262	1234	1264	1226	1269	1252	1299	1255	1294	1282	1055
Oxygen Reduction Potential	mV	37.5	-114.3	112.8	77.0	-36.2	33.2	-63.9	-93.5	-103.0	-115.9	-94.4	-47.4	-106.6	-204.5	-106.9
Lab Analytical Results:																
Hardness as CaCO3	mg/L	45.0		7.29			16.9			6.67			6.38	6.79	7.76	7.53
pH (Lab)	SU	8.57		8.63			8.02			8.56			8.52	8.55	8.41	8.45
Total Dissolved Solids (Lab)	mg/L	1420		770			780			785			780	840	730	740
Calcium	mg/L	10.8		1.93			3.84			1.78			1.68	1.77	2.09	2.05
Magnesium	mg/L	4.39		0.600			1.77			0.541			0.528	0.574	0.620	0.587
Sodium	mg/L	382		341			317			306			305	309	315	337
Potassium	mg/L	45.7		3.49			<5.00			2.27			2.18	2.06	<5.00	<5.00
Alkalinity, Total	mg/L	615		720			745			731			745	685	630	675
Alkalinity, Bicarbonate	mg/L	535		610			645			645			685	595	530	585
Alkalinity, Carbonate	mg/L	80.0		110			100			86.0			60.0	90	100	90
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	175		5.11			6.80			2.63			2.48	3.04	3.01	2.98
Fluoride	mg/L	2.06		3.91			3.95			3.97			3.88	3.61	3.63	3.53
Sulfate as SO4	mg/L	190		3.79			9.58			1.02			<1.00	<2.00	<2.00	<2.00
Total Organic Carbon (TOC)	mg/L	2.80		1.80			3.33			1.94			1.69	1.69	1.92	1.82
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L												0.282			
Ortho-Phosphate as P ^	mg/L												<0.0500			
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.100	<0.250	<0.250
Arsenic	mg/L	0.0106		<0.0010			0.0006			0.0007			0.0006	<0.0005	<0.0010	<0.0015
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0001	<0.0002	<0.0003
Copper	mg/L	0.0337		0.0077			0.0047			0.0041			0.0051	0.0033	0.0012	0.0017
Iron	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.100	<0.250	<0.250
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0010	<0.0005	<0.0010	<0.0015
Manganese	mg/L	0.0258		0.0038			0.0150			0.0020			0.0026	0.0025	0.0029	0.0026
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0142		<0.0010			0.0009			<0.0005			<0.0005	<0.0005	<0.0010	<0.0015
Selenium	mg/L	0.0020		<0.0020			<0.0010			<0.0010			<0.0010	<0.001	<0.0020	<0.003
Silica (SiO2)	mg/L	9.09		8.45			8.68			8.28			7.77	7.62	7.40	7.84
Silicon	mg/L	4.25		3.95			4.06			3.87			3.63	3.56	3.46	3.67
Uranium	mg/L	0.0044		<0.0002			0.0001			0.0001			<0.0002	<0.0005	<0.0010	<0.0015
Zinc	mg/L	0.0080		<0.0040			0.0023			<0.0020			<0.0020	<0.002	<0.0040	<0.0060

**Notes & Definitions:**

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

## GCC Energy Hydrologic Monitoring Data

MW-8-PL																	
Year	2018	2019										2020					
Quarter	Q4	Q1			Q2			Q3				Q4			Q1	Q2	Q3
Month	12	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	
Sample Date	12/27	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	12/27	1/29	2/19	3/20	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y		
Field Parameters:																	
Purge Flow Rate	gpm	0.25	1.00	0.50	3.00	0.50	0.25	1.00	0.50	0.50	0.75	0.25	0.25	0.25	0.25		
Total Purged	gal	20.0	5.0	2.0	3.0	2.0	3.0	2.5	2.3	2.5	2.0	2.5	1.3	2.0	2.0	2.3	
Depth to Water	ft bgs	125.97	126.29	126.40	127.10	126.98	126.70	126.82	127.25	127.38	127.42	127.48	127.59	127.32	127.34	128.00	
Temperature	deg C	10.3	14.2	13.4	12.9	13.2	14.2	14.8	14.7	14.9	14.0	13.2	14.9	13.8	14.8	14.9	
pH	SU	7.50	7.30	7.49	7.30	7.29	7.31	7.57	7.56	7.52	7.45	7.47	7.52	7.55	7.47	7.52	
Specific Conductance	µS/cm	1690	1531	1571	1558	1554	1411	1326	1165	1083	947	940	900	862	844	792	
Oxygen Reduction Potential	mV	30.2	-116.5	97.9	-108.7	-110.6	34.2	-57.6	-74.0	-79.5	-51.3	-52.5	-30.8	-59.9	-101.9	-38.0	
Lab Analytical Results:																	
Hardness as CaCO3	mg/L	617		644			596			411			294	278	298	292	
pH (Lab)	SU	7.28		7.40			7.26			7.22			7.39	7.47	7.19	7.16	
Total Dissolved Solids (Lab)	mg/L	1150		1090			995			705			620	500	490	525	
Calcium	mg/L	112		120			105			73.1			52.1	49.3	53.8	53.3	
Magnesium	mg/L	82.1		83.8			81.4			55.4			39.7	37.6	39.7	38.5	
Sodium	mg/L	106		124			102			91.7			83.3	78.5	80.4	81.6	
Potassium	mg/L	5.14		5.62			<5.00			2.80			2.35	2.32	2.11	<2.00	
Alkalinity, Total	mg/L	370		415			435			393			390	339	340	315	
Alkalinity, Bicarbonate	mg/L	370		415			435			393			390	339	340	315	
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	18.8		18.5			9.03			5.61			5.66	3.51	3.38	3.33	
Fluoride	mg/L	0.505		0.474			0.290			0.291			<0.500	0.258	0.240	0.233	
Sulfate as SO4	mg/L	478		471			390			232			127	109	103	99.2	
Total Organic Carbon (TOC)	mg/L	4.17		4.02			2.92			2.21			1.75	1.63	1.63	1.61	
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	
Ammonia as N ^	mg/L												0.199				
Ortho-Phosphate as P ^	mg/L												<0.0500				
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.05	<0.100	<0.100	
Arsenic	mg/L	0.0074		0.0124			0.0190			0.0156			0.0104	0.0073	0.0075	0.0064	
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0002	<0.0001	<0.0002	
Copper	mg/L	0.0016		0.0025			0.0017			0.0011			0.0004	0.001	<0.0025	<0.001	
Iron	mg/L	<0.050		0.352			<0.250			0.129			0.075	0.054	<0.100	<0.100	
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.0005	<0.0005	<0.001	
Manganese	mg/L	1.31		1.22			0.697			0.505			0.313	0.303	0.307	0.259	
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	
Molybdenum	mg/L	0.0090		0.0068			0.0020			0.0021			0.0017	0.0008	<0.0005	<0.001	
Selenium	mg/L	0.0012		<0.0020			<0.0010			<0.0010			<0.0010	<0.001	<0.0010	<0.002	
Silica (SiO2)	mg/L	14.1		16.3			17.7			18.5			18.0	18.9	18.7	19.9	
Silicon	mg/L	6.58		7.64			8.28			8.67			8.42	8.82	8.75	9.28	
Uranium	mg/L	0.0052		0.0040			0.0010			0.0009			0.0004	<0.0005	<0.0005	<0.001	
Zinc	mg/L	0.0344		<0.0040			<0.0020			<0.0080			<0.0020	<0.002	<0.0100	<0.004	

**Notes & Definitions:**

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.