

GCC Energy Hydrologic Monitoring Data

Hay Gulch Ditch Upgradient																																	
Year	2016												2017				2018				2019				2020				2021				
	Quarter	Q1			Q2			Q3			Q4			Q1		Q2	Q3	Q4	Q1		Q2	Q3	Q4	Q1		Q2	Q3	Q4	Q1	Q2	Q3		
Month	3	4	5	6	7	8	9	10	11	12	1	2	3	6	9	11	2	5	8	11	2	5	8	11	2	5	8	12	2	6	9		
Sample Date	3/31	4/22	5/26	6/23	7/20	8/25	9/21	10/19	11/29	12/13	1/26	2/27	3/22	6/28	9/21	11/28	2/22	5/14	8/9	11/8	2/28	5/23	8/16	11/13	2/13	5/13	8/13	12/3	2/22	6/3	9/1		
Lab Analysis (Y/N)	Y	N	N	Y	N	N	Y	Y	Y	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Field Parameters:																																	
Flow Rate	cfs	0.70	1.0	1.20	1.60	1.0	1.0	1.10	1.0	NM	1.0	NM	0.82	0.28	2.70	NM	NM	NM	0.60	0.70	0.70	0.25	3.63	1.17	NM	NM	0.92	0.13	1.02	0.06	0.16	NM	
Temperature	deg C	9.8	20.9	11.3	21.1	20.8	16.8	14.9	16.4	5.9	7.0	1.5	4.7	10.7	20.2	19.7	8.8	4.7	11.3	22.1	1.1	5.9	5.9	16.9	5.7	1.5	16.5	18.1	2.0	5.8	11.3	15.5	
pH	SU	7.75	8.27	7.95	8.15	8.24	8.26	8.47	8.19	8.79	8.58	8.2	8.69	8.77	8.88	8.39	7.60	7.9	7.58	9.07	7.16	6.4	7.53	8.03	7.33	7.75	8.39	8.65	8.08	7.83	7.75	8.07	
Specific Conductance	µS/cm	247	323	197	141	189	207	233	210	258	234	687	455	454	106	549	868	1041	304	307	307	752	306	275	682	902	314	528	434	1024	189	280	
Oxygen Reduction Potential	mV	76.4	114.7	97.2	51.6	53.6	82.8	72.5	105.9	92.4	116.3	66.3	-12	-10.6	23.8	86.1	95.10	-164.1	111.4	-181.3	13.9	103.7	-24.0	24.4	-22.4	-4.5	81.7	118.9	120.3	51.6	86.6	58.3	
Dissolved Oxygen	mg/L	8.1	6.4	8.0	6.0	6.5	6.9	7.2	4.7	6.7	6.1	10.6	9.0	6.9	4.8	6.7	9.3	9.4	8.5	6.4	10.2	8.0	8.9	7.8	7.9	7.0	7.5	8.4	10.4	8.7	8.5	7.1	
Lab Analytical Results:																																	
Hardness as CaCO3	mg/L	128			80.9					119					257	69.2	316	456	489	101	153	149	393	136	125	372	405	150	287	213	588	92.6	131
pH (Lab)	SU	8.17			8.04					8.16					8.06	8.06	8.22	8.31	8.39	7.99	9.07	7.86	7.45	7.69	7.83	7.40	7.22	7.60	8.01	7.92	7.57	7.72	7.44
Total Dissolved Solids (Lab)	mg/L	170			75					165					285	65.0	390	650	700	140	215	175	535	205	225	635	587	255	340	160	685	210	185
Total Suspended Solids	mg/L	30.0			117					17.0					2.50	63.5	2.00	5.75	6.01	106	6.25	14.8	22.0	113	20.0	5.38	<4.0	140	19.5	13.2	55	133	51
Calcium	mg/L	33.5			24					33.0					53.6	20.8	64.9	86.6	87.3	26.3	39.1	40.3	79.8	34.6	32.4	79.3	81.5	36.1	63.2	49.9	113	25.8	35.8
Magnesium	mg/L	10.9			5.08					9.01					29.8	4.21	37.5	58.3	65.9	8.61	13.5	11.9	47.0	12.1	10.8	42.2	49	14.5	31.3	21.5	74.3	6.87	10.1
Sodium	mg/L	4.46			2.19					3.90					10.9	1.97	13.8	27.1	34.6	3.31	5.33	5.00	19.1	7.24	5.81	25.4	30.9	7.67	10.9	8.39	34.3	2.71	3.97
Potassium	mg/L	<1			<1					1.35					<1.00	1.75	2.15	3.05	3.52	1.18	1.24	<1.00	3.89	1.57	1.07	3.25	3.65	1.86	1.85	1.53	4.74	<1.00	3.28
Alkalinity, Total	mg/L	160			65					98.0					185	55.0	177	305	244	67	111	120	260	390	103	233	315	102	220	137	340	68	98
Alkalinity, Bicarbonate	mg/L	160			65					94.0					185	55.0	161	285	244	67	107	120	260	390	103	233	295	102	220	131	340	68	98
Alkalinity, Carbonate	mg/L	<10.0			<10.0					<10.0					<10.0	<10.0	16.0	20.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0			<10.0					<10.0					<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	5.77			2.07					4.32					22.7	1.76	30.8	48.2	46.7	3.12	6.70	5.58	48.1	7.75	6.04	22.8	31.6	9.64	24.5	14.8	85.9	3.17	5.23
Fluoride	mg/L	0.213			0.208					0.223					0.215	0.195	0.265	0.283	0.285	0.224	0.272	0.224	0.252	0.208	0.214	<0.500	0.239	<0.500	0.226	0.226	0.235	0.188	0.227
Sulfate as SO4	mg/L	42.1			17.7					29.0					87.7	15.0	99.0	179	229	34	49.7	45.0	128	47.2	35.6	107	151	44.0	86.3	64.4	211	26.4	42.2
Total Organic Carbon (TOC)	mg/L	1.41			1.6					2.21					2.49	1.15	1.90	1.99	1.81	2.31	1.61	1.09	4.94	3.08	1.84	4.54	5.45	2.93	1.65	1.22	2.69	1.39	2.8
Oil & Grease	mg/L	<5.00			<5.00					<5.00					<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00
Nitrate/Nitrite as N	mg/L	<0.02			0.028					<0.020					0.053	<0.020	0.045	0.088	0.105	0.026	<0.020	<0.020	0.263	0.050	0.072	0.104	0.044	0.302	0.042	0.026	0.282	0.049	0.026
Sodium Adsorption Ratio (SAR)	no unit	0.17			0.1					0.16					0.30	0.10	0.34	0.55	0.68	0.14	0.18	0.16	0.42	0.26	0.22	0.55	0.65	0.26	0.29	0.25	0.62	0.12	0.15
Ammonia as N ^	mg/L	NA			NA					NA					NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.100	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA			NA					NA					NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.05			<0.05					<0.05					<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Arsenic	mg/L	<0.0005			<0.0005					<0.0005					0.0005	<0.0005	0.0009	0.0007	<0.0025	<0.0005	0.0009	<0.0005	0.0007	0.0006	0.0007	0.0005	0.0006	<0.0005	0.0007	<0.0005	0.0012	<0.0005	0.001
Cadmium	mg/L	<0.0001			<0.0001					<0.0001					<0.0001	<0.0001	<0.0001	<0.0001	<0.0005	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0005	<0.0005
Copper	mg/L	0.0006			0.0011					0.0011					0.0008	0.0013	0.0006	0.0005	0.0007	0.0011	0.0011	0.0013	0.0026	0.0013	0.0012	0.0005	0.0005	0.0010	0.0006	0.0005	0.0007	0.0009	0.0012
Iron	mg/L	<0.05			<0.05					<0.05					<0.050	<0.050	<0.050	<0.050	<0.050	<0.05	<0.05	<0.05	0.255	0.055	<0.050	0.316	0.551	<0.050	<0.050	<0.05	0.103	<0.0500	<0.0500
Lead	mg/L	<0.0005			<0.0005					<0.0005					<0.0005	<0.0005	<0.0005	<0.0005	<0.0025	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Manganese	mg/L	0.0059			0.0035					0.0043					0.0070	0.0024	0.0098	0.0049	0.0049	0.0093	0.0016	0.0043	0.127	0.0349	0.0096	0.113	0.368	0.0297	0.0087	0.0047	0.149	0.0042	0.0156
Mercury	mg/L	<0.0002			<0.0002					<0.0002					<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0003	<0.00001
Molybdenum	mg/L	<0.0005			0.0009					0.0007					0.0006	0.0009	0.0012	0.0008	<0.0025	0.001	0.0012	0.0009	0.0011	0.0009	0.0011	0.0007	0.0005	0.0009	0.0009	0.0009	0.0007	0.0009	0.0011
Selenium	mg/L	<0.0010			<0.0010					<0.0010					0.0023	<0.0010	<0.0010	0.0010	<0.0050	<0.0010	<0.0010	<0.0010	0.0017	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	0.0018	<0.0010	<0.0010
Silica (SiO2)	mg/L	7.78			8.23					10.5					9.04	7.71	9.45	10.1	11.0	8.4	8.64	8.31	11.3	8.55	9.17	13.4	13	7.57	7.36	9.86	13.4	7.18	9.33
Silicon	mg/L	3.64			3.85					4.89					4.23	3.60	4.42	4.71	5.14	3.93	4.04	3.88	5.29	3.99	4.29	6.25	6.06	3.54	3.44	4.61	6.26	3.36	4.36
Uranium	mg/L	0.0002			0.0001					0.0002					0.0003	0.0001	0.0006	0.0009	0.0013	0.0001	0.0002												

GCC Energy Hydrologic Monitoring Data

Hay Gulch Ditch Downgradient																																
Year	2016										2017					2018				2019				2020				2021				
Quarter	Q1		Q2			Q3			Q4			Q1		Q2	Q3	Q4	Q1		Q2	Q3	Q4	Q1		Q2	Q3	Q4	Q1		Q2	Q3		
Month	3	4	5	6	7	8	9	10	11	12	1	2	3	6	9	11	2	5	8	11	2	5	8	11	2	6	8	12	2	6	9	
Sample Date	3/31	4/22	5/26	6/23	7/20	8/25	9/21	10/19	11/29	12/13	1/26	2/27	3/22	6/28	9/21	11/28	2/22	5/7	8/9	11/7	2/28	5/23	8/16	11/13	2/6	6/1	8/13	12/3	2/22	6/3	9/1	
Lab Analysis (Y/N)	Y	N	N	Y	N	N	Y	N	Y	N	N	N	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																																
Flow Rate	cfs	1.10	1.20	1.10	NM	1.10	1.10	NM	0.80	NM	NM	NM	0.80	0.30	0.30	NM	dry	NM	NM	NM	0.50	0.25	0.30	1.05	NM	NM	1.50	0.13	NM	0.001	0.40	NM
Temperature	deg C	11.8	17.6	10.9	21.9	21.3	18.8	16.1	11.8	7.0	6.6	7.2	5.0	12.7	17.6	18.7		6.3	11.3	20.6	4.7	6.88	8.23	15.15	3.51	3.73	14.21	20.4	6.83	10.37	13.35	10.47
pH	SU	8.57	8.55	8.14	8.14	8.55	8.37	8.3	8.36	8.64	8.06	7.28	8.06	9.00	8.53	8.66		8.33	7.58	7.43	7.48	6.42	7.77	7.61	8.38	7.94	8.24	8.00	7.7	7.76	8.12	8.26
Specific Conductance	µS/cm	429	530	297	116	308	257	1183	420	421	728	678	987	17	114	164		742	304	356	309	577	202	295	554	882	137	237	478	815	131	184
Oxygen Reduction Potential	mV	57.5	105.9	33.2	32.5	68.6	38.4	18.7	88.6	117.5	155.2	147.6	-15.5	137.8	185.3	48		51.6	111.4	-10.0	-88.9	125.6	50.6	111.6	-108.1	124.2	104.8	103.0	127.8	-26.5	85.1	119.5
Dissolved Oxygen	mg/L	7.9	7.7	8.7	6.0	6.7	5.6	6.8	7.1	6.5	7.2	7.6	9.8	5.6	6.4	7.1	9.8	8.5	6.3	9.1	7.6	8.8	7.2	9.6	9.5	8.0	6.4	9.6	6.8	7.8	6.7	
Lab Analytical Results:																																
Hardness as CaCO3	mg/L	226			67.8			480		267				503	59.1	91.4		329	140	182	167	281	91.9	137	295	416	63.6	120	232	419	64.8	90.7
pH (Lab)	SU	8.42			8.13			8.25		8.24				8.15	7.98	7.98		8.17	8.05	8.09	7.95	7.84	7.68	7.73	7.73	7.80	7.49	7.59	7.85	7.83	7.74	7.58
Total Dissolved Solids (Lab)	mg/L	270			55			630		320				615	65.0	80.0		420	220	260	185	390	185	195	355	573	120	135	370	435	175	90
Total Suspended Solids	mg/L	27.3			18			4.20		12.4				12.7	3.00	<0.500		49.5	<2	5.67	4.40	18.4	153.0	22.5	<4.00	4.20	17.5	28.6	10.5	28.0	8.4	4.8
Calcium	mg/L	55.5			21.9			94.7		65.5				112	19.0	29.5		75.4	37.5	49.0	44.7	61.6	26.0	34.5	67.2	85.6	20.3	34.2	55.6	98.2	21.2	29.8
Magnesium	mg/L	21.1			3.15			59.1		25.2				54.6	2.86	4.31		34.2	11.2	14.4	13.4	31	6.54	12.3	30.8	49.0	3.15	8.38	22.7	42.2	2.86	3.94
Sodium	mg/L	8.69			1.57			16.8		10.7				22.5	1.49	2.37		18.1	5.42	6.49	5.15	16.5	5.03	6.62	17.0	28.5	1.90	3.68	9.03	15.8	1.14	1.75
Potassium	mg/L	1.49			<1			4.48		1.46				2.33	<1.00	<1.00		2.84	1.14	1.58	1.34	3.13	1.31	1.27	2.60	3.81	<1.00	1.36	1.89	3.75	<1.00	1.02
Alkalinity, Total	mg/L	220			59			220		225				320	47.0	85.0		265	112	170	140	150	340	140	194	297	48	110	158	315	52	72
Alkalinity, Bicarbonate	mg/L	220			59			140		155				320	47.0	85.0		259	104	170	140	150	340	140	188	283	48	110	154	315	52	72
Alkalinity, Carbonate	mg/L	<10			<10			80.0		<10.0				<10.0	<10.0	<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10			<10			<10		<10.0				<10.0	<10.0	<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	9.40			1.26			97.9		12				31.9	<1.00	1.54		23.1	7.54	7.47	5.69	40.2	16.9	7.65	14.8	30.7	1.87	4.42	17.1	59	1.16	1.21
Fluoride	mg/L	0.244			0.195			0.244		0.227				0.224	0.290	0.227		0.308	0.228	0.295	0.228	0.232	0.205	0.218	0.252	0.272	0.185	0.224	0.244	0.246	0.195	0.216
Sulfate as SO4	mg/L	68.1			13.5			144		89.5				204	11.3	17.9		86.5	40.2	46.8	45.0	91.4	18.5	42.7	83.3	143	14.2	32.4	70.2	90.1	17.3	25.7
Total Organic Carbon (TOC)	mg/L	1.53			1.4			3.48		1.65				2.31	2.16	0.932		1.56	1.28	1.33	1.76	2.90	2.37	2.10	3.26	4.53	1.39	1.47	1.55	2.31	1.18	1.48
Oil & Grease	mg/L	<5			<5			<5		<5.00				<5.00	<5.00	<5.00		<5.00														

GCC Energy Hydrologic Monitoring Data

Well #2 Downgradient																																		
Year	2016										2017					2018					2019				2020				2021					
Quarter	Q1		Q2		Q3			Q4			Q1		Q2	Q3	Q4	Q1		Q2	Q3	Q4	Q1		Q2	Q3	Q4	Q1		Q2	Q3					
Month	3	4	5	6	7	8	9	10	11	12	1	2	3	6	9	11	2	5	8	8	11	2	5	8	11	2	6	8	12					
Sample Date	3/30	4/21	5/25	6/23	7/19	8/24	9/20	10/19	11/30	12/14	1/26	2/27	3/22	6/13	9/21	11/28	2/22	5/7	8/8	8/9	11/7	2/27	5/22	8/16	11/13	2/6	6/1	8/26	12/14					
Lab Analysis (Y/N)	Y	N	N	Y	N	N	Y	N	Y	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y					
Field Parameters:																																		
Purge Flow Rate	gpm	0.50	0.50	0.50	0.50	0.50	0.50	0.50	NM	7.20	2.00	NM	NM	NM	NM	NM	0.1	1.00	0.10	1.00	0.50	0.25	0.50	0.25	0.50	0.25	0.25	0.25	0.13	0.50	0.25	0.25		
Total Purged	gal	7	6	7	7	6	6	6	6	6	6	8	8	6	8	6	6	11	2	6.5	7.5	13	10	9	8	12	8	7	7	12	9	7		
Depth to Water	ft bgs	3.69	3.17	4.25	1.42	4.17	4.17	5.50	6.4	4.7	5	3.95	2.74	6.35	0.95	4.85	5.68	6.68	7.4	6.65	6.59	5.17	5.85	0.92	3.60	5.20	5.60	4.00	6.29	7.48	8.10	8.70	8.32	
Temperature	deg C	6.3	10.1	13.5	18.4	19.8	14.0	14.1	13.3	10.4	12.4	7.0	4.4	8.4	17.1	12.1	11.7	9.8	8.9	14.0	11.1	11.9	9.1	8.1	10.5	11.5	10.4	9.1	11.5	11.0	9.8	9.4	11.2	
pH	SU	7.58	7.6	7.6	7.64	7.68	7.73	7.53	7.66	7.66	7.71	7.57	7.68	7.78	7.56	7.66	7.52	7.59	7.48	7.84	7.20	7.15	7.41	7.34	7.23	7.19	7.32	7.41	7.44	7.56	7.50	7.54	7.57	
Specific Conductance	µS/cm	899	867	804	600	369	815	877	881	904	872	908	1193	921	633	852	879	887	847	828	895	955	960	1091	1051	1083	1083	1134	1017	1099	964	939	1038	
Oxygen Reduction Potential	mV	-9.4	-13.7	-35.7	-66.9	-112.1	-76.3	-88.3	-82	-72.7	-81.1	-66.8	-55.7	-67	-54.3	-53.7	-63.70	-44.9	-34	-75.6	-127	-91.9	48.4	-57.8	-30.1	-5.5	25.3	-51.3	19.9	3.2	-4.8	-48.3	-26.0	
Lab Analytical Results:																																		
Hardness as CaCO3	mg/L	444			314			452		432				485	352	378	449	412	415	422	415	465	488	537	513	603	540	575	560	569	624	529	503	
pH (Lab)	SU	7.63			7.66			7.48		7.55				7.72	7.6	7.51	7.51	7.62	7.6	7.61	7.45	7.50	7.5	7.4	7.04	7.12	7.20	7.09	7.3	7.2	7.17	7.15	7.32	
Total Dissolved Solids (Lab)	mg/L	685			470			525		495				635	415	525	540	515	545	545	575	550	575	695	655	690	695	730	665	685	660	655	685	
Calcium	mg/L	72.2			54.9			75.9		72.7				81.0	60.9	64.8	78.0	70.1	70.2	72.7	70.4	78.7	81.3	87.1	83.3	99.4	87.2	92.2	90.1	90	97.9	81.2	76.8	
Magnesium	mg/L	63.9			43.1			63.8		60.8				68.7	48.5	52.6	61.8	57.4	58.2	58.4	58.2	65.2	69.2	77.6	74.0	86.3	78.2	83.7	81.3	83.7	92.2	79.2	75.6	
Sodium	mg/L	22.2			16.5			19.8		20.7				21.8	16.1	17.0	20.1	19.4	19.2	19.6	19.1	21.3	22.1	23.4	21.4	25.5	23.3	24.5	23.8	24.5	23.4	23.1		
Potassium	mg/L	2.04			2.1			2.16		2.05				1.94	2.22	1.64	2.19	1.76	1.68	2.00	1.82	2.08	1.97	1.94	2.06	2.40	2.04	2.00	2.06	2.22	<5.00	1.94	<5.00	
Alkalinity, Total	mg/L	342			280			380		380				375	285	395	375	333	350	380	328	340	395	460	365	348	324	324	345	341	385	375	380	
Alkalinity, Bicarbonate	mg/L	338			280			380		380				375	285	395	375	333	350	380	328	340	395	460	365	348	324	324	345	333	385	375	380	
Alkalinity, Carbonate	mg/L	<10.0			<10.0			<10.0		<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0			<10.0			<10.0		<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	35.8			6.8			27.4		26.2				23.3	7.11	19.0	23.4	24.7	27.2	34.5	34.1	39.3	40.1	42.9	45.2	47.2	48.9	50.3	44.8	44.6	46	45.9	37	
Fluoride	mg/L	0.230			0.298			0.272		0.256				0.228	0.313	0.263	0.246	0.244	0.224	0.259	0.281	0.263	0.244	0.246	0.221	<0.500	<0.500	<0.500	0.254	0.248	0.216	0.236	<0.500	
Sulfate as SO4	mg/L	129			70			114		117				153	75.2	98.4	94.7	104	102	112	111	137	138	196	189	182	199	230	204	219	190	199	186	
Total Organic Carbon (TOC)	mg/L	3.34			14			2.64		3.4				3.52	3.56	2.61	2.25	2.10	2.02	2.06	1.93	2.08	1.87	2.69	2.28	1.99	1.80	1.84	1.87	1.74	2.18	1.74	1.77	
Nitrate/Nitrite as N	mg/L	0.042			<0.02			<0.02		0.089				<0.020	<0.02	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	
Ammonia as N ^	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.100	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	0.156			<0.05			<0.05		<0.050				<0.050	<0.05	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.100	<0.050	<0.250	<0.050	<0.250
Arsenic	mg/L	0.0008			0.0015			0.0010		0.0013				0.0009	0.0017	0.0006	0.0011	0.0010	0.0009	0.0012	0.0012	0.0010	0.0012	0.0011	0.0012	0.0012	0.0011	0.0009	<0.001	0.0013	<0.0025	0.0009	0.0012	
Cadmium	mg/L	<0.0001			<0.0001			<0.0001		<0.0001				<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	mg/L	0.0004			0.0005			0.0003		0.0051				0.0007	0.0002	0.0004	0.0001	0.0056	0.0002	0.0006	0.0004	0.0003	0.001	0.0016	0.0003	0.0002	<0.0005	<0.0005	<0.0001	<0.0005	0.0006	0.0005	0.0005	
Iron	mg/L	0.081			0.085			0.118		<0.050				0.213	<0.050	<0.050	0.074	0.060	0.073	0.089	0.163	0.082	0.062	0.116	0.105	0.119	0.094	0.107	0.109	0.159	<0.250	<0.050	<0.250	
Lead	mg/L	<0.0005			<0.0005			<0.0005		0.0078				<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
Manganese	mg/L	0.497			0.54			0.354		0.359				0.384	0.259	0.307	0.309	0.304	0.306	0.349	0.375	0.320	0.423	0.504	0.404	0.427	0.454	0.444	0.412	0.441	0.422	0.401	0.389	
Mercury	mg/L	<0.0002			<0.0002			<0.0002		<0.0002				<0.0002	<0.0002	&																		

GCC Energy Hydrologic Monitoring Data

MW-HGA-4																														
Year	2016	2017												2018				2019				2020				2021				
Quarter	Q4	Q1			Q2			Q3			Q4			Q1		Q2	Q3	Q4	Q1		Q2	Q3	Q4	Q1		Q2	Q3			
Month	12	1	2	3	4	5	6	7	8	9	10	11	12	1	2	5	8	11	2	5	8	11	2	5	8	12	2	5	8	
Sample Date	12/12	1/26	2/28	3/22	4/27	5/31	6/13	7/27	8/16	9/21	10/27	11/28	12/12	1/3	2/22	5/15	8/9	11/8	2/28	5/23	8/16	11/13	2/13	5/13	8/26	12/14	2/22	5/19	8/12	
Lab Analysis (Y/N)	Y	N	N	Y	N	N	Y	N	N	Y	N	N	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																														
Purge Flow Rate	gpm	0.5	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	9.40	NM	0.1	1.5	2.00	1.00	1.12	1.00	1.00	0.25	1.00	0.25	0.25	0.13	0.25	0.13	0.25
Total Purged	gal	21	21	21	21	21	19.5	20	20	21	21	21	24	19	21	21	19	21	24	22	21	21	22	21	20	21	21	21	20	20
Depth to Water	ft bgs	0.73	0.57	0.60	0.83	0.94	2.06	2.53	3.25	2.65	3.31	3.31	1.76	4.31	1.37	0.55	2.60	3.98	1.90	0.49	0.42	1.95	1.15	0.38	2.36	3.80	1.75	0.90	2.91	3.95
Temperature	deg C	7.3	4.8	6.4	8.1	7.2	9.9	8.4	8.6	8.8	9.0	9.2	9.0	9.3	8.8	7.8	8.1	8.7	8.8	7.6	7.7	8.5	8.8	7.9	7.4	9.2	8.6	7.8	8.2	8.9
pH	SU	7.29	7.36	7.40	7.41	7.33	7.36	7.40	7.36	7.35	7.33	7.31	7.27	7.27	7.33	7.30	7.18	7.27	7.05	7.15	7.18	7.16	7.09	7.12	7.23	7.28	7.31	7.29	7.34	7.37
Specific Conductance	µS/cm	1284	1257	1201	1155	1153	1113	1055	1099	1050	1124	1072	1171	1160	1141	1154	1098	1057	1167	1183	1102	1083	1127	1122	1093	1022	1158	975	1093	1108
Oxygen Reduction Potential	mV	-72.1	-86.6	-105.1	-104.4	-74.5	-91.3	-134.7	-137.6	-131.0	-139.5	-77.3	-157.9	-70.1	-96.6	-157.3	-130.9	-230.8	-190.9	-128.3	-140.7	-130.9	-104.9	-107.8	-86.7	-61.1	-64.7	-67.9	-116.8	-104.9
Lab Analytical Results:																														
Hardness as CaCO3	mg/L	724			611			616			522		595			561	555	524	625	613	563	544	624	563	528	571	612	630	582	515
pH (Lab)	SU	7.30			7.17			7.31			7.25		7.21			7.58	8.15	7.33	7.12	7.2	8.17	6.95	6.88	6.78	6.89	7.07	6.95	7.38	6.89	7.05
Total Dissolved Solids (Lab)	mg/L	855			710			715			750		775			740	730	695	770	795	695	715	705	685	700	665	685	680	735	
Calcium	mg/L	147			118			121			102		118			110	108	102	124	122	110	106	123	112	101	111	122	126	114	98.7
Magnesium	mg/L	86.7			76.7			76.6			64.9		72.8			69.3	69	65.4	76.5	74.7	70.3	67.9	76.8	68.9	67.0	71.7	74.9	76.8	72	65.2
Sodium	mg/L	19.5			27.4			28.6			24.9		27.2			26.5	30.4	29.9	27.6	27	28.6	28.3	31.9	27.9	30.3	30.5	26.8	28.4	27.4	26.4
Potassium	mg/L	2.02			2.13			2.11			1.75		2.21			2.17	2.22	2.33	2.13	2.16	2.00	2.10	2.38	2.05	2.06	2.08	2.11	2.24	2.03	<5.00
Alkalinity, Total	mg/L	545			465			415			465		475			460	425	410	460	455	445	455	432	435	416	485	457	475	465	470
Alkalinity, Bicarbonate	mg/L	545			465			415			465		475			460	425	410	460	455	445	455	432	435	416	485	457	475	465	470
Alkalinity, Carbonate	mg/L	ND			<10.0			<10.0			<10.0		<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	ND			<10.0			<10.0			<10.0		<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	10.9			8.75			7.95			8.96		8.74			8.43	7.57	6.47	9.40	10.5	8.06	8.44	9.46	8.39	7.64	8.78	10.1	9.65	9.41	11.1
Fluoride	mg/L	0.577			0.485			0.506			0.517		0.495			0.496	0.459	0.482	0.487	0.484	0.456	0.443	0.520	0.447	0.449	0.431	0.473	0.424	0.434	<0.500
Sulfate as SO4	mg/L	240			229			192			205		204			222	190	169	201	221	186	212	190	193	181	179	187	191	184	194
Total Organic Carbon (TOC)	mg/L	NA			4.54			4.35			4.69		4.79			4.56	4.57	4.30	4.72	4.82	4.45	4.58	4.35	4.8	4.30	4.56	4.67	4.31	4.36	4.55
Nitrate/Nitrite as N	mg/L	<0.020			<0.020			<0.020			<0.020		<0.100			<0.020	<0.020	<0.020	<0.020	0.173	<0.020	<0.020	<0.020	<0.020	<0.100	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA			NA			NA			NA		NA			NA	NA	NA	NA	NA	NA	NA	0.528	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA			NA			NA			NA		NA			NA	NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	0.423			<0.050			<0.050			<0.050		<0.050			<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.100	<0.100	<0.100	<0.050	<0.050	<0.050	<0.250
Arsenic	mg/L	0.0030			0.0029			0.0028			<0.0005		0.0035			0.0037	0.0034	0.0036	0.0032	0.0031	0.0029	0.0028	0.0033	0.0022	0.0025	0.0026	0.0038	0.0036	0.0033	0.0034
Cadmium	mg/L	<0.0001			<0.0001			<0.0001			<0.0001		<0.0001			<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	mg/L	0.0006			0.0008			0.0002			0.0004		0.0002			0.0006	0.0008	0.0004	0.0008	<0.0010	0.0003	0.0004	0.0002	0.0005	<0.0010	<0.0010	<0.0005	0.0006	0.0007	0.0009
Iron	mg/L	3.71			7.29			7.32			0.378		7.84			7.60	7.92	8.55	8.44	8.35	7.98	8.38	9.76	8.59	8.22	8.95	9.31	9.6	9.29	8.52
Lead	mg/L	<0.0005			<0.0005			<0.0005			<0.0005		<0.0005			<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0005	<0.0005	
Manganese	mg/L	4.07			2.78			2.37			2.03		2.11			1.99	1.81	1.58	2.13	2.56	2.12	1.84	1.78	1.77	1.49	1.66	2.36	2.54	2.51	1.79
Mercury	mg/L	ND			<0.0002			<0.0002			<0.0002		<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0013			0.0024			0.0027			0.0028		0.0027			0.0030	0.0031	0.0038	0.0029	0.0026	0.0027	0.0029	0.0031	0.0025	0.0030	0.0032	0.0029	0.0027	0.003	0.0033
Selenium	mg/L	<0.001			0.0030			<0.001			<0.0010		<0.0010			<0.0010	0.002	0.0016	<0.001	0.001	<0.0010	<0.0010	<0.0010	<0.001	<0.0020	<0.0020	<0.001	<0.0010	0.001	0.0057
Silica (SiO2)	mg/L	22.3			16.8			18			16.5		17.9			15.8	16.4	15.7	17.3	15.9	14.9	14.9	16.5	15.2	13.9	15.4	18.3	16.9	16.3	14.3
Silicon	mg/L	10.4			7.86			8.41			7.72		8.35			7.37	7.67													

GCC Energy Hydrologic Monitoring Data

MW-1-A																														
Year	2017								2018								2019				2020				2021					
Quarter	Q2	Q3			Q4			Q1		Q2		Q3			Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3				
Month	6	7	8	9	9	10	11	12	1	2	3	4	5	6	7	8	11	2	5	8	11	2	5	9	11	2	5	8		
Sample Date	6/7	7/18	8/23	9/7	9/26	10/26	11/16	12/5	1/2	2/9	3/22	4/11	5/10	--	7/23	8/7	11/1	2/20	5/30	8/14	11/5	2/12	5/28	9/1	11/16	2/15	5/20	8/23		
Lab Analysis (Y/N)	Y	N	N	N	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Field Parameters:																														
Purge Flow Rate	gpm	NM	NM*	NM*	NM	NM	NM	NM	NM	0.1	NM	0.1	0.1	***	0.12	0.10	0.09	0.12	0.12	0.06	0.25	0.25	0.25	0.13	0.13	0.13	0.13	0.25		
Total Purged	gal	12.8	NM*	NM*	NM	NM	2.0	2.0	1.0	1.5	2	1.5	1	1.3		1.5	1.5	1.6	1.0	1.5	1.1	1.5	1.0	1.0	1.0	1.3	1.0	2.0	1.0	
Depth to Water	ft bgs	215.42	NM*	215.92	215.54	216.33	216.31	216.47	216.58	216.21	216.47	216.47	216.54	216.54		216.63	216.63	216.65	216.55	216.43	216.33	216.13	216.05	215.85	215.56	215.80	215.60	215.53	215.71	
Temperature	deg C	17.7	NM*	NM*	10.7	9.7	9.1	9.1	8.7	9.5	9.0	8.7	9.6	9.2		9.9	10.0	8.9	7.5	10.3	9.6	9.7	8.1	9.1	9.6	9.4	8.4	9.6	10.1	
pH	SU	7.78	NM*	NM*	7.35	7.38	7.29	7.28	7.25	7.19	7.37	7.28	6.8	6.97		6.99	7.05	7.01	7.13	6.96	7.05	7.00	7.13	7.18	7.22	7.24	7.19	7.30	7.35	
Specific Conductance	µS/cm	1362	NM*	NM*	1555	1563	1616	1650	1693	1700	1723	1735	1647	1761		1734	1815	1781	1776	1681	1757	1737	1797	1855	1664	1670	1550	1647	1691	
Oxygen Reduction Potential	mV	-34.6	NM*	NM*	-54.7	-46.5	-50.0	-48.3	-49.6	-44.6	-52.8	-37.5	142.4	0.4		-26.4	-33.2	101.4	-11.8	25.4	-18.7	3.6	12.7	4.2	-20.1	111.4	23.8	-13.4	-6.5	
Lab Analytical Results:																														
Hardness as CaCO3	mg/L	124				133		130			159				156			160	174	159	153	148	150	159	165	161	168	168	150	158
pH (Lab)	SU	7.74				7.35		7.33			7.22				7.45			7.17	7.27	7.13	7.03	7.14	6.92	7.19	6.91	7.23	7.17	7.22	7.13	7.1
Total Dissolved Solids (Lab)	mg/L	975				1080		1120			1100				1150			1040	1130	1160	1150	1150	1140	1190	1150	1150	1170	1250	1150	1190
Calcium	mg/L	24.7				25.8		24.9			30.5				29.7			30.9	34.0	31.2	29.8	27.9	29.0	30.9	31.6	30.6	32.8	32.1	28.3	29.9
Magnesium	mg/L	15.1				16.7		16.6			20.1				19.9			20.1	21.5	19.7	19.1	18.9	18.8	19.9	20.8	20.6	20.9	21.4	19.2	20.3
Sodium	mg/L	324				329		325			348				327			333	358	357	319	348	333	337	349	348	353	357	314	333
Potassium	mg/L	1.98				2.02		<5.00			<5.00				2.12			2.23	2.47	2.34	2.18	2.29	2.12	2.13	<5.00	2.29	<3.00	<5.00	2.18	<5.00
Alkalinity, Total	mg/L	375				450		380			415				353			385	395	375	355	368	420	360	340	325	366	400	400	370
Alkalinity, Bicarbonate	mg/L	375				450		380			415				353			385	395	375	355	368	420	360	340	325	366	400	400	370
Alkalinity, Carbonate	mg/L	<10.0				<10.0		<10.0			<10.0				<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0				<10.0		<10.0			<10.0				<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	2.75				2.16		<5.00			2.19				<5			2.12	2.20	2.74	2.33	2.72	2.66	2.74	2.71	2.74	2.88	2.73	2.34	2.78
Fluoride	mg/L	0.268				0.245		<0.500			0.240				<0.5			0.260	0.240	0.266	0.242	0.252	0.246	0.234	0.228	0.24	0.264	0.212	0.223	0.24
Sulfate as SO4	mg/L	427				432		511			518				522			515	511	508	494	537	495	506	532	510	508	553	531	507
Total Organic Carbon (TOC)	mg/L	5.03				1.36		1.58			1.51				1.54			1.60	1.75	1.61	1.67	1.59	1.50	1.55	1.55	1.49	1.57	1.58	1.49	1.57
Nitrate/Nitrite as N	mg/L	<0.200				<0.400		<0.100			<0.020				<0.020			<0.020	0.028	<0.020	<0.020	<0.020	0.020	<0.020	0.046	<0.020	<0.020	<0.020	<0.020	0.036
Ammonia as N ^	mg/L	NA				NA		NA			NA				NA			NA	NA	NA	NA	NA	0.387	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA				NA		NA			NA				NA			NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050				<0.050		<0.250			<0.250				<0.050			<0.050	<0.100	<0.100	<0.050	<0.050	<0.050	<0.100	<0.250	<0.050	<0.050	<0.250	<0.050	<0.250
Arsenic	mg/L	<0.0005				<0.0005		<0.0025			<0.0025				<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0025	<0.0005	<0.0015	<0.0015	<0.0025
Cadmium	mg/L	<0.0001				<0.0001		<0.0005			<0.0005				<0.0001			<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0005	<0.0001	<0.0003	<0.0015	<0.0025
Copper	mg/L	0.0043				0.0057		0.0045			0.0066				0.0041			0.0048	0.0048	0.0075	0.0064	0.0040	0.0147	0.0034	0.0012	0.004	0.0024	0.0026	0.0059	0.0068
Iron	mg/L	0.128				0.367		<0.250			0.590				0.614			0.644	0.647	0.581	0.589	0.613	0.510	0.614	0.559	0.637	0.579	0.572	0.61	0.592
Lead	mg/L	<0.0005				<0.0005		<0.0025			<0.0025				<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0025	<0.0015	<0.0015	<0.0015	<0.0025
Manganese	mg/L	0.0260				0.0218		0.0259			0.0279				0.026			0.0242	0.0282	0.0281	0.0235	0.0270	0.0248	0.0303	0.0329	0.032	0.0313	0.0367	0.0316	0.0328
Mercury	mg/L	<0.0002				<0.0002		<0.0002			<0.0002				<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0007				0.0010		<0.0025			<0.0025				0.0009			0.0008	0.0007	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0025	<0.0015	<0.0015	<0.0015	<0.0025
Selenium	mg/L	<0.0010				<0.0010		<0.0050			<0.0050				<0.0010			<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	<0.0020	<0.0020	<0.0050	<0.0030	<0.0030	<0.0030	<0.0050
Silica (SiO2)	mg/L	12.3				11.9		8.27			11.2				11.2			11.4	12.0	11.1	11.2	11.6	11.0	11.1	10.4	11.1	11.5	11.3	10.7	10.7
Silicon	mg/L	5.74				5.56		3.87			5.24				5.25			5.31	5.62	5.2	5.23	5.43	5.13	5.19	4.85	5.17	5.37	5.27	5.00	5.01
Uranium	mg/L	0.0004				0.0002		<0.0005			<0.0005				0.0003			0.0002	0.0003	0.0002	0.0001	0.0001	0.0001	<0.0010	<0.0010	<0.0025	<0.0025	<0.0015	<0.0015	<0.0025
Zinc	mg/L	0.0270				0.0088		<0.0100			<0.0100				0.0051			<0.0100	<0.002	<0.0040	0.0022	<0.0040	0.0020	<0.0040	<0.0040	<0.0100	<0.0060	<0.0060	<0.0060	<0.0100

Notes & Definitions:

*** La Plata County stage 3 fire restrictions prevented sampling activity

^ one-time analysis

Y/N yes or no

gpm gallons per minute

deg C degrees Celsius

SU standard pH units

GCC Energy Hydrologic Monitoring Data

MW-1-MI																												
Year	2017							2018							2019				2020				2021					
Quarter	Q2	Q3		Q4			Q1		Q2		Q3			Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3			
Month	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	11	2	5	8	11	2	5	9	11	2	5	8	
Sample Date	6/7	7/18	8/23	9/26	10/26	11/16	12/5	1/2	2/9	3/22	4/11	5/10	--	7/23	8/7	11/1	2/20	5/30	8/14	11/5	2/12	5/28	9/1	11/16	2/15	5/20	8/23	
Lab Analysis (Y/N)	Y	N	N	N	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	
Field Parameters:																												
Purge Flow Rate	gpm	NM	NM*	NM	NM																							
Total Purged	gal	19.5	NM*	<0.5	NM																							
Depth to Water	ft bgs	259.99	NM*	258.29	258.34	dry	dry	dry	dry	dry	dry	dry	***	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
Temperature	deg C	15.8	NM*	11.8	21.7																							
pH	SU	8	NM*	7.94	7.86																							
Specific Conductance	µS/cm	2032	NM*	2137	2119																							
Oxygen Reduction Potential	mV	160.5	NM*	65.7	61.4																							
Lab Analytical Results:																												
Hardness as CaCO3	mg/L	231																										
pH (Lab)	SU	8.14																										
Total Dissolved Solids (Lab)	mg/L	1520																										
Calcium	mg/L	46.7																										
Magnesium	mg/L	27.9																										
Sodium	mg/L	470																										
Potassium	mg/L	2.55																										
Alkalinity, Total	mg/L	600																										
Alkalinity, Bicarbonate	mg/L	600																										
Alkalinity, Carbonate	mg/L	<10.0																										
Alkalinity, Hydroxide	mg/L	<10.0																										
Chloride	mg/L	7.69																										
Fluoride	mg/L	1.14																										
Sulfate as SO4	mg/L	739																										
Total Organic Carbon (TOC)	mg/L	5.14																										
Nitrate/Nitrite as N	mg/L	0.103																										
Aluminum	mg/L	<0.050																										
Arsenic	mg/L	0.0029																										
Cadmium	mg/L	<0.0001																										
Copper	mg/L	0.0067																										
Iron	mg/L	<0.050																										
Lead	mg/L	0.0010																										
Manganese	mg/L	0.0445																										
Mercury	mg/L	<0.0002																										
Molybdenum	mg/L	0.0796																										
Selenium	mg/L	0.0028																										
Silica (SiO2)	mg/L	11.6																										
Silicon	mg/L	5.44																										
Uranium	mg/L	0.0505																										
Zinc	mg/L	1.52																										

Notes & Definitions:

- *** La Plata County stage 3 fire restrictions prevented sampling activity**
- | | |
|---|---|
| <p>Y/N yes or no</p> <p>gpm gallons per minute</p> <p>deg C degrees Celsius</p> <p>SU standard pH units</p> <p>µS/cm microsiemens per centimeter</p> <p>mV millivolts</p> <p>mg/L milligram per liter</p> <p>µCi/L picocuries per liter</p> <p>NM not measured (field)</p> <p>NA not analyzed (lab)</p> | <ol style="list-style-type: none"> 1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards. 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3. 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table. |
|---|---|

GCC Energy Hydrologic Monitoring Data

MW-1-C																													
Year	2017								2018								2019				2020				2021				
Quarter	Q2		Q3			Q4			Q1		Q2		Q3		Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3		
Month	6	7	8	9	9	10	11	12	1	2	3	4	5	6	7	8	11	2	5	8	11	2	5	9	11	2	5	8	
Sample Date	6/7	7/18	8/23	9/7	9/26	10/26	11/16	12/5	1/2	2/9	3/22	4/11	5/10	--	7/23	8/7	11/18	2/20	5/30	8/14	11/5	2/12	5/28	9/1	11/16	2/15	5/20	8/23	
Lab Analysis (Y/N)	Y	N	N	N	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																													
Purge Flow Rate	gpm	NM	NM*	NM*	NM	NM	NM	NM	MM	0.1	NM	0.1	0.1	***	0.05	0.1	0.10	0.06	0.02	0.03	0.01	0.01	0.10	0.05	0.05	0.05	0.05	0.01	
Total Purged	gal	5	NM*	NM*	NM	NM	1.00	1.00	1.00	1	1	1	1.25		1	1	1.10	1.00	1.10	1.00	1.00	1.00	0.75	0.80	1.00	1.00	2.00	1.00	
Depth to Water	ft bgs	216.5	NM*	216.91	216.95	216.59	216.52	216.48	216.52	216.38	216.38	216.37	216.35	216.41		216.41	216.05	216.04	216.41	216.20	216.02	216.04	216.12	216.10	216.41	216.66	216.66	216.66	216.66
Temperature	deg C	16.0	NM*	NM*	NM	12.9	11.7	10.6	7.0	9.7	9.6	6.7	9.2	10.5		20.0	14.1	9.7	5.4	9.8	10.4	11.1	6.4	9.5	11.2	9.7	7.0	10.7	12.1
pH	SU	7.52	NM*	NM*	NM	7.17	7.16	7.15	7.17	7.11	7.19	7.32	7.03	7.05		6.91	6.97	6.93	7.09	6.80	6.65	6.70	6.79	6.85	6.93	6.99	7.40	7.18	7.16
Specific Conductance	µS/cm	2446	NM*	NM*	NM	2725	2738	2739	2778	2778	2738	2751	2700	2749		2693	2675	2751	2621	3139	3172	3080	3005	3002	2653	2709	2410	2249	2290
Oxygen Reduction Potential	mV	74.3	NM*	NM*	NM	77.4	31.7	23.9	13.0	6.2	-4.3	-29.6	-15.3	-42.3		-41.8	-32.5	-110.0	-23.4	27.6	10.5	51.0	50.7	-57.7	21.8	49.6	57.5	-16.8	0.0
Lab Analytical Results:																													
Hardness as CaCO3	mg/L	498				1290		1180			1190			1130			1120	1180	1010	1820	1840	1700	1600	1590	1400	1420	1320	953	975
pH (Lab)	SU	8.35				7.36		7.34			7.22			7.2			7.20	7.02	7.24	6.93	6.67	6.63	6.80	6.62	6.83	7.12	7.08	6.86	7.04
Total Dissolved Solids (Lab)	mg/L	2020				2440		2360			2360			2340			2170	2200	1960	2880	2890	2750	2610	2460	2420	2450	2330	1910	1850
Calcium	mg/L	96.0				234		216			219			203			203	219	188	340	342	318	301	294	248	265	241	175	178
Magnesium	mg/L	62.8				172		155			156			150			148	154	131	237	240	219	207	207	189	183	173	126	129
Sodium	mg/L	506				242		253			260			239			239	255	265	146	119	119	143	155	168	194	206	196	214
Potassium	mg/L	11.4				3.81		<5.00			<5.00			3.07			3.04	2.65	3.13	<5.00	<5.00	<5.00	3.05	<5.00	2.82	<5.00	<5.00	2.68	<5.00
Alkalinity, Total	mg/L	530				700		540			570			580			560	410	525	530	518	505	515	490	445	520	580	480	485
Alkalinity, Bicarbonate	mg/L	530				700		540			570			580			560	410	525	530	518	505	515	490	445	520	580	480	485
Alkalinity, Carbonate	mg/L	<10.0				<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0				<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	24.2				6.97		8.03			7.78			7.75			5.97	6.22	6.36	10.2	9.31	8.78	8.54	8.20	8.15	7.14	7.13	5.3	5.04
Fluoride	mg/L	1.59				0.864		0.955			1.03			0.96			0.888	0.924	0.975	0.67	0.525	0.565	0.615	0.695	0.705	0.750	0.804	0.654	0.716
Sulfate as SO4	mg/L	1090				1350		1230			1160			1210			1090	1080	1070	1630	1730	1520	1400	1370	1280	1180	1150	940	872
Total Organic Carbon (TOC)	mg/L	4.56				2.84		2.12			2.21			2.2			2.35	2.37	2.32	2.62	2.52	2.30	2.30	2.32	2.2	2.13	2.26	1.92	1.93
Nitrate/Nitrite as N	mg/L	<2.00				<0.400		<0.100			<0.020			<0.020			0.036	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA				NA		NA			NA			NA			NA	NA	NA	NA	NA	0.140	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA				NA		NA			NA			NA			NA	NA	NA	NA	NA	<0.100	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050				<0.050		<0.250			<0.250			<0.05			<0.05	<0.100	<0.100	<0.250	<0.250	<0.250	<0.150	<0.250	<0.050	<0.050	<0.250	<0.100	<0.250
Arsenic	mg/L	0.0029				0.0016		<0.0025			<0.0025			0.0051			0.0052	0.0035	0.0038	0.0048	0.0034	<0.0025	<0.0025	0.0019	<0.0025	<0.0005	<0.0025	<0.0025	<0.0025
Cadmium	mg/L	<0.0001				<0.0001		<0.0005			<0.0005			<0.0001			<0.0001	<0.0001	<0.0002	<0.0001	<0.0002	<0.0005	<0.0005	<0.0003	<0.0005	<0.0001	<0.0005	<0.0025	<0.0025
Copper	mg/L	0.0088				0.0085		0.0036			0.0052			0.003			0.0049	0.0033	0.0054	0.0057	0.0014	0.0096	<0.0025	<0.0015	<0.0025	<0.0005	<0.0025	0.0042	0.0043
Iron	mg/L	<0.050				<0.050		<0.250			<0.250			0.643			1.01	1.12	0.988	2.3	0.819	0.543	0.570	0.606	0.619	0.855	0.769	0.552	0.573
Lead	mg/L	<0.0005				<0.0005		<0.0025			<0.0025			<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0010	<0.0025	<0.0025	<0.0015	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Manganese	mg/L	0.0744				0.0853		0.0959			0.0989			0.153			0.140	0.106	0.0807	0.075	0.0562	0.0512	0.0537	0.0473	0.0445	0.0496	0.0482	0.0419	0.0383
Mercury	mg/L	<0.0002				<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0164				0.0049		<0.0025			<0.0025			0.0006			<0.0025	<0.0005	<0.0010	<0.0005	<0.0010	<0.0025	<0.0025	<0.0015	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Selenium	mg/L	0.0136				0.0012		<0.0050			<0.0050			<0.001			<0.0050	0.0011	<0.0020	0.0016	0.0023	<0.0050	<0.0050	<0.0030	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silica (SiO2)	mg/L	10.6				16.6		13.2			14.8			15.2			14.7	14.5	14	16.6	17.3	16.4	15.7	13.8	14.1	14.8	14.4	15.0	14.5
Silicon	mg/L	4.94				7.77		6.16			6.94			7.09			6.87	6.78	6.55	7.75	8.07	7.65	7.35	6.47	6.6	6.93	6.75	7.00	6.79
Uranium	mg/L	0.0500				0.0044		0.0028			0.0024			0.0025			0.0022	0.0021	0.0016	0.002	0.0025	0.0023	<0.0025	0.0020	<0.0025	<0.0015	<0.0025	<0.0025	<0.0025
Zinc	mg/L	0.0293				0.0294		<0.0100			<0.0100			0.0062			<0.0100	0.0055	<0.0040	0.0085	0.0077	<0.0100	<0.0100	<0.0060	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100

Notes & Definitions:

*** La Plata County stage 3 fire restrictions prevented sampling activity

^ one-time analysis

Y/N yes or no

gpm gallons per minute

deg C degrees Celsius

SU standard pH units

µS/cm microsiemens per centimeter

mV millivolts

mg/L milligram per liter

pCi/L picocuries per liter

NM not measured (field)

NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.

2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.

3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-2-A																									
Year	2017							2018							2019				2020				2021		
Quarter	Q1	Q2	Q3		Q4			Q1		Q2			Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3
Month	3	6	7	8	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	9	11	2	5	8
Sample Date	3/30	6/7	7/18	8/23	10/30	11/16	12/5	1/2	2/9	3/22	4/11	5/10	8/7	11/1	2/20	5/29	8/14	11/6	2/11	5/27	9/1	11/24	2/15	5/20	8/24
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Field Parameters:																									
Purge Flow Rate	gpm																								
Total Purged	gal																								
Depth to Water	ft bgs																								
Temperature	deg C	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
pH	SU																								
Specific Conductance	µS/cm																								
Oxygen Reduction Potential	mV																								
Lab Analytical Results:																									
Hardness as CaCO3	mg/L																								
pH (Lab)	SU																								
Total Dissolved Solids (Lab)	mg/L																								
Calcium	mg/L																								
Magnesium	mg/L																								
Sodium	mg/L																								
Potassium	mg/L																								
Alkalinity, Total	mg/L																								
Alkalinity, Bicarbonate	mg/L																								
Alkalinity, Carbonate	mg/L																								
Alkalinity, Hydroxide	mg/L																								
Chloride	mg/L																								
Fluoride	mg/L																								
Sulfate as SO4	mg/L																								
Total Organic Carbon (TOC)	mg/L																								
Nitrate/Nitrite as N	mg/L																								
Aluminum	mg/L																								
Arsenic	mg/L																								
Cadmium	mg/L																								
Copper	mg/L																								
Iron	mg/L																								
Lead	mg/L																								
Manganese	mg/L																								
Mercury	mg/L																								
Molybdenum	mg/L																								
Selenium	mg/L																								
Silica (SiO2)	mg/L																								
Silicon	mg/L																								
Uranium	mg/L																								
Zinc	mg/L																								

Notes & Definitions:

- | | |
|---|---|
| <p>Y/N yes or no
 gpm gallons per minute
 deg C degrees Celsius
 SU standard pH units
 µS/cm microsiemens per centimeter
 mV millivolts
 mg/L milligram per liter
 pCi/L picocuries per liter
 NM not measured (field)
 NA not analyzed (lab)</p> | <ol style="list-style-type: none"> 1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards. 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3. 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table. |
|---|---|

GCC Energy Hydrologic Monitoring Data

MW-2-MI																									
Year	2017							2018							2019				2020				2021		
Quarter	Q1	Q2	Q3		Q4			Q1		Q2			Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3
Month	3	6	7	8	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	9	11	2	5	8
Sample Date	3/30	6/7	7/18	8/23	10/30	11/16	12/5	1/2	2/9	3/22	4/11	5/10	8/7	11/1	2/20	5/29	8/14	11/6	2/11	5/27	9/1	11/24	2/15	5/20	8/24
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Field Parameters:																									
Purge Flow Rate	gpm																								
Total Purged	gal																								
Depth to Water	ft bgs																								
Temperature	deg C	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
pH	SU																								
Specific Conductance	µS/cm																								
Oxygen Reduction Potential	mV																								
Lab Analytical Results:																									
Hardness as CaCO3	mg/L																								
pH (Lab)	SU																								
Total Dissolved Solids (Lab)	mg/L																								
Calcium	mg/L																								
Magnesium	mg/L																								
Sodium	mg/L																								
Potassium	mg/L																								
Alkalinity, Total	mg/L																								
Alkalinity, Bicarbonate	mg/L																								
Alkalinity, Carbonate	mg/L																								
Alkalinity, Hydroxide	mg/L																								
Chloride	mg/L																								
Fluoride	mg/L																								
Sulfate as SO4	mg/L																								
Total Organic Carbon (TOC)	mg/L																								
Nitrate/Nitrite as N	mg/L																								
Aluminum	mg/L																								
Arsenic	mg/L																								
Cadmium	mg/L																								
Copper	mg/L																								
Iron	mg/L																								
Lead	mg/L																								
Manganese	mg/L																								
Mercury	mg/L																								
Molybdenum	mg/L																								
Selenium	mg/L																								
Silica (SiO2)	mg/L																								
Silicon	mg/L																								
Uranium	mg/L																								
Zinc	mg/L																								

Notes & Definitions:

- | | |
|---|---|
| <p>Y/N yes or no
 gpm gallons per minute
 deg C degrees Celsius
 SU standard pH units
 µS/cm microsiemens per centimeter
 mV millivolts
 mg/L milligram per liter
 pCi/L picocuries per liter
 NM not measured (field)
 NA not analyzed (lab)</p> | <ol style="list-style-type: none"> 1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards. 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3. 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table. |
|---|---|

GCC Energy Hydrologic Monitoring Data

MW-2-C																										
Year	2017							2018							2019				2020				2021			
Quarter	Q1	Q2	Q3		Q4			Q1		Q2			Q3		Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3			
Month	3	6	7	8	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	9	11	2	5	8	
Sample Date	3/30	6/7	7/18	8/23	10/30	11/16	12/5	1/2	2/9	3/22	4/11	5/10	8/7	11/1	2/20	5/29	8/14	11/6	2/11	5/27	9/1	11/24	2/15	5/20	8/24	
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
Field Parameters:																										
Purge Flow Rate	gpm																									
Total Purged	gal																									
Depth to Water	ft bgs																									
Temperature	deg C	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
pH	SU																									
Specific Conductance	µS/cm																									
Oxygen Reduction Potential	mV																									
Lab Analytical Results:																										
Hardness as CaCO3	mg/L																									
pH (Lab)	SU																									
Total Dissolved Solids (Lab)	mg/L																									
Calcium	mg/L																									
Magnesium	mg/L																									
Sodium	mg/L																									
Potassium	mg/L																									
Alkalinity, Total	mg/L																									
Alkalinity, Bicarbonate	mg/L																									
Alkalinity, Carbonate	mg/L																									
Alkalinity, Hydroxide	mg/L																									
Chloride	mg/L																									
Fluoride	mg/L																									
Sulfate as SO4	mg/L																									
Total Organic Carbon (TOC)	mg/L																									
Nitrate/Nitrite as N	mg/L																									
Aluminum	mg/L																									
Arsenic	mg/L																									
Cadmium	mg/L																									
Copper	mg/L																									
Iron	mg/L																									
Lead	mg/L																									
Manganese	mg/L																									
Mercury	mg/L																									
Molybdenum	mg/L																									
Selenium	mg/L																									
Silica (SiO2)	mg/L																									
Silicon	mg/L																									
Uranium	mg/L																									
Zinc	mg/L																									

Notes & Definitions:

- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-3-A																												
Year	2017								2018								2019				2020				2021			
Quarter	Q1	Q2	Q3		Q4			Q1		Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3				
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2	5	8		
Sample Date	3/27	6/30	7/18	8/24	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	8/14	11/12	2/4	5/26	8/31	12/1	2/10	5/18	8/10		
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Field Parameters:																												
Purge Flow Rate	gpm	0.50	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.12	0.15	0.06	0.25	0.12	0.13	0.13	0.13	0.05	0.13	0.15			
Total Purged	gal	30.0	2.0	NM	NM	NM	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.3	1.0	1.1	1.5	1.3	1.3	1.5	1.1	1.2	1.5	1.3	1.3	1.5		
Depth to Water	ft bgs	297.35	298.24	297.45	298.24	298.11	298.12	298.01	298.05	298.37	298.04	297.86	297.76	298.17	298.55	298.27	297.85	296.79	297.27	297.33	296.47	296.87	297.21	297.02	296.97	296.72	297.47	
Temperature	deg C	11.7	13.2	19.5	12.6	12.3	12.5	11.7	12.0	11.8	11.7	12.2	11.9	13.5	13.5	11.9	11.8	12.1	NM	13.1	11.5	13.2	13.1	11.9	12.1	12.4	13.6	
pH	SU	8.82	8.75	8.56	8.67	8.72	8.64	8.61	8.57	8.54	8.52	8.61	8.21	8.38	8.30	8.31	8.28	8.31	8.13	8.51	8.11	8.26	8.23	8.39	8.53	8.46	8.42	
Specific Conductance	µS/cm	2535	2446	2115	2524	2470	2430	2483	2494	2528	2506	2458	2415	2253	2336	2391	2355	2309	NM	2204	2211	2249	2112	2192	1930	1525	2091	
Oxygen Reduction Potential	mV	-269.0	-101.5	-55.3	-87.4	-142.3	-124.5	-125.6	-146.8	-120.3	-125.2	-181.6	-135.8	-138.2	-155.8	-164.6	-145.9	-132.3	-138.6	-120.1	-65.7	-156.8	-98.8	-89.3	-101.3	-157.1	-149.0	
Lab Analytical Results:																												
Hardness as CaCO3	mg/L	7.53	12.6			12.6		10.4			11.5			11.2	12.6	14.1	11.9	10.7	10.4	11.1	10.8	10.3	11.1	9.41	10.5	8.14	8.89	
pH (Lab)	SU	8.63	8.69			8.53		8.29			8.45			8.36	8.37	8.24	8.28	8.29	8.27	8.39	8.09	7.68	8.16	8.13	8.13	8.22	8.21	
Total Dissolved Solids (Lab)	mg/L	1630	1670			1630		1690			1680			1670	1600	1540	1500	1530	1520	1510	1500	1460	1380	1460	1410	1350	1420	
Calcium	mg/L	2.00	3.67			3.63		3.27			3.33			3.2	3.71	4.15	3.55	3.16	3.08	3.34	3.14	3.07	3.02	2.83	3.07	2.48	2.59	
Magnesium	mg/L	0.616	0.823			0.859		0.550			0.776			0.774	0.811	0.913	0.739	0.692	0.655	0.680	0.723	0.645	0.866	0.568	0.698	0.475	0.586	
Sodium	mg/L	566	585			589		551			562			542	562	605	543	525	553	528	520	507	510	505	536	471	462	
Potassium	mg/L	1.72	2.02			2.04		<5.00			<2.00			1.8	<2.00	2.17	<2.00	1.92	<2.00	<5.00	<3.00	<5.00	<5.00	<5.00	<5.00	<3.00	<5.00	
Alkalinity, Total	mg/L	530	470			500		490			430			480	480	475	540	450	459	420	460	430	440	470	520	530	465	
Alkalinity, Bicarbonate	mg/L	380	470			440		460			360			480	420	385	330	430	423	420	460	400	440	450	520	530	465	
Alkalinity, Carbonate	mg/L	150	<10.0			60.0		30.0			70.0			<10.0	60.0	90.0	210	20	36.0	<10.0	<10.0	30.0	<10.0	20	<10.0	<10.0	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	16.1	17.4			18.5		16.9			16.4			16.1	15.1	16.0	15.2	15	15.0	14.7	13.9	13.9	13.5	14	13.5	14	14.1	
Fluoride	mg/L	0.464	0.488			0.535		<0.500			<0.500			<0.5	NA	0.383	0.406	0.404	0.396	<0.500	0.370	0.374	0.366	0.372	0.336	0.352	0.366	
Sulfate as SO4	mg/L	729	802			840		730			812			756	706	682	716	699	724	633	637	656	624	644	600	601	599	
Total Organic Carbon (TOC)	mg/L	3.52	10.0			7.26		6.07			5.32			4.7	4.62	4.52	4.15	4.10	3.84	3.81	3.42	3.48	3.39	3.15	3.16	3.18	3.01	
Nitrate/Nitrite as N	mg/L	<0.100	<0.100			<0.020		<0.020			<0.020			<0.020	<0.020	<0.020	0.266	<0.020	<0.020	<0.020	0.024	0.026	0.039	0.032	<0.020	0.024	<0.020	
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.354	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.0730	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100			<0.050	<0.050	<0.100	<0.100	<0.050	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250	<0.150	<0.250	
Arsenic	mg/L	0.0025	<0.0025			<0.0025		<0.0025			<0.0025			0.0006	<0.0025	<0.0010	<0.0010	<0.0025	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	0.0026	0.0006	0.001
Cadmium	mg/L	<0.0001	<0.0005			<0.0005		<0.0005			<0.0005			<0.0001	<0.0001	<0.0002	<0.0002	<0.0005	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0005	<0.0005	<0.0005	<0.0010	
Copper	mg/L	0.0061	0.0081			0.0080		0.0079			0.0236			0.0063	0.0117	0.0086	0.0137	0.0078	0.0067	0.0039	0.0037	0.0021	0.0051	0.0055	0.0037	0.0157	0.0156	
Iron	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100			<0.05	<0.05	<0.100	<0.100	<0.05	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250	<0.150	<0.250	
Lead	mg/L	<0.0005	<0.0025			<0.0025		<0.0025			<0.0025			<0.0005	<0.0005	<0.0010	<0.0010	<0.0025	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	<0.0025	<0.001	<0.0010	
Manganese	mg/L	0.0042	0.0251			0.0194		0.0269			0.0232			0.018	0.0222	0.0187	0.0172	0.0185	0.0166	0.0140	0.0162	0.0136	0.0120	0.0125	0.0128	0.0121	0.0096	
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	
Molybdenum	mg/L	0.0005	0.0274			0.0091		0.0078			0.0065			0.0046	0.0043	0.0033	0.003	0.003	0.0018	0.0027	0.0022	0.0015	<0.0025	<0.0025	<0.0025	0.0015	0.0013	
Selenium	mg/L	0.0577	<0.0050			<0.0050		<0.0050			<0.0050			0.0109	<0.0050	0.0028	0.0039	<0.005	0.0020	<0.0020	<0.0020	0.0033	0.0086	<0.0050	0.129	0.0276	0.0167	
Silica (SiO2)	mg/L	10.1	10.9			11.6		7.66			11.1			11	12.0	12.8	11.7	11	12.7	11.8	11.6	10.5	11.0	11.2	11.3	10.1	10.7	
Silicon	mg/L	4.70	5.10			5.41		3.58			5.18			5.17	5.62	5.97	5.46	5.16	5.95	5.53	5.43	4.92	5.14	5.22	5.28	4.73	4.98	
Uranium	mg/L	0.0002	0.0040			0.0051		0.0036			0.0030			0.0026	0.0026	0.0027	0.0018	0.0014	0.0012	0.0011	0.0010	<0.0025	<0.0025	<0.0025	<0.0025	<0.0010	<0.0010	
Zinc	mg/L	0.0031	<0.0100			<0.0100		<0.0100			<0.0100			<0.002	<0.002	<0.0040	<0.0040	<0.01	<0.0080	<0.0040	<0.0040	<0.0040	<0.0100	<0.0100	<0.0100	<0.0020	<0.0040	

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-3-MI																											
Year	2017								2018							2019				2020				2021			
	Quarter	Q1	Q2	Q3		Q4			Q1		Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3		
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2	5	8	
Sample Date	3/27	6/30	7/18	8/16	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	8/21	11/12	2/4	5/26	8/31	12/1	2/10	5/18	8/10	
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																											
Purge Flow Rate	gpm	0.50	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.10	0.12	0.12	0.06	0.25	0.50	0.25	0.13	0.13	0.10	0.13	0.13	
Total Purged	gal	19.0	2.0	NM	NM	NM	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.3	1.0	1.1	1.5	1.3	2.0	1.0	1.5	1.3	1.8	1.3	1.3	1.5	1.5
Depth to Water	ft bgs	304.49	241.15	240.46	240.53	240.46	240.44	240.44	240.58	240.73	240.55	240.65	240.84	241.04	241.97	242.13	242.15	242.32	246.55	243.07	242.85	243.05	243.6	243.9	243.93	244.25	244.28
Temperature	deg C	10.0	12.6	22.0	12.9	11.0	12.1	11.7	11.7	11.9	11.3	11.9	11.8	12.6	13.0	12.4	11.6	11.3	13.2	12.3	11.6	12.6	12.8	11.7	11.5	12.8	13.0
pH	SU	9.34	8.94	8.46	8.90	8.74	8.90	8.86	8.86	8.84	8.83	8.84	8.51	8.48	8.49	8.46	8.51	8.55	8.71	8.75	8.71	8.92	9.01	9.09	9.03	9.06	9.13
Specific Conductance	µS/cm	1907	1699	1402	1598	1737	1729	1745	1786	1790	1810	1771	1772	1727	1709	1746	1753	1739	1691	1739	1758	1737	1560	1555	1519	1232	1647
Oxygen Reduction Potential	mV	-87.0	-54.5	-26.4	-108.2	-107.3	-113.8	-124.2	-163.1	-136.0	-131.4	-160.7	-99.9	-103.9	-127.8	-176.5	-113.0	-84.5	43.9	-130.8	-104.3	-174.5	-111.0	-132.4	-94.6	-120.4	-142.9
Lab Analytical Results:																											
Hardness as CaCO3	mg/L	4.85	8.73			9.02		7.75			9.92			8.65	8.63	8.88	7.63	6.84	7.98	6.64	6.50	7.25	6.39	5.94	6.63	5.06	5.39
pH (Lab)	SU	8.95	8.75			8.72		8.72			8.66			8.56	8.58	8.34	8.5	8.45	8.58	8.62	8.61	8.59	8.87	8.77	8.72	8.84	8.81
Total Dissolved Solids (Lab)	mg/L	1550	1120			1140		1080			1170			1210	1110	1120	1120	1170	1010	1130	1130	1130	1060	1160	1120	1110	1180
Calcium	mg/L	1.32	2.32			2.34		2.06			2.22			1.91	1.95	2.03	1.87	1.7	2.04	1.73	1.63	1.76	1.62	1.42	1.66	1.28	1.34
Magnesium	mg/L	0.374	0.714			0.775		0.632			1.07			0.945	0.911	0.926	0.715	0.629	0.703	0.561	0.591	0.694	0.570	0.579	0.606	0.454	0.5
Sodium	mg/L	420	430			440		411			459			417	446	476	434	419	454	437	437	427	431	431	468	410	403
Potassium	mg/L	2.15	2.21			1.93		<5.00			<2.00			1.63	<2.00	<2.00	1.39	1.65	<2.00	<5.00	<2.00	<5.00	<3.00	<4.00	<5.00	<2.00	<2.00
Alkalinity, Total	mg/L	740	675			700		660			700			680	730	720	685	755	720	690	705	680	625	770	690	690	705
Alkalinity, Bicarbonate	mg/L	510	555			600		570			600			500	630	610	485	605	590	610	645	550	465	690	450	550	555
Alkalinity, Carbonate	mg/L	230	120			100		90.0			100			180	100	110	200	150	130	80.0	60.0	130	160	80	240	140	150
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	8.66	10.1			10.7		10.6			10.7			10.7	8.54	8.83	9.21	9.25	10.2	9.13	9.21	9.61	9.45	10	9.84	10.5	10.4
Fluoride	mg/L	0.952	1.34			1.26		1.26			1.30			1.2	1.16	1.19	1.21	1.22	1.19	1.19	1.13	1.13	1.09	1.12	1.03	1.09	1.07
Sulfate as SO4	mg/L	165	241			247		254			245			250	226	230	232	229	236	224	227	231	222	110	223	227	228
Total Organic Carbon (TOC)	mg/L	8.34	14.8			10.9		10.3			9.24			8.67	7.83	7.28	6.73	6.56	6.17	5.78	5.58	6.07	5.79	5.46	5.34	5.33	5.4
Nitrate/Nitrite as N	mg/L	<0.020	<0.020			<0.020		<0.020			<0.020			<0.02	<0.02	<0.02	<0.020	<0.020	<0.020	<0.020	0.034	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.317	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.348	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	0.102			<0.050		<0.250			<0.100			<0.050	<0.050	<0.10	<0.050	<0.050	0.167	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100
Arsenic	mg/L	0.0134	0.0167			0.0131		0.0135			0.0160			0.0152	0.0127	0.0104	0.0149	0.0107	0.0142	0.0099	0.0093	0.0086	0.0061	0.007	0.0083	0.0091	0.0091
Cadmium	mg/L	<0.0001	<0.0005			<0.0005		<0.0005			<0.0001			<0.0001	<0.0001	<0.0002	<0.0001	<0.0005	<0.0001	<0.0002	<0.0002	<0.0005	<0.0005	<0.0004	<0.0005	<0.0005	<0.0010
Copper	mg/L	0.0055	0.0058			0.0065		0.0059			0.0122			0.0048	0.0071	0.0073	0.0068	0.0063	0.0049	0.0037	0.0024	<0.0025	0.0046	0.0045	0.0031	0.0131	0.0143
Iron	mg/L	<0.050	<0.100			<0.050		<0.250			<0.100			<0.05	<0.05	<0.1	<0.050	<0.050	<0.100	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100
Lead	mg/L	0.0024	<0.0025			<0.0025		<0.0025			<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0025	<0.0005	<0.0010	<0.0010	<0.0025	<0.0025	<0.0020	<0.0025	<0.0005	<0.0010
Manganese	mg/L	0.0022	0.0058			0.0033		0.0045			0.0049			0.006	0.0054	0.0072	0.0078	0.0082	0.0079	0.0099	0.0095	0.0102	0.0072	0.007	0.0069	0.0057	0.0058
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0061	0.0211			0.0148		0.0152			0.0170			0.016	0.0149	0.0158	0.0157	0.0167	0.0277	0.0372	0.0204	0.0195	0.0149	0.0163	0.0162	0.016	0.0149
Selenium	mg/L	0.0013	<0.0050			<0.0050		<0.0050			0.0010			0.0019	<0.0050	<0.002	0.0034	<0.005	<0.0010	<0.0020	<0.0020	<0.0050	<0.0050	<0.004	0.0462	0.0033	<0.0020
Silica (SiO2)	mg/L	7.97	8.18			9.05		5.35			9.33			8.83	9.49	10.2	8.95	8.85	9.73	9.46	8.80	8.24	8.84	9.11	9.64	8.11	8.77
Silicon	mg/L	3.73	3.82			4.23		2.50			4.36			4.13	4.44	4.76	4.18	4.14	4.55	4.42	4.11	3.85	4.13	4.26	4.51	3.79	4.1
Uranium	mg/L	0.0049	0.0084			0.0140		0.0124			0.0125			0.0126	0.0111	0.0110	0.011	0.0085	0.0080	0.0070	0.0063	0.0059	0.0043	0.0049	0.0049	0.0043	0.0041
Zinc	mg/L	0.0405	<0.0100			<0.0100		<0.0100			<0.0020			0.0023	0.0023	<0.0040	0.0028	<0.0100	0.0070	<0.0040	<0.0040	<0.0100	<0.0100	<0.0080	<0.0100	<0.0020	<0.0040

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-3-C																											
Year	2017								2018								2019				2020				2021		
Quarter	Q1	Q2	Q3		Q4			Q1		Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3			
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	9	11	3	5	8	12	2	5	8	
Sample Date	3/27	6/30	7/27	8/24	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	9/17	11/12	3/13	5/26	8/31	12/1	2/10	5/18	8/10	
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																											
Purge Flow Rate	gpm	0.50	NM	NM	NM	NM	NM	NM	NM	0.10	0.10	0.10	0.10	0.06	0.06	0.13	0.13	0.10	0.03	0.08	0.13	0.13	0.13	0.13			
Total Purged	gal	20.0	2.0	NM	NM	NM	1.0	1.0	1.0	1.5	1.5	1.5	1.0	1.3	1.3	1.1	1.3	1.5	10.0	1.5	11.0	1.1	1.3	1.5	1.3		
Depth to Water	ft bgs	304.21	296.3	296.93	296.87	297.43	297.46	297.43	297.35	297.01	296.66	296.57	296.62	296.78	297.12	296.80	296.39	295.56	295.70	295.50	299.35	294.99	294.60	295.26	295.97	295.25	295.70
Temperature	deg C	10.5	12.9	13.1	12.5	11.8	12.7	11.5	11.7	11.7	11.4	11.6	12.2	13.0	13.3	11.5	11.0	11.4	13.5	12.5	11.3	13.4	15.0	14.0	9.9	12.3	15.6
pH	SU	8.61	8.57	8.51	8.46	8.44	8.48	8.41	8.48	8.43	8.43	8.45	8.25	8.28	8.26	8.17	8.28	8.29	8.31	8.20	7.98	8.44	8.45	8.73	8.71	8.50	8.71
Specific Conductance	µS/cm	3549	3588	3815	4112	4351	4412	4659	4596	4923	4864	5063	5019	4916	4953	5127	5155	5184	5144	5144	4921	3143	5039	4251	4426	3755	4571
Oxygen Reduction Potential	mV	-129.0	-87.2	-137.5	-128.8	-149.9	-198.3	-200.7	-222.2	-187.9	-183.5	-155.4	-154.7	-161.4	-180.5	-217.6	-185.4	-188.5	-151.8	-184.4	-155.0	-240.5	-174.4	-150.0	-202.7	-149.6	-255.3
Lab Analytical Results:																											
Hardness as CaCO3	mg/L	14.4	11.8			15.1		14.9			16.1			40.3	17.9	21.7	17.3	16.8	18.6	18.6	18.3	16.0	18.1	16.9	18.5	14.8	16.9
pH (Lab)	SU	8.5	8.48			8.35		8.28			8.35			8.34	8.31	8.24	8.2	8.23	8.31	8.12	7.98	8.41	8.36	8.36	8.43	8.38	8.47
Total Dissolved Solids (Lab)	mg/L	2130	2360			3070		3310			3540			3610	3520	3360	3300	3440	3500	3390	3220	3180	3170	3280	3200	3230	3300
Calcium	mg/L	3.60	2.87			3.50		3.58			3.81			7.28	4.01	4.70	4.05	3.74	4.30	4.23	4.26	3.81	3.97	3.72	4.25	3.59	3.84
Magnesium	mg/L	1.31	1.12			1.55		1.44			1.59			5.38	1.92	2.41	1.75	1.8	1.91	1.94	1.86	1.58	1.98	1.84	1.92	1.42	1.77
Sodium	mg/L	796	890			1100		1130			1200			1350	1220	1460	1270	1100	1360	1300	1280	1240	1250	1250	1360	1220	1220
Potassium	mg/L	3.47	3.24			4.01		<5.00			<10.0			<5.00	<5.00	<5.00	<5.00	5.24	<5.00	<10.0	<10.0	<10.0	<10.0	<10.0	<6.00	<5.00	
Alkalinity, Total	mg/L	1490	1570			1690		1880			1910			1760	1730	2050	2000	2110	2190	2130	2160	2050	1820	2090	2170	2130	2140
Alkalinity, Bicarbonate	mg/L	1360	1480			1650		1830			1810			1600	1670	1900	1830	2000	2020	2070	2000	1800	1690	1970	1710	1910	1950
Alkalinity, Carbonate	mg/L	130	90.0			40.0		50.0			100			160	60.0	150	170	110	170	60.0	160	250	130	120	460	220	190
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	NA	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	182	330			477		506			549			544	524	561	577	575	620	542	549	555	552	578	574	577	582
Fluoride	mg/L	4.89	4.94			4.52		4.34			4.15			3.52	3.84	4.04	4.04	3.91	3.78	3.66	3.61	3.51	3.47	3.53	3.37	3.34	3.36
Sulfate as SO4	mg/L	73.4	73.5			46.4		24.5			<10.0			<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00
Total Organic Carbon (TOC)	mg/L	10.6	58.5			219		251			337			343	306	141	122	129	132	107	81.9	23.4	17.1	15.7	15.7	16.3	15.7
Nitrate/Nitrite as N	mg/L	<0.020	<0.400			<0.400		<0.020			<0.020			<0.02	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.500	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.212	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	<0.100			<0.050		<0.250			<0.500			1.47	<0.500	<0.250	<0.250	<0.500	<0.250	<0.500	<0.500	<0.500	<0.500	<0.500	<0.300	<0.250	
Arsenic	mg/L	0.0115	0.0088			0.0098		0.0091			0.0194			0.0168	0.0148	0.0155	0.0218	0.0171	0.0192	0.0188	0.0087	0.0133	0.0106	0.0125	0.0113	0.0163	0.0195
Cadmium	mg/L	<0.0001	<0.0010			<0.0010		<0.0005			<0.0005			<0.0005	<0.0005	<0.0005	<0.0005	<0.001	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.001	<0.0010	<0.0025	<0.0025
Copper	mg/L	0.0109	0.0147			0.0174		0.0160			0.0409			0.0183	0.0257	0.0227	0.0223	0.0168	0.0102	0.0109	0.0069	0.0064	0.0136	0.0156	0.0102	0.0499	0.0434
Iron	mg/L	<0.050	<0.050			<0.050		<0.250			<0.500			0.252	<0.500	<0.250	<0.250	0.344	0.328	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.300	0.464
Lead	mg/L	0.0085	<0.0050			<0.0050		<0.0025			<0.0025			<0.0025	<0.0025	<0.0025	<0.0025	<0.005	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0050	<0.0050	<0.0025	<0.0025
Manganese	mg/L	0.0091	0.0188			0.0178		0.0202			0.0307			0.0275	0.0243	0.0252	0.0483	0.063	0.0378	0.0266	0.0245	0.0175	0.0102	0.0079	0.0052	0.0046	0.0034
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0143	0.0291			0.0241		0.0241			0.0221			0.0189	0.0155	0.0140	0.0134	0.0121	0.0081	0.0075	0.0082	0.0085	0.0076	0.0075	0.008	0.0069	0.0061
Selenium	mg/L	0.0233	0.0121			0.0149		0.0240			0.0383			0.0268	0.0232	0.0261	0.0464	0.0203	0.0203	0.0173	0.0125	0.0129	0.0135	0.0191	0.027	0.0411	0.0372
Silica (SiO2)	mg/L	7.82	8.86			9.16		6.01			<10.7			9.69	8.68	10.7	8.24	8.35	9.06	<10.7	<10.7	<10.7	<10.7	<10.7	<10.7	7.48	8.4
Silicon	mg/L	3.66	4.14			4.28		2.81			<5.00			4.53	4.06	5.01	3.85	3.9	4.24	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	3.5	3.93
Uranium	mg/L	0.0091	0.0102			0.0137		0.0100			0.0091			0.0087	0.0089	0.0113	0.0077	0.0046	0.0053	0.0034	0.0045	0.0033	<0.0050	<0.0050	<0.0050	0.0025	0.0025
Zinc	mg/L	0.375	<0.0200			<0.0200		<0.0100			<0.0100			<0.0100	0.0664	0.0814	0.123	0.128	0.0567	0.0886	<0.0100	<0.0100	<0.0200	0.0332	0.0294	0.0363	0.0347

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-4-A																											
Year	2017								2018								2019				2020				2021		
	Quarter	Q1	Q2	Q3		Q4			Q1		Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3		
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	11	2	5	8	
Sample Date	3/29	6/30	7/19	8/23	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/6	5/26	8/27	11/25	2/10	5/18	8/10	
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																											
Purge Flow Rate	gpm	NM	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.10	0.06	0.06	0.06	0.13	0.03	0.03	0.13	0.13	0.05	0.13	0.25	
Total Purged	gal	19.0	2.0	1.5	0.5	1.0	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.5	1.5	1.1	1.5	1.3	1.1	1.0	1.5	1.2	1.3	1.3	1.3	1.5	
Depth to Water	ft bgs	338.6	334.96	335.59	334.79	334.81	334.86	332.29	334.09	334.31	334.73	334.81	335.07	335.58	336.06	336.73	335.6	335.07	335.21	335.16	336.35	337.16	336.88	336.13	335.46	335.72	335.93
Temperature	deg C	15.6	16.8	25.5	17.6	11.9	11.6	10.8	10.1	10.9	9.8	11.4	10.9	17.8	12.9	11.6	11.1	10.4	13.6	11.6	10.3	12.5	14.0	12.3	10.3	11.2	12.1
pH	SU	8.61	8.29	8.55	7.98	8.41	8.32	8.38	8.32	8.33	8.37	8.41	8.19	8.20	8.10	8.12	8.15	8.08	8.02	8.11	8.07	8.19	8.27	8.30	8.25	8.30	8.38
Specific Conductance	µS/cm	2163	2053	1876	2096	2180	2165	2186	2261	2259	2267	2207	2214	2183	2192	2246	2205	2237	2201	2211	2271	2273	2165	2249	2052	1618	2205
Oxygen Reduction Potential	mV	28.6	54.0	60.2	61.7	-8.6	-27.0	-12.3	-51.8	-35.2	-75.9	-117.3	-77.9	-81.8	-137.5	-157.6	-92.3	-89.3	-54.3	-19.8	15.3	-71.3	-11.5	-10.6	29.0	-63.4	-48.7
Lab Analytical Results:																											
Hardness as CaCO3	mg/L	9.16	9.85			7.77		7.11			7.73			7.84	7.69	8.81	7.76	7.31	8.62	8.00	8.19	7.46	7.87	7.77	8.87	7.02	5.81
pH (Lab)	SU	8.2	8.40			8.36		8.40			8.28			8.31	8.21	8.24	8.05	8.08	8.15	8.02	8.11	7.90	8.19	8.16	8.04	8.15	8.09
Total Dissolved Solids (Lab)	mg/L	1470	1470			1450		1500			1490			1470	1430	1350	1450	1410	1540	1490	1500	1480	1460	1560	1370	1430	1510
Calcium	mg/L	2.23	2.43			1.76		1.87			1.81			1.75	1.71	1.92	1.77	1.68	1.94	1.82	1.88	1.67	1.79	1.73	2.04	1.65	1.41
Magnesium	mg/L	0.871	0.916			0.823		0.591			0.778			0.846	0.832	0.973	0.809	0.756	0.914	0.837	0.850	0.798	0.826	0.836	0.917	0.704	0.555
Sodium	mg/L	515	537			513		511			507			528	531	568	535	515	548	529	551	498	533	531	565	507	411
Potassium	mg/L	1.57	1.75			1.63		<5.00			<2.00			1.5	<2.00	<2.00	<2.00	<2.00	4.75	<5.00	<3.00	<5.00	<5.00	<5.00	<5.00	<3.00	<5.00
Alkalinity, Total	mg/L	635	560			630		590			530			560	575	575	545	565	575	544	560	585	605	538	620	590	580
Alkalinity, Bicarbonate	mg/L	635	560			590		560			490			560	555	575	505	544	535	528	560	545	565	530	620	530	580
Alkalinity, Carbonate	mg/L	<10.0	<10.0			40.0		30.0			40.0			<10.0	20.0	<10.0	40	32	40.0	16.0	<10.0	40.0	40	<10.0	<10.0	60	<10.0
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	9.56	9.66			10.3		10.3			10.0			9.94	9.55	8.60	8.93	8.99	8.91	8.76	8.83	8.89	10.1	9.15	8.79	9.15	9.17
Fluoride	mg/L	<0.400	<0.400			<0.500		<0.500			<0.500			<0.500	<0.500	0.143	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200
Sulfate as SO4	mg/L	594	588			783		594			579			561	522	450	567	584	615	559	557	580	542	607	561	577	593
Total Organic Carbon (TOC)	mg/L	6.63	11.7			3.52		3.27			3.46			3.59	3.60	3.59	3.47	3.40	3.33	3.25	3.10	3.49	3.48	3.27	3.42	3.42	3.23
Nitrate/Nitrite as N	mg/L	0.035	<0.020			<0.020		<0.020			<0.020			<0.02	<0.02	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.312	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100			<0.05	<0.05	<0.100	<0.100	<0.100	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250	<0.150	<0.250
Arsenic	mg/L	0.0016	<0.0025			<0.0025		<0.0025			0.0019			0.0005	<0.0025	<0.0010	<0.0010	<0.0005	<0.0005	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	0.0005	<0.0010
Cadmium	mg/L	<0.0001	<0.0005			<0.0005		<0.0005			<0.0001			<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0002	<0.0002	<0.0002	<0.0002	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010
Copper	mg/L	0.0053	0.0093			0.0076		0.0073			0.0124			0.0077	0.0105	0.0084	0.0081	0.0061	0.0120	0.0037	0.0034	0.0020	0.0056	0.0053	0.0036	0.0135	0.0161
Iron	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100			<0.050	<0.050	<0.100	<0.100	<0.100	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250	<0.150	<0.250
Lead	mg/L	0.0014	<0.0025			<0.0025		<0.0025			<0.0005			<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	<0.0005	<0.0010
Manganese	mg/L	0.0044	0.0063			0.0044		0.0040			0.0035			0.0033	<0.0075	0.0034	0.0032	0.0031	0.0026	0.0016	0.0033	0.0031	0.0029	0.0035	0.0029	0.0029	0.003
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0009	0.0275			<0.0025		<0.0025			0.0005			<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0005	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	<0.0005	<0.0010
Selenium	mg/L	0.0016	<0.0050			<0.0050		<0.0050			0.0014			0.0025	<0.0050	<0.0020	0.0036	<0.0010	<0.0010	<0.0020	<0.0020	<0.0020	<0.0050	<0.0050	<0.0050	<0.0010	<0.0020
Silica (SiO2)	mg/L	10.2	10.6			9.99		6.85			9.47			10	10.2	11.2	9.65	9.81	11.0	10.5	10.3	8.55	9.44	9.96	10.4	8.98	8.57
Silicon	mg/L	4.75	4.97			4.67		3.20			4.43			4.7	4.77	5.22	4.51	4.59	5.14	4.89	4.79	4.00	4.42	4.65	4.87	4.2	4.01
Uranium	mg/L	0.0016	<0.0005			<0.0005		0.0005			0.0003			<0.0001	<0.0005	<0.0002	<0.0002	<0.0001	<0.0002	<0.0002	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	<0.0005	<0.0010
Zinc	mg/L	0.269	0.0319			<0.0100		<0.0100			0.0022			0.0024	<0.0100	<0.0040	<0.0040	0.0033	<0.0020	<0.0040	<0.0040	<0.0040	<0.0100	<0.0100	<0.0100	0.0021	<0.0040

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-4-MI																											
Year	2017								2018								2019				2020				2021		
Quarter	Q1	Q2	Q3			Q4			Q1		Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3		
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	11	2	5	8	
Sample Date	3/30	6/16	7/27	8/23	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/6	5/26	8/27	11/25	2/10	5/18	8/10	
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																											
Purge Flow Rate	gpm	NM	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.10	0.06	0.06	0.13	0.25	0.13	0.13	0.13	0.13	0.13	0.13	0.25	
Total Purged	gal	0.5	6.5	NM	NM	1.0	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.3	1.8	1.6	2.0	1.3	1.1	1.0	1.3	1.2	1.3	1.3	1.5	1.5	
Depth to Water	ft bgs	378.2	330.15	330.94	330.85	330.81	330.8	330.74	330.67	330.52	330.42	330.53	330.5	329.62	331.1	336.57	331.1	331.06	331.92	332.1	332.5	332.87	332.45	333.29	333.22	329.27	333.57
Temperature	deg C	15.0	14.6	12.9	12.5	11.4	10.7	11.3	11.4	11.2	11.0	10.5	10.9	10.1	11.8	11.3	11.1	10.8	13.3	11.6	11.8	12.2	12.9	11.8	10.8	11.6	12.1
pH	SU	9.08	8.91	8.78	8.79	8.76	8.76	8.73	8.67	8.62	8.48	8.53	8.01	8.50	8.14	8.25	8.38	8.23	8.14	8.26	8.18	8.42	8.45	8.57	8.57	8.60	8.59
Specific Conductance	µS/cm	1581	1668	1731	1708	1784	1794	1804	1833	1848	1856	1841	1816	1739	1756	1808	1716	1800	1830	1776	1795	1794	1730	1777	1605	1258	1711
Oxygen Reduction Potential	mV	155.2	64.7	9.8	35.2	-29.6	-37.3	-111.5	-89.2	-112.5	-151.3	-145.7	-117.7	-130.0	-178.2	-202.3	-140.4	-154.7	-127.3	-76.8	-50.6	-131.2	-92.0	-87.7	-53.9	-105.9	-97.8
Lab Analytical Results:																											
Hardness as CaCO3	mg/L	5.43	8.71			7.07		4.20			6.01			5.88	6.06	6.39	5.35	4.93	5.65	3.31	4.70	<3.31	5.19	2.84	4.91	3.79	4.59
pH (Lab)	SU	8.83	8.59			8.63		8.51			8.47			8.48	8.31	8.47	8.35	8.3	8.44	8.08	8.33	8.02	8.28	8.38	8.21	8.38	8.28
Total Dissolved Solids (Lab)	mg/L	1160	1170			1180		1180			1220			1140	1120	1100	1130	1130	1140	1120	1110	1110	1070	1170	1130	1100	1130
Calcium	mg/L	1.53	2.32			1.88		1.68			1.64			1.55	1.56	1.60	1.44	1.3	1.51	1.32	1.21	1.22	1.32	1.14	1.97	1.05	1.23
Magnesium	mg/L	0.392	0.707			0.579		<0.500			0.465			0.49	0.524	0.580	0.428	0.408	0.458	<0.500	0.406	<0.500	0.459	<0.400	<0.500	0.285	0.37
Sodium	mg/L	408	458			449		452			447			471	470	500	462	458	496	477	441	460	459	458	476	431	427
Potassium	mg/L	1.46	<2.00			1.73		<5.00			<2.00			1.39	<2.00	<2.00	1.43	1.77	2.03	<5.00	<2.00	<5.00	<3.00	<4.00	<5.00	<2.00	<2.00
Alkalinity, Total	mg/L	965	915			1100		985			965			955	968	995	510	890	970	978	985	1030	1020	1010	990	1020	985
Alkalinity, Bicarbonate	mg/L	775	825			880		885			875			865	896	885	420	650	880	886	895	935	940	965	910	900	865
Alkalinity, Carbonate	mg/L	190	90.0			220		100			90.0			90	72.0	110	90	240	90.0	92.0	90.0	90.0	80	40	80	120	120
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	2.18	7.50			8.78		9.11			8.74			7.99	5.68	5.38	5.98	5.98	5.83	5.47	5.37	5.11	5.02	4.97	4.89	4.85	4.91
Fluoride	mg/L	4.72	5.02			5.09		5.10			5.02			4.82	4.84	4.94	5.49	5.44	5.38	5.31	5.11	5.16	5	5.27	4.92	5.03	5.2
Sulfate as SO4	mg/L	17.4	64.7			76.6		77.5			68.6			54.4	48.3	47.6	38.7	34.4	31.9	28.2	24.6	21.9	20	18.7	17.1	16.1	16.4
Total Organic Carbon (TOC)	mg/L	2.64	6.49			8.58		9.53			9.54			9.25	8.94	8.48	8.37	8.25	7.81	6.42	6.63	6.55	5.93	5.77	5.78	5.36	5.29
Nitrate/Nitrite as N	mg/L	<0.020	<0.020			<0.020		<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.040	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.240	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.280	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	<0.100			<0.050		<0.250			<0.100			<0.050	<0.100	<0.100	<0.050	<0.050	<0.100	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100
Arsenic	mg/L	0.0099	0.0220			0.0131		0.0122			0.0139			0.0153	0.014	0.0119	0.0164	0.0111	0.0116	0.0107	0.0127	0.0139	0.0084	0.0092	0.0088	0.011	0.0099
Cadmium	mg/L	<0.0001	<0.0001			<0.0005		<0.0005			<0.0001			<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0005	<0.0004	<0.0005	<0.0005	<0.0010
Copper	mg/L	0.0059	0.0058			0.0071		0.0070			0.0079			0.0063	0.0071	0.0078	0.0087	0.0153	0.0051	0.0027	0.0028	0.0020	0.0052	0.0045	0.004	0.0103	0.0134
Iron	mg/L	<0.050	<0.100			<0.050		<0.250			<0.100			<0.050	<0.100	<0.100	<0.050	<0.050	<0.100	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100
Lead	mg/L	0.0010	<0.0005			<0.0025		<0.0025			<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0025	<0.0020	<0.0025	<0.0005	<0.0010
Manganese	mg/L	0.0020	0.0066			0.0081		0.0124			0.0080			0.007	0.0068	0.0084	0.0091	0.0084	0.0084	0.0073	0.0085	0.0086	0.0086	0.0092	0.0094	0.0073	0.0075
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0020	0.0160			0.0127		0.0134			0.0151			0.0119	0.0115	0.0129	0.0121	0.0119	0.0108	0.0101	0.0096	0.0091	0.0081	0.0089	0.0082	0.0076	0.0068
Selenium	mg/L	<0.0010	0.0012			<0.0050		<0.0050			<0.0010			0.0022	0.0113	<0.0020	0.002	<0.0010	<0.0010	<0.0020	<0.0020	<0.0010	<0.005	<0.004	0.0143	<0.0010	<0.0020
Silica (SiO2)	mg/L	7.27	8.01			8.80		<5.35			8.30			8.9	9.29	10.3	8.86	9.06	10.2	9.51	8.21	7.81	8.39	8.88	9.26	7.82	8.69
Silicon	mg/L	3.40	3.75			4.11		2.50			3.88			4.16	4.34	4.81	4.14	4.24	4.76	4.45	3.84	3.65	3.92	4.15	4.33	3.66	4.06
Uranium	mg/L	0.0043	0.0126			0.0184		0.0169			0.0183			0.0173	0.0151	0.0191	0.0269	0.0176	0.0168	0.0145	0.0163	0.0195	0.0121	0.0139	0.0137	0.0115	0.0112
Zinc	mg/L	0.113	0.0697			<0.0100		<0.0100			<0.0020			<0.0020	<0.0020	<0.0040	<0.0020	<0.0020	<0.0100	<0.0040	<0.0040	<0.0040	<0.0100	<0.0080	<0.0100	<0.0020	<0.0040

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry

GCC Energy Hydrologic Monitoring Data

MW-4-C																										
Year	2017								2018							2019				2020				2021		
Quarter	Q1	Q2	Q3		Q4			Q1		Q2			Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2	5	8
Sample Date	3/30	6/16	7/27	8/23	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/4	5/26	8/27	12/1	2/10	5/18	8/10
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Field Parameters:																										
Purge Flow Rate	gpm	NM	NM	NM	NM	NM	NM	NM	NM	0.1	NM	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total Purged	gal	7.0	1.5	NM	NM	1.0	1.0	1.0	1.0	1.5	1.5	1.5	1.0	1.5	1.0	1.3	1.5	1.3	1.1	1.0	1.5	1.2	1.5	1.3	1.5	1.5
Depth to Water	ft bgs	328.33	314.05	309.87	306.86	303.96	303.80	302.47	304.80	282.35	281.30	303.30	304.05	NM	302.55	302.17	302.45	303.93	304.93	305.73	306.44	304.90	307.80	308.05	308.65	308.58
Temperature	deg C	13.3	17.4	12.7	12.0	13.9	11.8	11.2	11.0	11.7	10.8	12.5	11.4	12.4	12.9	11.5	11.3	11.2	12.5	11.7	11.2	12.7	13.0	11.4	10.0	11.4
pH	SU	8.33	7.62	7.68	7.70	7.69	7.75	7.72	7.79	7.80	7.88	7.94	7.75	7.79	7.76	7.79	7.87	7.86	7.81	7.85	7.87	7.97	8.00	8.05	8.02	8.05
Specific Conductance	µS/cm	3792	5944	5997	5885	5813	5721	5782	5604	5834	5903	5628	5792	5592	5583	5775	5710	5712	5930	5636	5729	5636	5429	5665	5106	4047
Oxygen Reduction Potential	mV	57.3	20.3	-101.5	-111.2	-103.7	-117.4	-109.0	-120.1	-123.8	-154.3	-131.3	-134.9	-129.3	-157.6	-209.0	-160.1	-180.1	-156.8	-148.7	-135.9	-147.7	-132.1	-128.7	-106.2	-100.6
Lab Analytical Results:																										
Hardness as CaCO3	mg/L	46.3	55.9			38.9		30.0			26.5			26.2	25.9	28.6	23.6	22.5	25.2	24.4	24.0	22.7	23	21.8	25.6	
pH (Lab)	SU	7.61	7.77			7.79		7.98			7.84			7.97	7.96	8.27	7.9	7.92	7.95	7.85	7.95	7.76	7.92	7.94	7.96	
Total Dissolved Solids (Lab)	mg/L	3230	4050			3750		3780			3730			3660	3650	3590	3580	3590	3610	3610	3580	3570	3510	3610	3720	
Calcium	mg/L	13.6	13.7			9.15		7.45			6.32			6.15	5.90	6.60	5.5	5.21	5.83	5.61	5.57	5.31	5.3	5.15	5.98	
Magnesium	mg/L	2.99	5.26			3.90		2.76			2.61			2.62	2.72	2.94	2.39	2.3	2.57	2.53	2.44	2.30	2.36	2.18	2.58	
Sodium	mg/L	908	1510			1490		1400			1410			1400	1410	1590	1410	1370	1440	1430	1440	1390	1400	1400	1520	
Potassium	mg/L	4.38	5.71			6.07		<10.0			<10.0			<5.00	<5.00	5.36	<5.00	<5.00	5.42	<10.0	<5.00	<10.0	<10.0	<10.0	<6.00	
Alkalinity, Total	mg/L	1250	2360			2780		2680			2600			2410	2480	2450	2470	2550	2500	2470	2480	2460	2500	2950	2470	
Alkalinity, Bicarbonate	mg/L	1250	2360			2780		2640			2600			2330	2480	2450	2470	2350	2390	2410	2420	2340	2390	2880	2430	
Alkalinity, Carbonate	mg/L	<10.0	<10.0			<10.0		40.0			<10.0			80	<10.0	<10.0	<10.0	200	110	60.0	60.0	120	110	70	140	
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	181	550			587		608			592			573	533	590	575	554	580	525	528	555	543	565	557	
Fluoride	mg/L	1.29	2.04			2.17		2.43			2.53			2.52	2.48	2.54	2.64	2.62	2.59	2.51	2.41	2.36	2.34	2.37	2.21	
Sulfate as SO4	mg/L	534	487			70.2		26.0			34.5			27	18.7	11.2	5.07	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	
Total Organic Carbon (TOC)	mg/L	30	6.42			5.08		3.64			3.23			3.23	2.80	3.46	3.24	2.62	2.63	4.18	2.23	2.50	2.31	3.72	4.57	
Nitrate/Nitrite as N	mg/L	<2.00	<0.500			<0.400		<0.100			<0.020			<0.020	<0.020	<0.020	0.061	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.424	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.182	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.050	<0.050			<0.050		<0.500			<0.500			<0.250	<0.250	<0.250	<0.250	<0.250	<0.250	<0.500	<0.250	<0.500	<0.500	<0.500	<0.300	
Arsenic	mg/L	0.0059	0.0119			0.0128		0.0152			0.0246			0.0195	0.0202	0.0164	0.0211	0.0171	0.0178	0.0179	0.0203	0.0195	0.015	0.0182	0.0177	
Cadmium	mg/L	<0.0001	<0.0010			<0.0010		<0.0010			<0.0005			<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.001	<0.001	<0.0010	
Copper	mg/L	0.0125	0.0243			0.0221		0.0208			0.0482			0.0389	0.0280	0.0230	0.0249	0.0382	0.0198	0.0107	0.0111	0.0069	0.0151	0.0148	0.0111	
Iron	mg/L	<0.050	<0.050			<0.050		<0.500			<0.500			0.373	0.397	0.474	0.279	0.391	0.522	0.619	0.591	0.551	<0.500	0.553	0.837	
Lead	mg/L	<0.0005	<0.0050			<0.0050		<0.0050			<0.0025			<0.0025	<0.0025	<0.0025	<0.0025	<0.0005	<0.0025	<0.0025	<0.0025	<0.0025	<0.005	<0.005	<0.0050	
Manganese	mg/L	0.0269	0.0772			0.0554		0.0571			0.0647			0.0529	0.0381	0.0283	0.0268	0.0174	0.0162	0.0096	0.0209	0.0103	0.008	0.0076	0.0059	
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	
Molybdenum	mg/L	0.0526	0.115			0.0138		0.0106			0.0086			0.0072	0.0071	0.0057	0.0074	0.007	0.0056	0.0047	0.0045	0.0044	<0.005	<0.005	<0.0050	
Selenium	mg/L	0.0248	0.0231			0.0214		0.0269			0.0378			0.0317	0.0260	0.0211	0.0339	0.0195	0.0195	0.0156	0.0140	0.0129	0.0112	0.0182	<0.0100	
Silica (SiO2)	mg/L	9.85	12.6			12.9		<10.7			<10.7			11	11.2	12.8	10.1	10.5	11.3	11.0	9.88	<10.7	<10.7	<10.7	10.8	
Silicon	mg/L	4.61	5.88			6.02		<5.00			<5.00			5.16	5.24	6.00	4.7	4.89	5.29	5.14	4.62	<5.00	<5.00	<5.00	5.06	
Uranium	mg/L	0.0297	0.121			0.0984		0.0545			0.0311			0.0311	0.0277	0.0246	0.0215	0.0154	0.0086	0.0073	0.0063	0.0039	<0.005	<0.0050	<0.0025	
Zinc	mg/L	0.0156	0.0265			<0.0200		<0.0200			<0.0100			<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	0.0038	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry

GCC Energy Hydrologic Monitoring Data

MW-6-A																			
Year	2018	2019										2020				2021			
Quarter	Q4	Q1			Q2			Q3				Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3
Month	12	1	2	3	4	5	6	7	8	9	11	2	5	8	11	2	5	8	
Sample Date	12/28	1/31	2/21	3/21	4/23	5/20	6/19	7/23	8/15	9/24	11/7	2/5	5/14	8/11	11/25	2/9	5/17	8/9	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																			
Purge Flow Rate	gpm	NM	NM	0.10	2.00	0.03	0.03	0.06	0.03	0.02	0.01	0.05	0.13	0.05	0.05	0.05	0.02	0.13	
Total Purged	gal	36.3	0.5	0.5	2.0	2.0	1.3	1.0	1.3	1.1	1.3	1.5	1.1	1.0	1.3	1.0	1.0	1.0	
Depth to Water	ft bgs	304.33	306.41	307.40	309.60	311.05	312.50	314.20	315.75	316.43	NM	318.70	315.46	319.63	319.64	319.65	319.66	319.66	319.64
Temperature	deg C	7.4	10.7	8.1	7.5	9.6	7.3	12.5	12.3	11.9	10.4	10.4	7.8	9.8	19.5	8.0	9.7	12.6	19.4
pH	SU	7.32	6.64	6.66	6.74	6.65	6.73	6.76	6.75	6.76	6.80	6.79	6.89	6.95	6.97	7.10	7.03	7.10	7.11
Specific Conductance	µS/cm	6573	6053	6072	6107	6012	6057	5725	5598	5562	5451	5108	5043	4779	4339	4656	4051	3198	4238
Oxygen Reduction Potential	mV	-22.8	19.4	24.6	12.6	11.8	34.8	86.6	25.8	6.5	29.2	20.5	36.7	51.7	62.3	55.2	73.5	83.5	5.2
Lab Analytical Results:																			
Hardness as CaCO3	mg/L	4360		4190			3920			3540		3070	3200	2780	2690	2710	2660	2550	2740
pH (Lab)	SU	7.10		6.85			6.77			6.85		6.87	6.9	6.93	6.66	7.04	7.20	6.93	7.1
Total Dissolved Solids (Lab)	mg/L	6520		6520			120*			6080		5210	4980	4670	4490	4570	4480	4390	4440
Calcium	mg/L	615		559			553			492		431	467	400	398	406	398	378	415
Magnesium	mg/L	687		678			617			560		484	495	431	411	413	404	390	413
Sodium	mg/L	294		283			296			304		276	296	274	261	273	272	266	263
Potassium	mg/L	15.0		14.4			12.4			12.8		11.1	<20.0	10.6	10.3	10.5	11.1	10.7	11
Alkalinity, Total	mg/L	160		160			143			183		220	215	233	236	246	245	290	255
Alkalinity, Bicarbonate	mg/L	160		160			143			183		220	215	233	236	246	245	290	255
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	97.4		28.6			27.3			29.9		29.6	28.4	29.0	26.0	26.6	24.9	25.8	26
Fluoride	mg/L	2.83		<0.500			<0.500			<0.500		<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
Sulfate as SO4	mg/L	205		4300			4280			4260		3460	3080	3020	3160	2890	2620	2740	2780
Total Organic Carbon (TOC)	mg/L	3.45		3.08			2.91			3.57		3.10	3.16	3.39	3.31	3.26	1.71	3.82	3.33
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020		<0.020	0.049	0.154	0.117	0.093	0.039	0.156	0.118
Ammonia as N ^	mg/L	NA		NA			NA			NA		2.72	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA		<0.0500	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.500		<0.250			<0.250			<0.250		<0.250	<1.00	<0.500	<0.250	<0.500	<0.250	<0.250	<0.250
Arsenic	mg/L	<0.0025		<0.0025			0.0009			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025	<0.0025
Cadmium	mg/L	<0.0005		<0.0005			0.0001			<0.0005		<0.0005	<0.0005	<0.0010	<0.0005	<0.0010	<0.0005	<0.0025	<0.0025
Copper	mg/L	0.0116		0.0081			0.0035			0.0039		0.0017	0.0028	<0.0050	<0.0025	<0.0050	<0.0025	0.0068	0.0082
Iron	mg/L	1.37		3.75			3.93			3.22		2.72	1.95	1.38	1.10	1.24	1.17	0.890	1.48
Lead	mg/L	<0.0025		<0.0025			<0.0005			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025	<0.0025
Manganese	mg/L	0.788		0.802			0.724			0.690		0.585	0.551	0.526	0.520	0.454	0.437	0.397	0.407
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002		<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	<0.0025		<0.0025			<0.0005			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.005	<0.0025	<0.0025	<0.0025
Selenium	mg/L	<0.0050		<0.0050			0.0028			<0.0050		<0.0050	<0.005	<0.0100	<0.0050	<0.0100	<0.0050	<0.0050	<0.0050
Silica (SiO2)	mg/L	12.3		11.9			14.3			13.4		12.5	<21.4	11.0	11.4	12.3	11.9	13.2	14.3
Silicon	mg/L	5.77		5.57			6.69			6.28		5.83	<10.00	5.17	5.35	5.76	5.58	6.17	6.67
Uranium	mg/L	<0.0005		<0.0005			<0.0001			<0.0005		<0.0005	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025	<0.0025
Zinc	mg/L	0.0689		<0.0100			0.0082			0.0108		0.0117	0.0107	<0.0200	0.0159	<0.0200	<0.0100	<0.0100	<0.0100

Notes & Definitions:

- * Anomalous value under review
- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-6-MI																			
Year	2018	2019											2020				2021		
Quarter	Q4	Q1			Q2				Q3			Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3
Month	12	1	2	3	4	5	5	6	7	8	9	11	2	5	8	11	2	5	8
Sample Date	12/29	1/31	2/25	3/21	4/19	5/20	5/30	6/19	7/23	8/15	9/24	11/7	2/5	5/14	8/11	11/24	2/9	5/17	8/9
Lab Analysis (Y/N)	Y	N	Y	N	N	N [#]	N	N	N	N	N	N	N	N	N	N	N	N	N
Field Parameters:																			
Purge Flow Rate	gpm	NM	NM	NM	0.5	0.1	0.015												
Total Purged	gal	11.3	0.5	1.5	0.5	1.0	0.9												
Depth to Water	ft bgs	374.49	368.09	367.92	370.49	369.50	371.00												
Temperature	deg C	14.3	13.6	10.8	9.7	16.7	3.9	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
pH	SU	8.26	7.43	7.21	7.55	7.97	7.84												
Specific Conductance	µS/cm	3390	3620	3132	2619	2202	2527												
Oxygen Reduction Potential	mV	103.0	-80.2	77.6	59.8	38.3	64.9												
Lab Analytical Results:																			
Hardness as CaCO3	mg/L	679		147															
pH (Lab)	SU	8.18		8.35															
Total Dissolved Solids (Lab)	mg/L	2480		1880															
Calcium	mg/L	104		23.4															
Magnesium	mg/L	102		21.6															
Sodium	mg/L	646		565															
Potassium	mg/L	12.0		5.30															
Alkalinity, Total	mg/L	395		615															
Alkalinity, Bicarbonate	mg/L	345		615															
Alkalinity, Carbonate	mg/L	50.0		<10.0															
Alkalinity, Hydroxide	mg/L	<10.0		<10.0															
Chloride	mg/L	175		178															
Fluoride	mg/L	2.06		2.46															
Sulfate as SO4	mg/L	1210		585															
Total Organic Carbon (TOC)	mg/L	3.63		4.55															
Nitrate/Nitrite as N	mg/L	0.023		<0.020															
Aluminum	mg/L	<0.100		<0.100															
Arsenic	mg/L	0.0084		0.0144															
Cadmium	mg/L	<0.0001		<0.0002															
Copper	mg/L	0.0113		0.0112															
Iron	mg/L	<0.100		<0.100															
Lead	mg/L	<0.0005		<0.0010															
Manganese	mg/L	0.0500		0.0224															
Mercury	mg/L	<0.0002		<0.0002															
Molybdenum	mg/L	0.0558		0.0690															
Selenium	mg/L	0.0098		0.0127															
Silica (SiO2)	mg/L	9.93		9.05															
Silicon	mg/L	4.64		4.23															
Uranium	mg/L	0.0200		0.0118															
Zinc	mg/L	0.0092		0.0143															

Notes & Definitions:

- # No sample collected, due to low yield, insufficient volume for lab sample after field parameters we measured**
 - Y/N yes or no
 - gpm gallons per minute
 - deg C degrees Celsius
 - SU standard pH units
 - µS/cm microsiemens per centimeter
 - mV millivolts
 - mg/L milligram per liter
 - pCi/L picocuries per liter
 - NM not measured (field)
 - NA not analyzed (lab)
1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-6-C																			
Year	2018	2019										2020				2021			
Quarter	Q4	Q1			Q2			Q3				Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3
Month	12	1	2	3	4	5	6	7	8	9	11	2	5	8	11	2	5	8	
Sample Date	12/24	1/30	2/21	3/21	4/23	5/20	6/19	7/23	8/15	9/24	11/7	2/5	5/12	8/11	11/24	2/9	5/17	8/9	
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
Field Parameters:																			
Purge Flow Rate	gpm	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	
Total Purged	gal																		
Depth to Water	ft bgs																		
Temperature	deg C																		
pH	SU																		
Specific Conductance	µS/cm																		
Oxygen Reduction Potential	mV																		
Lab Analytical Results:																			
Hardness as CaCO3	mg/L																		
pH (Lab)	SU																		
Total Dissolved Solids (Lab)	mg/L																		
Calcium	mg/L																		
Magnesium	mg/L																		
Sodium	mg/L																		
Potassium	mg/L																		
Alkalinity, Total	mg/L																		
Alkalinity, Bicarbonate	mg/L																		
Alkalinity, Carbonate	mg/L																		
Alkalinity, Hydroxide	mg/L																		
Chloride	mg/L																		
Fluoride	mg/L																		
Sulfate as SO4	mg/L																		
Total Organic Carbon (TOC)	mg/L																		
Nitrate/Nitrite as N	mg/L																		
Aluminum	mg/L																		
Arsenic	mg/L																		
Cadmium	mg/L																		
Copper	mg/L																		
Iron	mg/L																		
Lead	mg/L																		
Manganese	mg/L																		
Mercury	mg/L																		
Molybdenum	mg/L																		
Selenium	mg/L																		
Silica (SiO2)	mg/L																		
Silicon	mg/L																		
Uranium	mg/L																		
Zinc	mg/L																		

Notes & Definitions:

Y/N	yes or no		1.	"<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
gpm	gallons per minute		2.	Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
deg C	degrees Celsius		3.	Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
SU	standard pH units			
µS/cm	microsiemens per centimeter			
mV	millivolts			
mg/L	milligram per liter			
pCi/L	picocuries per liter			
NM	not measured (field)			
NA	not analyzed (lab)			

GCC Energy Hydrologic Monitoring Data

MW-6-LM																				
Year	2018	2019											2020				2021			
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	
Sample Date	12/30	1/31	2/25	3/21	4/23	5/20	6/19	7/23	8/15	9/24	10/28	11/7	2/5	5/14	8/11	11/25	2/9	5/17	8/9	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																				
Purge Flow Rate	gpm	NM	NM	0.06	2.00	0.03	0.03	0.10	0.06	0.03	0.02	0.01	0.03	0.01	0.13	0.01	0.13	0.13	0.13	0.13
Total Purged	gal	0.5	0.5	1.5	2.0	2.0	2.3	1.3	1.3	1.8	2.0	1.5	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Depth to Water	ft bgs	535.72	538.73	539.34	540.64	539.98	537.58	540.00	540.35	540.24	540.17	539.80	540.18	539.70	539.45	539.98	540.30	539.78	540.20	541.25
Temperature	deg C	7.9	14.3	7.8	8.1	9.1	9.3	11.7	14.0	13.4	11.6	10.1	12.4	10.5	11.3	14.8	11.4	10.2	11.6	14.4
pH	SU	7.64	7.38	7.51	7.54	7.49	7.54	7.67	7.80	7.65	7.43	7.45	7.37	7.39	7.54	7.44	7.47	7.44	7.54	7.52
Specific Conductance	µS/cm	6011	3784	3503	1461	1164	1296	1400	1272	1532	2104	2267	2113	2283	2287	2442	2495	2136	1629	2531
Oxygen Reduction Potential	mV	185.3	10.7	40.9	-32.8	-35.8	-111.0	-194.5	-163.6	-67.2	6.4	-48.0	19.9	-128.9	-222.9	32.1	21.8	3.5	-188.8	-2.6
Lab Analytical Results:																				
Hardness as CaCO3	mg/L	2260		1270			431			621			843	1060	965	1130	1160	1120	1010	1280
pH (Lab)	SU	7.60		7.52			7.47			7.59			7.32	7.43	7.18	6.95	7.45	7.49	7.45	7.37
Total Dissolved Solids (Lab)	mg/L	5100		2840			875			1150			1630	1840	1840	2040	2020	1990	1830	2290
Calcium	mg/L	367		216			75.9			103			136	173	150	179	184	176	154	201
Magnesium	mg/L	325		177			58.7			88.3			122	153	143	165	171	166	152	189
Sodium	mg/L	459		248			129			153			172	203	188	194	194	188	169	177
Potassium	mg/L	173		64.5			14.0			13.7			11.3	11	7.82	7.20	6.04	5.96	5.22	5.69
Alkalinity, Total	mg/L	205		315			371			381			355	320	353	335	329	336	346	330
Alkalinity, Bicarbonate	mg/L	205		315			371			381			355	320	353	335	329	336	346	330
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	256		43.7			5.73			8.70			11.4	11	11.7	12.2	12.4	11	10.5	12.6
Fluoride	mg/L	0.530		<0.500			0.324			<0.500			<0.500	0.352	<0.500	0.346	0.356	0.318	0.340	0.418
Sulfate as SO4	mg/L	3050		1790			338			492			830	951	904	1260	1170	1020	978	1300
Total Organic Carbon (TOC)	mg/L	3.46		2.61			1.57			1.78			1.85	1.76	1.84	1.87	1.93	3.17	1.81	1.91
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			1.99	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.250		<0.250			<0.050			<0.050			<0.100	<0.250	<0.250	<0.150	<0.250	<0.250	<0.150	<0.100
Arsenic	mg/L	0.0039		0.0049			0.0036			0.0038			0.0035	0.0044	0.0034	0.0038	0.0036	0.0038	0.0038	0.0039
Cadmium	mg/L	<0.0005		<0.0005			<0.0001			<0.0001			<0.0002	<0.0002	<0.0005	<0.0003	<0.0005	<0.0005	<0.0015	<0.0010
Copper	mg/L	0.0135		0.0064			0.0017			0.0018			0.0069	0.0014	<0.0025	<0.0015	<0.0025	<0.0025	0.0042	0.0046
Iron	mg/L	<0.250		<0.250			<0.050			<0.050			<0.100	<0.250	<0.250	<0.150	<0.250	<0.250	<0.150	<0.100
Lead	mg/L	<0.0025		<0.0025			<0.0005			<0.0005			<0.0010	<0.001	<0.0025	<0.0015	<0.0025	<0.0025	<0.0015	<0.0010
Manganese	mg/L	0.383		0.223			0.0692			0.148			0.166	0.184	0.171	0.267	0.292	0.253	0.203	0.257
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0490		0.0169			0.0037			0.0025			0.0022	0.002	<0.0025	0.0023	<0.0025	<0.0025	<0.0015	0.0016
Selenium	mg/L	0.0080		<0.0050			<0.0010			<0.0010			<0.0020	<0.002	<0.0050	<0.0030	<0.0050	0.0151	<0.0030	<0.0020
Silica (SiO2)	mg/L	10.5		13.5			17.0			17.4			15.9	17.1	15.1	14.7	16.0	15.6	16.4	16.8
Silicon	mg/L	4.91		6.29			7.96			8.12			7.43	7.97	7.07	6.88	7.47	7.3	7.68	7.85
Uranium	mg/L	0.0230		0.0075			0.0039			0.0054			0.0047	0.0055	0.0043	0.0046	0.0042	0.0039	0.0030	0.0037
Zinc	mg/L	0.0323		<0.0100			<0.0020			<0.0040			<0.0040	<0.004	<0.0100	0.0069	<0.0100	<0.0100	<0.0060	<0.0040

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-7-EAA																			
Year	2018	2019											2020				2021		
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8
Sample Date	12/23	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y
Field Parameters:																			
Purge Flow Rate	gpm	1.10	1.10	1.00	3.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.25	0.13	0.25	0.25	0.13	0.25
Total Purged	gal	15.0	18.0	15.0	3.0	15.0	16.0	15.3	15.3	17.0	15.0	15.0	15.0	36.5	15.0	16.0	17.0	15.0	17.0
Depth to Water	ft bgs	36.13	36.27	36.45	36.52	36.70	36.25	36.22	36.48	36.49	36.88	36.85	36.85	36.72	35.40	36.35	37.10	36.20	35.33
Temperature	deg C	10.0	10.0	10.0	9.9	10.1	10.4	10.4	10.6	10.5	10.3	10.4	10.6	10.4	12.1	10.3	10.3	10.1	10.5
pH	SU	6.99	7.01	7.04	6.93	7.00	7.06	7.07	6.28	6.95	7.06	7.03	7.06	6.91	7.17	7.09	7.12	7.14	7.19
Specific Conductance	µS/cm	2001	1910	1910	1926	1912	1767	1836	1885	1890	1913	1936	1922	1993	1890	1772	1628	1672	1805
Oxygen Reduction Potential	mV	-68.0	-36.7	-41.4	-38.1	-48.8	14.1	-13.8	-33.9	-37.8	-29.5	-25.6	-21.3	0.9	-49.2	17.6	-8.6	2.2	-55.8
Lab Analytical Results:																			
Hardness as CaCO3	mg/L	936		1030			982			997			1020	963	1020	1080	939	1090	958
pH (Lab)	SU	7.2		7.37			7.17			7.09			6.99	6.92	6.89	7.23	7.06	6.99	6.92
Total Dissolved Solids (Lab)	mg/L	1460		1480			1490			1480			1530	1520	1430	1480	1450	1590	1460
Calcium	mg/L	170		179			171			173			162	165	175	183	157	186	167
Magnesium	mg/L	124		142			135			137			144	134	142	150	133	152	131
Sodium	mg/L	75.3		81.3			75.0			75.2			74.9	73.7	76.0	80.9	73.4	81.4	75
Potassium	mg/L	3.87		3.9			<5.00			3.74			3.74	3.82	<5.00	<5.00	<5.00	4.25	<5.00
Alkalinity, Total	mg/L	380		367			405			392			350	357	355	268	430	420	395
Alkalinity, Bicarbonate	mg/L	380		367			405			392			425	357	355	268	430	420	395
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	11.9		10.7			10.8			10.9			11.6	10.3	10.7	10.2	10.1	10.4	10.1
Fluoride	mg/L	<0.500		0.332			0.322			0.322			<0.500	0.354	0.330	0.322	0.322	0.300	0.304
Sulfate as SO4	mg/L	732		736			733			844			746	774	803	767	742	757	746
Total Organic Carbon (TOC)	mg/L	3.72		3.57			3.73			3.70			3.45	3.42	3.63	4.01	3.39	3.00	3.42
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			0.178	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.100			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.250
Arsenic	mg/L	0.0014		0.0015			0.0013			0.0016			0.0013	0.0013	0.0011	<0.0015	<0.0025	0.0016	<0.0025
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0002	<0.0002	<0.0002	<0.0003	<0.0005	<0.0001	<0.0025
Copper	mg/L	0.0003		0.0018			0.0011			0.0008			0.0006	<0.0010	<0.0010	<0.0015	<0.0025	0.0007	<0.0025
Iron	mg/L	1.82		1.95			1.81			2.12			2.00	1.84	1.71	2.16	2.15	2.08	1.92
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0010	<0.001	<0.0010	<0.0015	<0.0025	<0.0005	<0.0025
Manganese	mg/L	3.72		4.49			4.01			4.22			4.76	4.86	3.63	4.49	4.42	5.22	4.21
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0008		0.0011			0.0007			0.0009			<0.0010	0.001	<0.0010	<0.0015	<0.0025	0.0006	<0.0025
Selenium	mg/L	<0.0020		<0.0020			<0.0010			0.0011			<0.0020	<0.002	<0.0020	<0.0030	<0.0050	<0.0010	<0.0050
Silica (SiO2)	mg/L	16.6		16.1			16.1			16.9			16.8	16.4	15.8	16.9	14.9	17.7	17.1
Silicon	mg/L	7.75		7.52			7.55			7.90			7.83	7.67	7.37	7.91	6.96	8.28	7.97
Uranium	mg/L	0.0021		0.0018			0.0017			0.0018			0.0020	0.0019	0.0016	0.0018	<0.0025	0.0018	<0.0025
Zinc	mg/L	<0.0050		<0.0040			0.0021			0.0020			<0.0040	<0.004	<0.0040	<0.0060	<0.0100	0.0022	<0.0100

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-8-EAA																				
Year	2018	2019											2020				2021			
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	
Sample Date	12/23	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																				
Purge Flow Rate	gpm	0.85	1.10	0.50	3.00	0.50	0.75	1.00	1.00	0.75	0.50	1.00	0.25	1.00	0.25	0.13	0.13	0.13	0.13	0.25
Total Purged	gal	18.0	14.0	15.0	3.0	15.0	17.0	15.3	15.3	18.0	15.3	15.5	15.0	15.2	15.0	16.0	15.0	15.0	16.0	15.0
Depth to Water	ft bgs	40.00	39.95	40.10	43.45	40.44	40.05	39.94	40.10	40.08	40.25	40.31	40.22	40.40	40.45	34.50	40.83	41.22	41.00	40.98
Temperature	deg C	10.3	10.2	10.0	9.9	10.3	10.5	10.6	10.5	10.6	10.3	10.2	11.2	10.5	11.0	11.1	11.0	10.9	11.0	11.2
pH	SU	7.12	7.09	7.13	7.17	7.09	7.02	7.17	7.09	7.05	7.03	6.99	6.99	6.99	7.14	7.19	7.19	7.20	7.27	7.31
Specific Conductance	µS/cm	1781	1696	1720	1725	1729	1628	1676	1699	172	1739	1774	1739	1758	1760	1675	1716	1570	1642	1671
Oxygen Reduction Potential	mV	-65.0	-52.8	-51.8	-53.0	-59.7	11.0	-29.5	-46.6	-44.8	-33.5	-38.8	-39.2	-18.2	-72.4	1.4	-14.7	-20.2	-63.3	-57.4
Lab Analytical Results:																				
Hardness as CaCO3	mg/L	870		861			864			883			867	861	907	937	810	914	838	859
pH (Lab)	SU	7.28		7.36			7.13			7.05			7.01	7.11	6.96	7.18	7.1	7.03	6.97	7.06
Total Dissolved Solids (Lab)	mg/L	1220		1290			1240			1280			1380	1290	1260	1280	1310	1400	1320	1320
Calcium	mg/L	152		151			148			154			143	149	153	160	134	156	146	146
Magnesium	mg/L	119		118			120			121			124	119	127	130	115	127	115	120
Sodium	mg/L	81.7		82.6			77.2			78.6			77.1	77.2	77.7	82.9	74.3	80.9	76.1	75.8
Potassium	mg/L	3.80		3.27			3.55			3.18			3.52	3.8	<5.00	<5.00	<5.00	3.63	3.49	<5.00
Alkalinity, Total	mg/L	400		435			450			431			445	404	385	288	480	450	445	385
Alkalinity, Bicarbonate	mg/L	400		435			450			431			445	404	385	288	480	450	445	385
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	9.83		10.5			10.3			11.1			11.0	10.2	10.3	10.1	11.3	10.4	10.2	10.3
Fluoride	mg/L	0.380		0.370			0.338			0.342			<0.500	0.33	0.346	0.336	0.334	0.292	0.306	0.35
Sulfate as SO4	mg/L	533		559			606			643			577	602	625	605	582	609	595	615
Total Organic Carbon (TOC)	mg/L	3.77		3.59			3.77			3.68			3.52	3.49	3.56	3.82	3.54	3.04	3.65	3.71
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.100		<0.100			<0.050			<0.100			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250
Arsenic	mg/L	0.0020		0.0018			0.0018			0.0021			0.0018	0.0017	0.0017	0.0018	<0.0025	0.0018	0.0018	<0.0025
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0002	<0.0002	<0.0003	<0.0005	<0.0003	<0.0015	<0.0025
Copper	mg/L	0.0004		0.0024			0.0023			0.0008			0.0010	0.001	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025
Iron	mg/L	2.12		2.13			2.42			2.46			2.30	2.28	2.29	2.31	0.762	2.33	2.25	2.2
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.001	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025
Manganese	mg/L	3.17		3.52			3.06			3.37			3.39	3.7	3.36	3.54	3.81	3.55	3.5	3.6
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0009		0.0011			0.0008			0.0011			0.0008	<0.0010	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025
Selenium	mg/L	<0.0020		<0.0020			0.0010			0.0013			<0.0010	<0.0020	<0.0020	<0.0030	<0.0050	0.0046	<0.003	<0.0050
Silica (SiO2)	mg/L	16.3		15.3			15.7			16.1			15.9	15.7	15.0	16.1	14.2	16.0	16.5	15.5
Silicon	mg/L	7.63		7.15			7.32			7.52			7.42	7.32	7.02	7.53	6.63	7.48	7.72	7.24
Uranium	mg/L	0.0021		0.0017			0.0016			0.0018			0.0019	0.0019	0.0017	0.0017	<0.0025	0.0016	0.0016	<0.0025
Zinc	mg/L	<0.0050		<0.0040			<0.0020			<0.0020			<0.0020	<0.0040	<0.0040	<0.0060	<0.0100	<0.0060	<0.0060	<0.0100

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-8-MI																					
Year	2018				2019								2020				2021				
Quarter	Q4			Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8		
Sample Date	12/23	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24		
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y		
Field Parameters:																					
Purge Flow Rate	gpm	1.10	1.00	0.50	3.00	0.50	0.50	0.25	0.50	0.75	0.50	1.00	0.25	0.25	0.13	0.10	0.25	0.25	0.13	0.25	
Total Purged	gal	27.5	18.0	1.0	3.0	1.5	2.5	2.5	2.3	3.0	2.0	2.5	1.0	1.0	1.0	2.0	1.0	2.0	3.0	1.0	
Depth to Water	ft bgs	45.75	43.48	43.50	44.30	44.47	44.10	44.24	44.45	44.59	44.90	45.12	45.10	45.20	45.42	45.84	46.24	46.38	46.54	47.27	
Temperature	deg C	10.8	10.8	10.6	11.2	10.4	11.1	11.4	11.0	11.4	10.9	10.3	11.4	10.2	11.3	13.1	11.3	10.0	11.6	11.9	
pH	SU	7.57	7.50	7.48	7.47	7.34	7.31	7.48	7.42	7.38	7.30	7.23	7.15	7.08	7.44	7.44	7.43	7.47	7.59	7.55	
Specific Conductance	µS/cm	1786	1667	1651	1658	1643	1595	1639	1645	1658	1637	1689	1642	1651	1659	1598	1628	1468	1616	1554	
Oxygen Reduction Potential	mV	-84.4	-177.1	-122.1	-113.3	-87.2	-54.4	-97.1	-116.4	-88.4	-82.0	-59.3	-136.6	-184.9	-107.0	-112.2	-72.0	-131.9	-123.1		
Lab Analytical Results:																					
Hardness as CaCO3	mg/L	167		249			273			253			267	254	309	355	339	376	288	377	
pH (Lab)	SU	7.73		7.54			7.24			7.46			7.44	7.53	7.25	7.34	7.27	7.33	7.36	7.31	
Total Dissolved Solids (Lab)	mg/L	1050		1030			1100			1110			1050	1060	1040	1010	1040	1060	1040	1000	
Calcium	mg/L	34.0		48.5			52.4			49.7			51.3	48.7	58.5	65.9	62.6	69.7	54	70.3	
Magnesium	mg/L	19.9		31.0			34.5			31.4			33.8	32.1	39.6	46.2	44.4	49.1	37.2	48.9	
Sodium	mg/L	344		312			289			289			275	269	272	260	232	237	256	229	
Potassium	mg/L	4.47		5.25			<5.00			4.55			5.07	4.71	5.00	5.56	5.22	5.88	5.05	5.69	
Alkalinity, Total	mg/L	500		565			560			573			585	543	545	448	590	590	575	570	
Alkalinity, Bicarbonate	mg/L	500		565			560			573			585	543	545	448	590	590	575	570	
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	12.7		10.0			9.33			9.06			9.66	8.19	8.23	8.12	7.91	7.96	8.07	7.85	
Fluoride	mg/L	<0.500		<0.200			<0.200			<0.200			<0.500	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	
Sulfate as SO4	mg/L	347		353			343			366			317	314	316	335	319	326	314	324	
Total Organic Carbon (TOC)	mg/L	2.73		2.83			2.81			2.74			2.65	2.6	2.94	2.87	2.76	2.6	2.74	2.97	
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	
Ammonia as N ^	mg/L	NA		NA			NA			NA			1.31	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.100			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250	
Arsenic	mg/L	0.0008		<0.0010			0.0006			0.0005			0.0005	<0.0010	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0002	<0.0002	<0.0003	<0.0005	<0.0003	<0.0015	<0.0025	
Copper	mg/L	0.0031		0.0066			0.0036			0.0035			0.0037	0.0027	<0.0010	<0.0015	<0.0025	0.0015	0.0046	0.0047	
Iron	mg/L	0.137		0.162			<0.250			0.129			0.130	0.108	<0.250	<0.250	<0.250	<0.150	0.113	<0.250	
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.001	<0.0025	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	
Manganese	mg/L	0.0495		0.0383			0.0327			0.0351			0.0377	0.0391	0.0393	0.0551	0.0546	0.0579	0.0412	0.0544	
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	
Molybdenum	mg/L	0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.001	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	
Selenium	mg/L	<0.0020		<0.0020			0.0010			0.0010			<0.0010	<0.0020	0.0020	<0.0030	<0.0050	0.0425	0.0037	0.0072	
Silica (SiO2)	mg/L	12.1		12.4			12.8			12.5			12.6	12.2	11.9	12.9	12.1	13.5	13.2	13.6	
Silicon	mg/L	5.65		5.78			5.99			5.83			5.88	5.71	5.55	6.05	5.67	6.32	6.17	6.35	
Uranium	mg/L	0.0002		0.0002			0.0002			0.0001			0.0001	<0.0010	<0.0025	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	
Zinc	mg/L	<0.0050		<0.0040			<0.0020			<0.0020			<0.0020	<0.0040	<0.0040	<0.0060	<0.0100	<0.0060	<0.0060	<0.0100	

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-8-LM																				
Year	2018	2019											2020				2021			
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	
Sample Date	12/28	1/29	2/19	3/21	4/16	5/29	6/18	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																				
Purge Flow Rate	gpm	NM	1.00	0.25	1.00	0.50	0.10	0.25	0.25	0.50	0.25	0.12	0.25	0.25	0.13	0.13	0.13	0.13	2.50	
Total Purged	gal	30	4.0	1.5	1.0	2.0	1.3	6.8	2.0	2.0	1.0	1.0	1.5	1.0	1.0	2.0	1.0	2.0	1.5	1.0
Depth to Water	ft bgs	136.39	130.52	134.30	144.03	140.03	137.48	142.23	144.15	138.06	137.50	137.60	137.34	139.15	129.70	127.90	125.75	126.72	126.13	125.25
Temperature	deg C	4.1	13.9	13.2	8.7	13.6	13.9	12.8	13.7	13.4	13.0	11.7	13.3	11.4	13.4	13.6	8.8	12.1	12.8	13.5
pH	SU	8.37	8.70	8.71	8.41	8.70	8.50	8.66	8.64	8.58	8.44	8.44	8.47	7.98	8.76	8.83	8.81	8.82	8.90	8.90
Specific Conductance	µS/cm	2306	1274	1265	1310	1262	1234	1264	1226	1269	1252	1299	1255	1294	1282	1055	1117	1132	1121	1196
Oxygen Reduction Potential	mV	37.5	-114.3	112.8	77.0	-36.2	33.2	-63.9	-93.5	-103.0	-115.9	-94.4	-47.4	-106.6	-204.5	-106.9	-93.6	-87.8	-164.1	-106.1
Lab Analytical Results:																				
Hardness as CaCO3	mg/L	45.0		7.29			16.9			6.67			6.38	6.79	7.76	7.53	6.35	6.93	7.23	4.65
pH (Lab)	SU	8.57		8.63			8.02			8.56			8.52	8.55	8.41	8.45	8.48	8.54	8.57	8.48
Total Dissolved Solids (Lab)	mg/L	1420		770			780			785			780	840	730	740	700	795	720	740
Calcium	mg/L	10.8		1.93			3.84			1.78			1.68	1.77	2.09	2.05	1.71	1.87	1.92	1.86
Magnesium	mg/L	4.39		0.600			1.77			0.541			0.528	0.574	0.620	0.587	0.502	0.550	0.592	<0.500
Sodium	mg/L	382		341			317			306			305	309	315	337	304	319	315	308
Potassium	mg/L	45.7		3.49			<5.00			2.27			2.18	2.06	<5.00	<5.00	<5.00	<3.00	2.24	<5.00
Alkalinity, Total	mg/L	615		720			745			731			745	685	630	675	780	730	755	750
Alkalinity, Bicarbonate	mg/L	535		610			645			645			685	595	530	585	680	630	645	650
Alkalinity, Carbonate	mg/L	80.0		110			100			86.0			60.0	90	100	90	100	100	110	100
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	175		5.11			6.80			2.63			2.48	3.04	3.01	2.98	2.47	2.5	2.48	2.55
Fluoride	mg/L	2.06		3.91			3.95			3.97			3.88	3.61	3.63	3.53	3.66	3.58	3.48	3.67
Sulfate as SO4	mg/L	190		3.79			9.58			1.02			<1.00	<2.00	<2.00	<2.00	<1.00	<1.00	<1.00	<1.00
Total Organic Carbon (TOC)	mg/L	2.80		1.80			3.33			1.94			1.69	1.69	1.92	1.82	1.66	1.2	1.71	1.79
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			0.282	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250
Arsenic	mg/L	0.0106		<0.0010			0.0006			0.0007			0.0006	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0001	<0.0002	<0.0003	<0.0005	<0.0003	<0.0015	<0.0025
Copper	mg/L	0.0337		0.0077			0.0047			0.0041			0.0051	0.0033	0.0012	0.0017	<0.0025	0.0025	0.0057	0.0068
Iron	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0010	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025
Manganese	mg/L	0.0258		0.0038			0.0150			0.0020			0.0026	0.0025	0.0029	0.0026	0.0028	0.0024	0.0021	0.0025
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0142		<0.0010			0.0009			<0.0005			<0.0005	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025
Selenium	mg/L	0.0020		<0.0020			<0.0010			<0.0010			<0.0010	<0.0010	<0.0020	<0.0030	<0.0050	0.0031	<0.0030	<0.0050
Silica (SiO2)	mg/L	9.09		8.45			8.68			8.28			7.77	7.62	7.40	7.84	7.4	8.17	8.21	7.82
Silicon	mg/L	4.25		3.95			4.06			3.87			3.63	3.56	3.46	3.67	3.46	3.82	3.84	3.66
Uranium	mg/L	0.0044		<0.0002			0.0001			0.0001			<0.0002	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025
Zinc	mg/L	0.0080		<0.0040			0.0023			<0.0020			<0.0020	<0.002	<0.0040	<0.0060	<0.0100	<0.0060	<0.0060	<0.0100

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-8-PL																				
Year	2018	2019											2020				2021			
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	
Sample Date	12/27	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																				
Purge Flow Rate	gpm	0.25	1.00	0.50	3.00	0.50	0.25	1.00	0.50	0.50	0.75	0.25	0.25	0.25	0.25	0.25	0.75	0.25	0.25	
Total Purged	gal	20.0	5.0	2.0	3.0	2.0	3.0	2.5	2.3	2.5	2.0	2.5	1.3	2.0	2.0	2.3	2.0	2.0	2.0	
Depth to Water	ft bgs	125.97	126.29	126.40	127.10	126.98	126.70	126.82	127.25	127.38	127.42	127.48	127.59	127.32	127.34	128.00	127.31	127.50	127.83	127.89
Temperature	deg C	10.3	14.2	13.4	12.9	13.2	14.2	14.8	14.7	14.9	14.0	13.2	14.9	13.8	14.8	14.9	14.1	12.9	14.6	14.8
pH	SU	7.50	7.30	7.49	7.30	7.29	7.31	7.57	7.56	7.52	7.45	7.47	7.52	7.55	7.47	7.52	7.52	7.53	7.58	7.55
Specific Conductance	µS/cm	1690	1531	1571	1558	1554	1411	1326	1165	1083	947	940	900	862	844	792	827	760	813	816
Oxygen Reduction Potential	mV	30.2	-116.5	97.9	-108.7	-110.6	34.2	-57.6	-74.0	-79.5	-51.3	-52.5	-30.8	-59.9	-101.9	-38.0	-37.3	-11.5	-76.6	-64.4
Lab Analytical Results:																				
Hardness as CaCO3	mg/L	617		644			596			411			294	278	298	292	268	281	283	280
pH (Lab)	SU	7.28		7.40			7.26			7.22			7.39	7.47	7.19	7.16	7.41	7.36	7.41	7.29
Total Dissolved Solids (Lab)	mg/L	1150		1090			995			705			620	500	490	525	465	525	505	475
Calcium	mg/L	112		120			105			73.1			52.1	49.3	53.8	53.3	49.1	52.2	53.3	53
Magnesium	mg/L	82.1		83.8			81.4			55.4			39.7	37.6	39.7	38.5	35.4	36.6	36.5	35.9
Sodium	mg/L	106		124			102			91.7			83.3	78.5	80.4	81.6	77.2	78.6	79.7	77.8
Potassium	mg/L	5.14		5.62			<5.00			2.80			2.35	2.32	2.11	<2.00	<2.00	1.78	1.73	<2.00
Alkalinity, Total	mg/L	370		415			435			393			390	339	340	315	410	370	385	360
Alkalinity, Bicarbonate	mg/L	370		415			435			393			390	339	340	315	410	370	385	360
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	18.8		18.5			9.03			5.61			5.66	3.51	3.38	3.33	3.32	3.39	3.30	3.33
Fluoride	mg/L	0.505		0.474			0.290			0.291			<0.500	0.258	0.240	0.233	0.224	0.219	0.200	0.222
Sulfate as SO4	mg/L	478		471			390			232			127	109	103	99.2	99	101	96.3	102
Total Organic Carbon (TOC)	mg/L	4.17		4.02			2.92			2.21			1.75	1.63	1.63	1.61	1.44	0.928	1.42	1.54
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			0.199	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.050	<0.100	<0.100	<0.100	<0.050	<0.050	<0.100
Arsenic	mg/L	0.0074		0.0124			0.0190			0.0156			0.0104	0.0073	0.0075	0.0064	0.0058	0.0074	0.0055	0.0017
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0002	<0.0001	<0.0002	<0.0002	<0.0001	<0.0010	<0.0010
Copper	mg/L	0.0016		0.0025			0.0017			0.0011			0.0004	0.001	<0.0025	<0.001	0.0014	0.0005	0.0013	<0.0010
Iron	mg/L	<0.050		0.352			<0.250			0.129			0.075	0.054	<0.100	<0.100	<0.100	<0.050	<0.050	<0.100
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.0005	<0.0010	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010
Manganese	mg/L	1.31		1.22			0.697			0.505			0.313	0.303	0.307	0.259	0.219	0.196	0.175	0.0772
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0090		0.0068			0.0020			0.0021			0.0017	0.0008	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010
Selenium	mg/L	0.0012		<0.0020			<0.0010			<0.0010			<0.0010	<0.001	<0.0010	<0.0020	<0.0020	0.0038	<0.002	<0.0020
Silica (SiO2)	mg/L	14.1		16.3			17.7			18.5			18.0	18.9	18.7	19.9	18.5	20.1	21.5	20
Silicon	mg/L	6.58		7.64			8.28			8.67			8.42	8.82	8.75	9.28	8.66	9.40	10.00	9.37
Uranium	mg/L	0.0052		0.0040			0.0010			0.0009			0.0004	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.001	<0.0010
Zinc	mg/L	0.0344		<0.0040			<0.0020			<0.0080			<0.0020	<0.0020	<0.0100	<0.0040	<0.0040	<0.0020	<0.004	<0.0040

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.