

## GCC Energy Hydrologic Monitoring Data

Hay Gulch Ditch Upgradient																																	
Year	2016										2017				2018				2019				2020				2021						
Quarter	Q1		Q2		Q3		Q4		Q1		Q2	Q3	Q4	Q1		Q2		Q3		Q4		Q1		Q2		Q3		Q4					
Month	3	4	5	6	7	8	9	10	11	12	1	2	3	6	9	11	2	5	8	11	2	5	8	11	2	5	8	12	2	6	9	11	
Sample Date	3/31	4/22	5/26	6/23	7/20	8/25	9/21	10/19	11/29	12/13	1/26	2/27	3/22	6/28	9/21	11/28	2/22	5/14	8/9	11/8	2/28	5/23	8/16	11/13	2/13	5/13	8/13	12/3	2/22	6/3	9/1	11/15	
Lab Analysis (Y/N)	Y	N	N	Y	N	N	Y	Y	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
<b>Field Parameters:</b>																																	
Flow Rate	cfs	0.70	1.0	1.20	1.60	1.0	1.0	1.10	1.0	NM	1.0	NM	0.82	0.28	2.70	NM	NM	NM	0.60	0.70	0.70	0.25	3.63	1.17	NM	NM	0.92	0.13	1.02	0.06	0.16	NM	0.67
Temperature	deg C	9.8	20.9	11.3	21.1	20.8	16.8	14.9	16.4	5.9	7.0	1.5	4.7	10.7	20.2	19.7	8.8	4.7	11.3	22.1	1.1	5.9	5.9	16.9	5.7	1.5	16.5	18.1	2.0	5.8	11.3	15.5	7.1
pH	SU	7.75	8.27	7.95	8.15	8.24	8.26	8.47	8.19	8.79	8.58	8.2	8.69	8.77	8.88	8.39	7.60	7.9	7.58	9.07	7.16	6.4	7.53	8.03	7.33	7.75	8.39	8.65	8.08	7.83	7.75	8.07	6.94
Specific Conductance	µS/cm	247	323	197	141	189	207	233	210	258	234	687	455	454	106	549	868	1041	304	307	307	752	306	275	682	902	314	528	434	1024	189	280	252
Oxygen Reduction Potential	mV	76.4	114.7	97.2	51.6	53.6	82.8	72.5	105.9	92.4	116.3	66.3	-12	-10.6	23.8	86.1	95.10	-164.1	111.4	-181.3	13.9	103.7	-24.0	24.4	-22.4	-4.5	81.7	118.9	120.3	51.6	86.6	58.3	109.2
Dissolved Oxygen	mg/L	8.1	6.4	8.0	6.0	6.5	6.9	7.2	4.7	6.7	6.1	10.6	9.0	6.9	4.8	6.7	9.3	9.4	8.5	6.4	10.2	8.0	8.9	7.8	7.9	7.0	7.5	8.4	10.4	8.7	8.5	7.1	9.2
<b>Lab Analytical Results:</b>																																	
Hardness as CaCO3	mg/L	128			80.9			119		152				257	69.2	316	456	489	101	153	149	393	136	125	372	405	150	287	213	588	92.6	131	120
pH (Lab)	SU	8.17			8.04			8.16		8.19				8.06	8.06	8.22	8.31	8.39	7.99	9.07	7.86	7.45	7.69	7.83	7.40	7.22	7.60	8.01	7.92	7.57	7.72	7.44	7.52
Total Dissolved Solids (Lab)	mg/L	170			75			165		180				285	65.0	390	650	700	140	215	175	535	205	225	635	587	255	340	160	685	210	185	140
Total Suspended Solids	mg/L	30.0			117			17.0		4.8				2.50	63.5	2.00	5.75	6.01	106	6.25	14.8	22.0	113	20.0	5.38	<4.0	140	19.5	13.2	55	133	51	13.2
Calcium	mg/L	33.5			24			33.0		38.4				53.6	20.8	64.9	86.6	87.3	26.3	39.1	40.3	79.8	34.6	32.4	79.3	81.5	36.1	63.2	49.9	113	25.8	35.8	34.2
Magnesium	mg/L	10.9			5.08			9.01		13.7				29.8	4.21	37.5	58.3	65.9	8.61	13.5	11.9	47.0	12.1	10.8	42.2	49	14.5	31.3	21.5	74.3	6.87	10.1	8.35
Sodium	mg/L	4.46			2.19			3.90		6				10.9	1.97	13.8	27.1	34.6	3.31	5.33	5.00	19.1	7.24	5.81	25.4	30.9	7.67	10.9	8.39	34.3	2.71	3.97	3.53
Potassium	mg/L	<1			<1			1.35		<1.00				<1.00	1.75	2.15	3.05	3.52	1.18	1.24	<1.00	3.89	1.57	1.07	3.25	3.65	1.86	1.85	1.53	4.74	<1.00	3.28	<1.00
Alkalinity, Total	mg/L	160			65			98.0		118				185	55.0	177	305	244	67	111	120	260	390	103	233	295	102	220	137	340	68	98	87.0
Alkalinity, Bicarbonate	mg/L	160			65			94.0		118				185	55.0	161	285	244	67	107	120	260	390	103	233	295	102	220	131	340	68	98	87.0
Alkalinity, Carbonate	mg/L	<10.0			<10.0			<10.0		<10.0				<10.0	<10.0	16.0	20.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0			<10.0			<10.0		<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	5.77			2.07			4.32		7.92				22.7	1.76	30.8	48.2	46.7	3.12	6.70	5.58	48.1	7.75	6.04	22.8	31.6	9.64	24.5	14.8	85.9	3.17	5.23	3.44
Fluoride	mg/L	0.213			0.208			0.223		0.208				0.215	0.195	0.265	0.283	0.285	0.224	0.272	0.224	0.252	0.208	0.214	<0.500	0.239	<0.500	0.226	0.226	0.235	0.188	0.227	0.179
Sulfate as SO4	mg/L	42.1			17.7			29.0		45.3				87.7	15.0	99.0	179	229	34	49.7	45.0	128	47.2	35.6	107	151	44.0	86.3	64.4	211	26.4	42.2	40.0
Total Organic Carbon (TOC)	mg/L	1.41			1.6			2.21		1.14				2.49	1.15	1.90	1.99	1.81	2.31	1.61	1.09	4.94	3.08	1.84	4.54	5.45	2.93	1.65	1.22	2.69	1.39	2.8	0.832
Oil & Grease	mg/L	<5.00			<5.00			<5.00		<5.00				<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	
Nitrate/Nitrite as N	mg/L	<0.02			0.028			<0.020		<0.020				0.053	<0.020	0.045	0.088	0.105	0.026	<0.020	<0.020	0.263	0.050	0.072	0.104	0.044	0.302	0.042	0.026	0.282	0.049	0.026	<0.02
Sodium Adsorption Ratio (SAR)	no unit	0.17			0.1			0.16		0.21				0.30	0.10	0.34	0.55	0.68	0.14	0.18	0.16	0.42	0.26	0.22	0.55	0.65	0.26	0.29	0.25	0.62	0.12	0.15	0.14
Ammonia as N ^	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.100	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.05			<0.05			<0.05		<0.050				<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	
Arsenic	mg/L	<0.0005			<0.0005			<0.0005		<0.0005				0.0005	<0.0005	0.0009	0.0007	<0.0025	<0.0005	0.0009	<0.0005	0.0007	0.0006	0.0007	0.0005	0.0006	<0.0005	0.0007	<0.0005	0.0012	<0.0005	0.001	<0.0005
Cadmium	mg/L	<0.0001			<0.0001			<0.0001		<0.0001				<0.0001	<0.0001	<0.0001	<0.0001	<0.0005	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0005	<0.0005	<0.0005
Copper	mg/L	0.0006			0.0011			0.0011		0.0005				0.0008	0.0013	0.0006	0.0005	0.0007	0.0011	0.0011	0.0013	0.0026	0.0013	0.0012	0.0005	0.0005	0.0010	0.0006	0.0005	0.0007	0.0009	0.0012	0.0006
Iron	mg/L	<0.05			<0.05			<0.05		<0.050				<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.255	0.055	<0.0500	0.316	0.551	<0.0500	<0.0500	<0.0500	0.103	<0.0500	<0.0500	
Lead	mg/L	<0.0005			<0.0005			<0.0005		<0.0005				<0.0005																			



## GCC Energy Hydrologic Monitoring Data

Well #1 Upgradient																																			
Year	2016										2017					2018				2019				2020				2021							
Quarter	Q1		Q2		Q3			Q4			Q1		Q2	Q3	Q4	Q1		Q2	Q3	Q4	Q1		Q2	Q3	Q4	Q1		Q2	Q3	Q4					
Month	3	4	5	6	7	8	9	10	11	12	1	2	3	6	9	11	2	5	8	11	2	5	8	11	2	6	8	12	2	5	8	11			
Sample Date	3/30	4/27	5/26	6/23	7/19	8/24	9/21	10/24	11/30	12/14	1/18	2/27	3/22	6/28	9/28	11/29	2/22	5/14	8/9	11/7	2/25	5/23	8/16	11/14	2/13	6/1	8/31	12/14	2/11	5/19	8/12	11/12			
Lab Analysis (Y/N)	Y	N	N	Y	N	N	Y	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y				
<b>Field Parameters:</b>																																			
<b>Purge Flow Rate</b>	gpm	1.5	7.9	7.1	5.8	7.1	7.4	6.8	7.5	9.3	7.5	7.7	7.5	8.2	7.0	7.1	7.5	7.2	7.2	10	7.2	10.0	8.3	11.0	6.5	8.0	10.0	8.0	8.0	8.0	8.0	8.0	8.0	4.0	
<b>Total Purged</b>	gal	306	522	870	297	280	284	288	300	280	295	298	297	291	286	259	287	268	280	267	305	300	321	327	293	314	300	291	280	302	324	300	400		
<b>Depth to Water</b>	ft bgs	4.40	5.07	4.60	4.95	5.55	6.30	6.03	5.73	5.69	5.08	4.30	3.80	3.82	4.50	5.51	5.50	5.40	5.77	5.65	6.50	5.98	4.50	5.68	6.08	5.55	4.17	6.25	3.72	6.48	5.82	7.25	6.55		
<b>Temperature</b>	deg C	8.8	13.1	11.9	14.2	14.1	12.7	12.5	12.6	10.6	11.3	10.9	10.4	11.2	11.9	11.8	11.6	11.5	11.7	12.0	12.5	11.7	11.5	11.8	12.9	11.6	12.1	12.3	11.5	11.6	12.2	12.3	12.0		
<b>pH</b>	SU	7.77	7.57	7.46	7.6	7.69	7.59	7.67	7.77	7.72	7.68	7.6	7.67	7.67	7.59	7.6	7.58	7.56	7.49	7.35	7.34	7.44	7.39	7.37	7.32	7.37	7.38	7.57	7.6	7.54	7.56	7.59	7.57		
<b>Specific Conductance</b>	µS/cm	1224	1199	1284	1246	1226	1143	1176	1223	1280	1305	1392	1415	1351	1159	1162	1241	1278	1218	1289	1204	1235	1308	1253	1232	1277	1268	1067	1190	1142	1235	1212	1301		
<b>Oxygen Reduction Potential</b>	mV	-123.1	-162.2	-142.5	-185.4	-156.6	-196.8	-140.6	-148.9	-152.9	-141.0	-143.6	-125.6	-132.2	-201	-176.9	-213.20	-185.3	-219.3	-251.6	-273.0	-232.0	-194.0	-192.0	-159.9	-193.0	-221.7	-187.2	-138.1	-153.4	-208.9	-202.5	-272.2		
<b>Lab Analytical Results:</b>																																			
<b>Hardness as CaCO3</b>	mg/L	230			306			216		271				391	277	215	280	274	275	369	287	252	350	303	263	290	319	255	247	298	313	236	286		
<b>pH (Lab)</b>	SU	7.73			7.57			7.58		7.59				7.46	7.74	7.66	7.56	7.75	7.95	7.48	7.50	7.77	7.56	7.23	7.35	7.12	7.26	7.53	7.72	7.39	7.33	7.47	7.23		
<b>Total Dissolved Solids (Lab)</b>	mg/L	760			745			735		725				775	725	705	790	745	770	835	730	735	860	780	705	700	775	710	690	755	785	750	745		
<b>Calcium</b>	mg/L	44.0			59.7			42.4		51.7				75.7	54.0	41.6	55.6	53.4	53.8	71.5	56.7	49.1	67.8	58.2	51.5	56.5	61.6	49.6	47.4	58.1	60.9	45.4	54.8		
<b>Magnesium</b>	mg/L	29.1			38.2			26.7		34.5				49.1	34.6	27.1	34.4	34.2	34.1	46.4	35.4	31.4	43.8	38.3	32.7	36.1	40.0	31.7	31.1	37.2	39.1	29.8	36.1		
<b>Sodium</b>	mg/L	199			196			210		189				167	189	203	195	183	191	154	212	196	172	167	198	183	178	193	196	204	172	177	182		
<b>Potassium</b>	mg/L	3.00			3.15			3.01		3.01				3.30	3.00	3.09	2.99	3.09	3.03	3.16	3.15	3.01	3.32	3.01	3.01	<5	3.05	3.05	3.02	<5.00	3.00	<5.00	<5.00		
<b>Alkalinity, Total</b>	mg/L	610			660			620		615				640	585	670	625	620	595	630	640	610	615	615	590	600	576	520	605	570	620	600	770		
<b>Alkalinity, Bicarbonate</b>	mg/L	570			660			620		615				640	585	670	625	620	595	630	640	610	615	615	590	600	576	520	587	570	620	600	770		
<b>Alkalinity, Carbonate</b>	mg/L	40.0			<10.0			<10.0		<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	18	<10.0	<10.0	<10.0	<10.0		
<b>Alkalinity, Hydroxide</b>	mg/L	<10.0			<10.0			<10.0		<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0		
<b>Chloride</b>	mg/L	4.33			6.12			4.30		4.44				4.53	4.32	6.21	4.39	4.30	4.35	4.34	4.23	4.35	4.59	4.36	6.19	4.76	4.76	4.62	4.34	4.27	4.91	4.89	4.93		
<b>Fluoride</b>	mg/L	0.347			<0.5			0.353		0.337				0.337	0.362	<0.500	0.358	0.354	0.335	0.390	0.359	0.355	0.349	0.335	<0.500	0.348	0.366	0.356	0.342	0.311	0.338	0.35	0.284		
<b>Sulfate as SO4</b>	mg/L	90.1			108			83.8		117				156	97.4	74.0	101	106	97.2	147	89.9	91.4	131	112	92.1	104	110	79.6	87.9	102	110	98.5	122		
<b>Total Organic Carbon (TOC)</b>	mg/L	2.54			3.3			2.80		3.18				3.84	5.82	2.84	3.33	3.37	3.5	3.94	3.35	3.31	3.70	3.53	3.14	3.29	3.37	3.32	3.17	3.26	3.27	3.23	3.23		
<b>Nitrate/Nitrite as N</b>	mg/L	<0.020			<0.020			<0.020		<0.200				<0.020	<0.400	<0.400	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020		
<b>Ammonia as N ^</b>	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
<b>Ortho-Phosphate as P ^</b>	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.0590	NA	NA	NA	NA	NA	NA	NA	NA	NA	
<b>Aluminum</b>	mg/L	<0.050			<0.050			<0.050		<0.050				<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.100	<0.250	<0.050	<0.150	<0.050	<0.250	<0.050	<0.250	<0.250		
<b>Arsenic</b>	mg/L	<0.0005			<0.0005			<0.0005		<0.0005				0.0009	<0.0005	<0.0005	<0.0005	0.0005	0.0005	0.0005	<0.0005	0.0005	0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0010	0.0008	<0.0025	<0.0005	<0.0025
<b>Cadmium</b>	mg/L	<0.0001			<0.0001			<0.0001		<0.0001				<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0005	<0.0005	<0.0025
<b>Copper</b>	mg/L	0.0035			0.003			0.0021		0.0041				0.0020	0.0020	0.0030	0.0027	0.0035	0.003	0.0022	0.0025	0.0042	0.0015	0.0019	0.0012	0.0017	0.0017	0.0021	0.0007	<0.0025	0.0039	0.0038	0.0059		
<b>Iron</b>	mg/L	1.20			1.51			0.946		1.64				2.01	1.34	0.101	1.44	1.44	1.39	1.98	1.52	1.26	1.74	1.58	1.41	1.49	1.53	1.24	1.7	1.66	1.69	1.19	1.43		
<b>Lead</b>	mg/L	<0.0005			<0.0005			<0.0005		<0.0005				<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0010	<0.0005	<0.0025	<0.0005	<0.0005	<0.0025		
<b>Manganese</b>	mg/L	0.267			0.344			0.221																											



## GCC Energy Hydrologic Monitoring Data

Wiltse Well																																		
Year	2016										2017				2018				2019				2020				2021							
Quarter	Q1		Q2			Q3			Q4		Q1		Q2	Q3	Q4	Q1		Q2	Q3	Q4	Q1		Q2	Q3	Q4	Q1		Q2	Q3	Q4				
Month	3	4	5	6	7	8	9	10	11	12	1	2	3	6	9	11	2	5	8	11	2	5	8	12	2	5	8	12						
Sample Date	3/31	4/27	5/25	6/23	7/19	8/24	9/20	10/24	11/29	12/13	1/18	2/27	3/21	6/13	9/28	11/28	2/22	5/16	8/9	11/8	2/28	5/23	8/19	11/11	2/17	5/13	8/12	12/15	2/24	5/21	8/11	11/3		
Lab Analysis (Y/N)	Y	N	N	Y	N	N	Y	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y			
Field Parameters:																																		
Purge Flow Rate	gpm	150.0	38.5	23.4	18.6	19.9	17.3	15.8	17.0	10.6	18.1	39.5	39.6	39.6	NM	18.3	23.5	11.9	12.0	18.5	12.3	28.0	38.0	18.0	17.0	35.0	24.4	16.0	18.0	15.0	12.5	8.5	24.0	
Total Purged	gal	5850	4228	4229	3686	2844	2979	2637	2724	2992	2916	3595	3580	3560	2980	2712	2423	2700	2890	2783	2747	3017	3200	3010	3058	3825	3495	3200	3030	2920	3000	1800	2800	
Depth to Water	ft bgs	0.35	0.00	0.85	2.15	2.99	2.60	3.32	6.85	1.90	1.95	0.30	0.00	0.00	2.05	3.40	3.40	3.35	3.93	4.13	3.78	2.40	0.05	2.47	2.68	0.43	1.60	3.18	5.65	3.64	3.70	4.55	4.10	
Temperature	deg C	6.7	8.8	10.4	10.7	11.5	12.1	11.5	11.0	9.1	8.8	7.6	7.2	7.5	10.3	11.3	9.7	8.0	10.2	11.7	10.4	8.0	9.3	10.7	9.9	6.7	9.8	11.7	8.7	8.9	9.9	11.3	10.8	
pH	SU	7.22	7.32	7.34	7.26	7.26	7.24	7.22	7.32	7.29	7.2	7.17	7.12	7.41	7.27	7.3	7.26	7.13	7.04	7.07	7.17	7.08	7.09	7.09	7.01	7.12	7.22	7.26	7.25	7.23	7.33	7.23		
Specific Conductance	µS/cm	2043	1633	1805	1768	1478	1602	1941	1937	2014	2036	2262	2276	2085	1869	2074	2190	2232	2144	2072	2167	2170	2151	1964	1970	2171	2017	1450	1984	1739	1789	2012	2038	
Oxygen Reduction Potential	mV	105.6	17.9	20.1	38.5	26.9	20.0	28.6	21.6	13.7	20.9	3.2	18.3	6.0	13.3	19.5	19.2	14.3	29.9	-52.7	-18.8	22.7	-10.6	-23.7	51.9	49.33	71.9	72.2	73.7	6.9	31.2	41.5	50.5	
Lab Analytical Results:																																		
Hardness as CaCO3	mg/L	990			1050			1030		963				1040	1060	1140	1150	1090	1160	1130	1180	1150	1080	1080	1060	982	1060	1070	1130	1090	1070	1080	1080	
pH (Lab)	SU	7.22			7.34			7.29		7.36				7.22	7.46	7.30	7.33	7.70	8.35	7.22	7.42	7.38	7.35	7.11	7.09	7.12	7.09	7.29	6.86	7.27	6.98	7.25	7.52	
Total Dissolved Solids (Lab)	mg/L	1580			1480			1520		1680				1480	1510	1680	1740	1740	1740	1750	1720	1710	1670	1520	1480	1600	1560	1580	1540	1550	1500	1580	1640	
Calcium	mg/L	197			208			206		186				205	211	219	226	211	216	221	230	226	214	214	208	191	206	206	215	208	199	206	209	
Magnesium	mg/L	121			128			126		121				128	129	143	142	136	150	139	147	143	132	132	132	123	132	136	144	138	140	136	136	
Sodium	mg/L	95.9			75.2			80.7		82.4				110	87.5	80.7	83.4	80.4	82.3	79.1	81.2	83.2	89.4	72.4	67.3	68.1	69.1	64	67.5	65.1	61.1	61.6	63.6	
Potassium	mg/L	4.64			4.56			4.90		4.42				4.61	4.79	4.62	<5.00	4.73	4.98	5.01	5.00	5.01	4.77	4.92	4.85	4.33	<5.00	4.48	4.54	<5.00	4.35	<5.00	4.41	
Alkalinity, Total	mg/L	460			500			470		450				410	445	510	475	445	435	463	505	515	469	474	460	460	431	475	470	480	480	480	520	
Alkalinity, Bicarbonate	mg/L	440			500			470		450				410	445	510	475	445	435	463	505	515	469	474	460	460	431	475	470	480	480	480	520	
Alkalinity, Carbonate	mg/L	20.0			<10.0			<10.0		<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0			<10.0			<10.0		<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	81.0			76.3			62.3		70.1				72.5	72.5	68.7	68.9	66.7	60	57.2	57.5	67.2	67.8	49.9	48.2	57.7	51.8	58.1	57.9	54.8	52.3	49	52.4	
Fluoride	mg/L	0.285			<0.5			<0.5		0.3				<0.500	0.332	<0.500	<0.500	<0.500	<0.500	<0.500	0.298	0.324	0.306	<0.500	<0.500	<0.500	<0.500	0.304	0.292	0.276	0.28	<0.500	0.280	
Sulfate as SO4	mg/L	671			595			656		676				731	702	779	772	832	714	733	741	801	709	627	627	711	633	704	728	683	661	679	697	
Total Organic Carbon (TOC)	mg/L	3.54			4.1			3.15		3.02				3.40	3.54	3.34	3.26	3.37	3.5	3.51	3.63	3.82	4.87	4.27	3.30	4.22	3.80	3.69	3.43	3.29	3.33	3.48	3.37	
Nitrate/Nitrite as N	mg/L	0.456			0.891			1.08		0.965				0.492	1.07	1.80	1.94	2.26	2.48	2.26	1.99	1.95	0.651	0.896	1.31	1.05	0.865	1.25	1.48	1.82	1.49	2.06	1.87	
Ammonia as N ^	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.100	NA	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.05			<0.05			<0.05		<0.050				<0.050	<0.1	<0.050	<0.250	<0.100	<0.050	<0.050	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.050	<0.250	<0.050	<0.250	<0.100	
Arsenic	mg/L	<0.0025			<0.0025			0.0005		0.0008				0.0009	0.0006	0.0005	0.0029	0.0009	0.0006	<0.0025	<0.001	<0.0010	0.0006	<0.0010	<0.0010	<0.0010	<0.0010	<0.0025	<0.0010	0.0005	<0.0025	<0.0025	<0.0025	<0.0010
Cadmium	mg/L	<0.0005			<0.0005			<0.0005		<0.0001				<0.0001	<0.0001	<0.0001	<0.0005	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0002	<0.0002	<0.0002	<0.0002	<0.0005	<0.0002	<0.0001	<0.0005	<0.0025	<0.0025	<0.001
Copper	mg/L	0.0018			0.0024			0.0020		0.0038				0.0023	0.0019	0.0025	0.0097	0.0020	0.0019	0.0018	0.0030	0.002	0.0021	0.0021	0.0012	0.0020	<0.0025	0.0013	0.0006	0.0028	<0.0025	<0.0025	0.0033	
Iron	mg/L	0.100			<0.05			0.060		0.136				0.286	0.161	<0.050	<0.250	0.132	0.151	0.125	0.121	0.151	0.379	0.287	0.209	0.285	<0.250	<0.100	0.216	<0.250	0.304	<0.250	0.154	
Lead	mg/L	<0.0025			<0.0025			<0.0025		<0.0005				<0.0005	<0.0005	<0.0005	<0.0025	<0.0005	<0.0005	<0.0005	<0.001	<0.0010	<0.0005	<0.0010	<0.0010	<0.0010	<0.0025	<0.0010	<0.0005	<0.0025	<0.0025	<0.0025	<0.0010	
Manganese	mg/L	0.673			0.857			0.756		0.608				0.440	0.797	0.881	4.50	0.845	0.997	1.37	1.08	0.937	0.357											

GCC Energy Hydrologic Monitoring Data

MW-HGA-4																															
Year	2016	2017												2018				2019				2020				2021					
Quarter	Q4	Q1			Q2			Q3			Q4			Q1		Q2	Q3	Q4	Q1		Q2	Q3	Q4	Q1		Q2	Q3	Q4			
Month	12	1	2	3	4	5	6	7	8	9	10	11	12	1	2	5	8	11	2	5	8	11	2	5	8	12	2	5	8	11	
Sample Date	12/12	1/26	2/28	3/22	4/27	5/31	6/13	7/27	8/16	9/21	10/27	11/28	12/12	1/3	2/22	5/15	8/9	11/8	2/28	5/23	8/16	11/13	2/13	5/13	8/26	12/14	2/22	5/19	8/12	11/12	
Lab Analysis (Y/N)	Y	N	N	Y	N	N	Y	N	N	Y	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
<b>Field Parameters:</b>																															
Purge Flow Rate	gpm	0.5	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	9.40	NM	0.1	1.5	2.00	1.00	1.12	1.00	1.00	0.25	1.00	0.25	0.25	0.13	0.25	0.13	0.25	0.25
Total Purged	gal	21	21	21	21	21	21	19.5	20	20	21	21	24	19	21	21	19	21	24	22	21	21	22	21	20	21	21	21	20	22	
Depth to Water	ft bgs	0.73	0.57	0.60	0.83	0.94	2.06	2.53	3.25	2.65	3.31	3.31	1.76	4.31	1.37	0.55	2.60	3.98	1.90	0.49	0.42	1.95	1.15	0.38	2.36	3.80	1.75	0.90	2.91	3.95	2.33
Temperature	deg C	7.3	4.8	6.4	8.1	7.2	9.9	8.4	8.6	8.8	9.0	9.2	9.0	9.3	8.8	7.8	8.1	8.7	8.8	7.6	7.7	8.5	8.8	7.9	7.4	9.2	8.6	7.8	8.2	8.9	9.2
pH	SU	7.29	7.36	7.40	7.41	7.33	7.36	7.40	7.36	7.35	7.33	7.31	7.27	7.27	7.33	7.30	7.18	7.27	7.05	7.15	7.18	7.16	7.09	7.12	7.23	7.28	7.31	7.29	7.34	7.37	7.31
Specific Conductance	µS/cm	1284	1257	1201	1155	1153	1113	1055	1099	1050	1124	1072	1171	1160	1141	1154	1098	1057	1167	1183	1102	1083	1127	1122	1093	1022	1158	975	1093	1108	1160
Oxygen Reduction Potential	mV	-72.1	-86.6	-105.1	-104.4	-74.5	-91.3	-134.7	-137.6	-131.0	-139.5	-77.3	-157.9	-70.1	-96.6	-157.3	-130.9	-230.8	-190.9	-128.3	-140.7	-130.9	-104.9	-107.8	-86.7	-61.1	-64.7	-67.9	-116.8	-104.9	-105.8
<b>Lab Analytical Results:</b>																															
Hardness as CaCO3	mg/L	724			611			616				522		595		561	555	524	625	613	563	544	624	563	528	571	612	630	582	515	627
pH (Lab)	SU	7.30			7.17			7.31				7.25		7.21		7.58	8.15	7.33	7.12	7.2	8.17	6.95	6.88	6.78	6.89	7.07	6.95	7.38	6.89	7.05	7.03
Total Dissolved Solids (Lab)	mg/L	855			710			715				750		775		740	730	695	770	795	695	695	715	705	685	700	665	685	680	735	790
Calcium	mg/L	147			118			121				102		118		110	108	102	124	122	110	106	123	112	101	111	122	126	114	98.7	125
Magnesium	mg/L	86.7			76.7			76.6				64.9		72.8		69.3	69	65.4	76.5	74.7	70.3	67.9	76.8	68.9	67.0	71.7	74.9	76.8	72	65.2	76.6
Sodium	mg/L	19.5			27.4			28.6				24.9		27.2		26.5	30.4	29.9	27.6	27	28.6	28.3	31.9	27.9	30.3	30.5	26.8	28.4	27.4	26.4	23.1
Potassium	mg/L	2.02			2.13			2.11				1.75		2.21		2.17	2.22	2.33	2.13	2.16	2.00	2.10	2.38	2.05	2.06	2.08	2.11	2.24	2.03	<5.00	<5.00
Alkalinity, Total	mg/L	545			465			415				465		475		460	425	410	460	455	445	455	432	435	416	485	457	475	465	470	580
Alkalinity, Bicarbonate	mg/L	545			465			415				465		475		460	425	410	460	455	445	455	432	435	416	485	457	475	465	470	580
Alkalinity, Carbonate	mg/L	ND			<10.0			<10.0				<10.0		<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	ND			<10.0			<10.0				<10.0		<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	10.9			8.75			7.95				8.96		8.74		8.43	7.57	6.47	9.40	10.5	8.06	8.44	9.46	8.39	7.64	8.78	10.1	9.65	9.41	11.1	13.9
Fluoride	mg/L	0.577			0.485			0.506				0.517		0.495		0.496	0.459	0.482	0.487	0.484	0.456	0.443	0.520	0.447	0.449	0.431	0.473	0.424	0.434	<0.500	0.420
Sulfate as SO4	mg/L	240			229			192				205		204		222	190	169	201	221	186	212	190	193	181	179	187	191	184	194	199
Total Organic Carbon (TOC)	mg/L	NA			4.54			4.35				4.69		4.79		4.56	4.57	4.30	4.72	4.82	4.45	4.58	4.35	4.8	4.30	4.56	4.67	4.31	4.36	4.55	4.84
Nitrate/Nitrite as N	mg/L	<0.020			<0.020			<0.020				<0.020		<0.100		<0.020	<0.020	<0.020	<0.020	0.173	<0.020	<0.020	<0.020	<0.020	<0.100	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA			NA			NA				NA		NA		NA	NA	NA	NA	NA	NA	NA	0.528	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA			NA			NA				NA		NA		NA	NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	0.423			<0.050			<0.050				<0.050		<0.050		<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.100	<0.100	<0.100	<0.050	<0.050	<0.050	<0.250	<0.250
Arsenic	mg/L	0.0030			0.0029			0.0028				<0.0005		0.0035		0.0037	0.0034	0.0036	0.0032	0.0031	0.0029	0.0028	0.0033	0.0022	0.0025	0.0026	0.0038	0.0036	0.0033	0.0034	0.0027
Cadmium	mg/L	<0.0001			<0.0001			<0.0001				<0.0001		<0.0001		<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0005	<0.0005	<0.0005
Copper	mg/L	0.0006			0.0008			0.0002				0.0004		0.0002		0.0006	0.0008	0.0004	0.0008	<0.0010	0.0003	0.0004	0.0002	0.0005	<0.0010	<0.0010	<0.0005	0.0006	0.0007	0.0009	<0.0025
Iron	mg/L	3.71			7.29			7.32				0.378		7.84		7.60	7.92	8.55	8.44	8.35	7.98	8.38	9.76	8.59	8.22	8.95	9.31	9.6	9.29	8.52	8.44
Lead	mg/L	<0.0005			<0.0005			<0.0005				<0.0005		<0.0005		<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0005	<0.0005	<0.0005	
Manganese	mg/L	4.07			2.78			2.37				2.03		2.11		1.99	1.81	1.58	2.13	2.56	2.12	1.84	1.78	1.77	1.49	1.66	2.36	2.54	2.51	1.79	2.86
Mercury	mg/L	ND			<0.0002			<0.0002				<0.0002		<0.0002		<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0013			0.0024			0.0027				0.0028		0.0027		0.0030	0.0031	0.0038	0.0029	0.0026	0.0027	0.0029	0.0031	0.0025	0.0030	0.0032	0.0029	0.0027	0.003	0.0033	0.0024
Selenium	mg/L	<0.001			0.0030			<0.001				<0.0010		<0.0010		<0.0010	0.002	0.0016	<0.001	0.001	<0.0010	<0.0010	<0.0010	<0.001	<0.0020	<0.0020	<0.001	<0.0010	0.001	0.0057	0.0017
Silica (SiO2)	mg/L	22.3			16.8			18				16.5		17.9		15.8	16.4	15.7	17.3	15.9	14.9	14.9	16.5	15.2	13.9	15.4	18.3	16.9	16.3	14.3	17.7
Silicon	mg/L	10.4			7.86			8.41				7.72		8.35		7.37	7.67	7.34	8.10	7.46	6.96	6.96	7.69	7.09	6.48	7.21	8.56	7.88	7.61	6.68	8.29
Uranium	mg/L	0.0010			0.0004			0.0004				0.0004		0.0004		0.0004	0.0004	0.0003	0.0005	0.0005	0.0004	0.0004	0.0003	<0.0005	<0.0010						

## GCC Energy Hydrologic Monitoring Data

MW-1-A																													
Year	2017								2018								2019				2020				2021				
Quarter	Q2		Q3			Q4			Q1		Q2		Q3		Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	
Month	6	7	8	9	9	10	11	12	1	2	3	4	5	6	7	8	11	2	5	8	11	2	5	9	11	2	5	8	11
Sample Date	6/7	7/18	8/23	9/7	9/26	10/26	11/16	12/5	1/2	2/9	3/22	4/11	5/10	--	7/23	8/7	11/1	2/20	5/30	8/14	11/5	2/12	5/28	9/1	11/16	2/15	5/20	8/23	11/17
Lab Analysis (Y/N)	Y	N	N	N	Y	N	Y	N	N	Y	N	N	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Field Parameters:																													
Purge Flow Rate	gpm	NM	NM*	NM*	NM	NM	NM	NM	NM	0.1	NM	0.1	0.1	***	0.12	0.10	0.09	0.12	0.12	0.06	0.25	0.25	0.25	0.13	0.13	0.13	0.13	0.25	0.25
Total Purged	gal	12.8	NM*	NM*	NM	NM	2.0	2.0	1.0	1.5	2	1.5	1	1.3	1.5	1.5	1.6	1.0	1.5	1.1	1.5	1.0	1.0	1.0	1.3	1.0	2.0	1.0	1.3
Depth to Water	ft bgs	215.42	NM*	215.92	215.54	216.33	216.31	216.47	216.58	216.21	216.47	216.47	216.54	216.54	216.63	216.63	216.65	216.55	216.43	216.33	216.13	216.05	215.85	215.56	215.80	215.60	215.53	215.71	215.65
Temperature	deg C	17.7	NM*	NM*	10.7	9.7	9.1	9.1	8.7	9.5	9.0	8.7	9.6	9.2	9.9	10.0	8.9	7.5	10.3	9.6	9.7	8.1	9.1	9.6	9.4	8.4	9.6	10.1	9.2
pH	SU	7.78	NM*	NM*	7.35	7.38	7.29	7.28	7.25	7.19	7.37	7.28	6.8	6.97	6.99	7.05	7.01	7.13	6.96	7.05	7.00	7.13	7.18	7.22	7.24	7.19	7.30	7.35	7.17
Specific Conductance	µS/cm	1362	NM*	NM*	1555	1563	1616	1650	1693	1700	1723	1735	1647	1761	1734	1815	1781	1776	1681	1757	1737	1797	1855	1664	1670	1550	1647	1691	1792
Oxygen Reduction Potential	mV	-34.6	NM*	NM*	-54.7	-46.5	-50.0	-48.3	-49.6	-44.6	-52.8	-37.5	142.4	0.4	-26.4	-33.2	101.4	-11.8	25.4	-18.7	3.6	12.7	4.2	-20.1	111.4	23.8	-13.4	-6.5	38.2
Lab Analytical Results:																													
Hardness as CaCO3	mg/L	124			133		130			159			156		160	174	159	153	148	150	159	165	161	168	168	150	158	157	
pH (Lab)	SU	7.74			7.35		7.33			7.22			7.45		7.17	7.27	7.13	7.03	7.14	6.92	7.19	6.91	7.23	7.17	7.22	7.13	7.1	7.05	
Total Dissolved Solids (Lab)	mg/L	975			1080		1120			1100			1150		1040	1130	1160	1150	1150	1140	1190	1150	1150	1170	1250	1150	1190	1150	
Calcium	mg/L	24.7			25.8		24.9			30.5			29.7		30.9	34.0	31.2	29.8	27.9	29.0	30.9	31.6	30.6	32.8	32.1	28.3	29.9	30.0	
Magnesium	mg/L	15.1			16.7		16.6			20.1			19.9		20.1	21.5	19.7	19.1	18.9	18.8	19.9	20.8	20.6	20.9	21.4	19.2	20.3	20.0	
Sodium	mg/L	324			329		325			348			327		333	358	357	319	348	333	337	349	348	353	357	314	333	340	
Potassium	mg/L	1.98			2.02		<5.00			<5.00			2.12		2.23	2.47	2.34	2.18	2.29	2.12	2.13	<5.00	2.29	<3.00	<5.00	2.18	<5.00	2.34	
Alkalinity, Total	mg/L	375			450		380			415			353		385	395	375	355	368	420	360	340	325	366	400	400	370	440	
Alkalinity, Bicarbonate	mg/L	375			450		380			415			353		385	395	375	355	368	420	360	340	325	366	400	400	370	440	
Alkalinity, Carbonate	mg/L	<10.0			<10.0		<10.0			<10.0			<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0			<10.0		<10.0			<10.0			<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	2.75			2.16		<5.00			2.19			<5.00		2.12	2.20	2.74	2.33	2.72	2.66	2.74	2.71	2.74	2.88	2.73	2.34	2.78	<5.00	
Fluoride	mg/L	0.268			0.245		<0.500			0.240			<0.5		0.260	0.240	0.266	0.242	0.252	0.246	0.234	0.228	0.24	0.264	0.212	0.223	0.24	<0.5	
Sulfate as SO4	mg/L	427			432		511			518			522		515	511	508	494	537	495	506	532	510	508	553	531	507	458	
Total Organic Carbon (TOC)	mg/L	5.03			1.36		1.58			1.51			1.54		1.60	1.75	1.61	1.67	1.59	1.50	1.55	1.55	1.49	1.57	1.58	1.49	1.57	1.51	
Nitrate/Nitrite as N	mg/L	<0.200			<0.400		<0.100			<0.020			<0.020		<0.020	0.028	<0.020	<0.020	<0.020	0.020	<0.020	0.046	<0.020	<0.020	<0.020	<0.020	<0.020	0.036	<0.020
Ammonia as N ^	mg/L	NA			NA		NA			NA			NA		NA	NA	NA	NA	NA	0.387	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA			NA		NA			NA			NA		NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050			<0.050																								

### GCC Energy Hydrologic Monitoring Data

MW-1-MI																													
Year	2017							2018							2019				2020				2021						
Quarter	Q2	Q3		Q4			Q1			Q2		Q3		Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4			
Month	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	11	2	5	8	11	2	5	9	11	2	5	8	11	
Sample Date	6/7	7/18	8/23	9/26	10/26	11/16	12/5	1/2	2/9	3/22	4/11	5/10	--	7/23	8/7	11/1	2/20	5/30	8/14	11/5	2/12	5/28	9/1	11/16	2/15	5/20	8/23	11/17	
Lab Analysis (Y/N)	Y	N	N	N	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
Field Parameters:																													
Purge Flow Rate	gpm	NM	NM*	NM	NM																								
Total Purged	gal	19.5	NM*	<0.5	NM																								
Depth to Water	ft bgs	259.99	NM*	258.29	258.34	dry	dry	dry	dry	dry	dry	dry	***	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
Temperature	deg C	15.8	NM*	11.8	21.7																								
pH	SU	8	NM*	7.94	7.86																								
Specific Conductance	µS/cm	2032	NM*	2137	2119																								
Oxygen Reduction Potential	mV	160.5	NM*	65.7	61.4																								
Lab Analytical Results:																													
Hardness as CaCO3	mg/L	231																											
pH (Lab)	SU	8.14																											
Total Dissolved Solids (Lab)	mg/L	1520																											
Calcium	mg/L	46.7																											
Magnesium	mg/L	27.9																											
Sodium	mg/L	470																											
Potassium	mg/L	2.55																											
Alkalinity, Total	mg/L	600																											
Alkalinity, Bicarbonate	mg/L	600																											
Alkalinity, Carbonate	mg/L	<10.0																											
Alkalinity, Hydroxide	mg/L	<10.0																											
Chloride	mg/L	7.69																											
Fluoride	mg/L	1.14																											
Sulfate as SO4	mg/L	739																											
Total Organic Carbon (TOC)	mg/L	5.14																											
Nitrate/Nitrite as N	mg/L	0.103																											
Aluminum	mg/L	<0.050																											
Arsenic	mg/L	0.0029																											
Cadmium	mg/L	<0.0001																											
Copper	mg/L	0.0067																											
Iron	mg/L	<0.050																											
Lead	mg/L	0.0010																											
Manganese	mg/L	0.0445																											
Mercury	mg/L	<0.0002																											
Molybdenum	mg/L	0.0796																											
Selenium	mg/L	0.0028																											
Silica (SiO2)	mg/L	11.6																											
Silicon	mg/L	5.44																											
Uranium	mg/L	0.0505																											
Zinc	mg/L	1.52																											

**Notes & Definitions:**

- \*\*\* La Plata County stage 3 fire restrictions prevented sampling activity**
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)
1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
  2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
  3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.



**GCC Energy Hydrologic Monitoring Data**

MW-1-C																														
Year	2017								2018								2019				2020				2021					
Quarter	Q2	Q3			Q4			Q1		Q2		Q3		Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Month	6	7	8	9	9	10	11	12	1	2	3	4	5	6	7	8	11	2	5	8	11	2	5	9	11	2	5	8	11	
Sample Date	6/7	7/18	8/23	9/7	9/26	10/26	11/16	12/5	1/2	2/9	3/22	4/11	5/10	--	7/23	8/7	11/18	2/20	5/30	8/14	11/5	2/12	5/28	9/1	11/16	2/15	5/20	8/23	11/17	
Lab Analysis (Y/N)	Y	N	N	N	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Field Parameters:																														
Purge Flow Rate	gpm	NM	NM*	NM*	NM	NM	NM	NM	MM	0.1	NM	0.1	0.1	***	0.05	0.1	0.10	0.06	0.02	0.03	0.01	0.01	0.10	0.05	0.05	0.05	0.05	0.01	0.13	
Total Purged	gal	5	NM*	NM*	NM	NM	1.00	1.00	1.00	1	1	1	1.25		1	1	1.10	1.00	1.10	1.00	1.00	1.00	0.75	0.80	1.00	1.00	2.00	1.00	1.25	
Depth to Water	ft bgs	216.5	NM*	216.91	216.95	216.59	216.52	216.48	216.52	216.38	216.38	216.37	216.35	216.41		216.41	216.05	216.04	216.41	216.20	216.02	216.04	216.12	216.10	216.41	216.66	216.66	216.66	216.66	
Temperature	deg C	16.0	NM*	NM*	NM	12.9	11.7	10.6	7.0	9.7	9.6	6.7	9.2	10.5		20.0	14.1	9.7	5.4	9.8	10.4	11.1	6.4	9.5	11.2	9.7	7.0	10.7	12.1	10.1
pH	SU	7.52	NM*	NM*	NM	7.17	7.16	7.15	7.17	7.11	7.19	7.32	7.03	7.05		6.91	6.97	6.93	7.09	6.80	6.65	6.70	6.79	6.85	6.93	6.99	7.40	7.18	7.16	7.15
Specific Conductance	µS/cm	2446	NM*	NM*	NM	2725	2738	2739	2778	2778	2738	2751	2700	2749		2693	2675	2751	2621	3139	3172	3080	3005	3002	2653	2709	2410	2249	2290	2554
Oxygen Reduction Potential	mV	74.3	NM*	NM*	NM	77.4	31.7	23.9	13.0	6.2	-4.3	-29.6	-15.3	-42.3		-41.8	-32.5	-110.0	-23.4	27.6	10.5	51.0	50.7	-57.7	21.8	49.6	57.5	-16.8	0.0	-7.0
Lab Analytical Results:																														
Hardness as CaCO3	mg/L	498				1290		1180					1190				1130													
pH (Lab)	SU	8.35				7.36		7.34					7.22				7.2													
Total Dissolved Solids (Lab)	mg/L	2020				2440		2360					2360				2340													
Calcium	mg/L	96.0				234		216					219				203													
Magnesium	mg/L	62.8				172		155					156				150													
Sodium	mg/L	506				242		253					260				239													
Potassium	mg/L	11.4				3.81		<5.00					<5.00				3.07													
Alkalinity, Total	mg/L	530				700		540					570				580													
Alkalinity, Bicarbonate	mg/L	530				700		540					570				580													
Alkalinity, Carbonate	mg/L	<10.0				<10.0		<10.0					<10.0				<10.0													
Alkalinity, Hydroxide	mg/L	<10.0				<10.0		<10.0					<10.0				<10.0													
Chloride	mg/L	24.2				6.97		8.03					7.78				7.75													
Fluoride	mg/L	1.59				0.864		0.955					1.03				0.96													
Sulfate as SO4	mg/L	1090				1350		1230					1160				1210													
Total Organic Carbon (TOC)	mg/L	4.56				2.84		2.12					2.21				2.2													
Nitrate/Nitrite as N	mg/L	<2.00				<0.400		<0.100					<0.020				<0.020													
Ammonia as N ^	mg/L	NA				NA		NA					NA				NA													
Ortho-Phosphate as P ^	mg/L	NA				NA		NA					NA				NA													
Aluminum	mg/L	<0.050				<0.050		<0.250					<0.250				<0.05													
Arsenic	mg/L	0.0029				0.0016		<0.0025					<0.0025				0.0051													
Cadmium	mg/L	<0.0001				<0.0001		<0.0005					<0.0005				<0.0001													
Copper	mg/L	0.0088				0.0085		0.0036					0.0052				0.003													
Iron	mg/L	<0.050				<0.050		<0.250					<0.250				0.643													
Lead	mg/L	<0.0005				<0.0005		<0.0025					<0.0025				<0.0005													
Manganese	mg/L	0.0744				0.0853		0.0959					0.0989				0.153													
Mercury	mg/L	<0.0002				<0.0002		<0.0002					<0.0002				<0.0002													
Molybdenum	mg/L	0.0164				0.0049		<0.0025					<0.0025				0.0006													
Selenium	mg/L	0.0136				0.0012		<0.0050					<0.0050				<0.001													
Silica (SiO2)	mg/L	10.6				16.6		13.2					14.8				15.2													
Silicon	mg/L	4.94				7.77		6.16					6.94				7.09													
Uranium	mg/L	0.0500				0.0044		0.0028					0.0024				0.0025													
Zinc	mg/L	0.0293				0.0294		<0.0100					<0.0100				0.0062													

**Notes & Definitions:**

\*\*\* La Plata County stage 3 fire restrictions prevented sampling activity

- ^ one-time analysis
  - Y/N yes or no
  - gpm gallons per minute
  - deg C degrees Celsius
  - SU standard pH units
  - µS/cm microsiemens per centimeter
  - mV millivolts
  - mg/L milligram per liter
  - pCi/L picocuries per liter
  - NM not measured (field)
  - NA not analyzed (lab)
1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
  2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
  3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

### GCC Energy Hydrologic Monitoring Data

MW-2-A																											
Year	2017							2018							2019				2020				2021				
Quarter	Q1	Q2	Q3		Q4			Q1		Q2			Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	
Month	3	6	7	8	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	9	11	2	5	8	11	
Sample Date	3/30	6/7	7/18	8/23	10/30	11/16	12/5	1/2	2/9	3/22	4/11	5/10	8/7	11/1	2/20	5/29	8/14	11/6	2/11	5/27	9/1	11/24	2/15	5/20	8/24	11/17	
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
Field Parameters:																											
Purge Flow Rate	gpm																										
Total Purged	gal																										
Depth to Water	ft bgs																										
Temperature	deg C	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
pH	SU																										
Specific Conductance	µS/cm																										
Oxygen Reduction Potential	mV																										
Lab Analytical Results:																											
Hardness as CaCO3	mg/L																										
pH (Lab)	SU																										
Total Dissolved Solids (Lab)	mg/L																										
Calcium	mg/L																										
Magnesium	mg/L																										
Sodium	mg/L																										
Potassium	mg/L																										
Alkalinity, Total	mg/L																										
Alkalinity, Bicarbonate	mg/L																										
Alkalinity, Carbonate	mg/L																										
Alkalinity, Hydroxide	mg/L																										
Chloride	mg/L																										
Fluoride	mg/L																										
Sulfate as SO4	mg/L																										
Total Organic Carbon (TOC)	mg/L																										
Nitrate/Nitrite as N	mg/L																										
Aluminum	mg/L																										
Arsenic	mg/L																										
Cadmium	mg/L																										
Copper	mg/L																										
Iron	mg/L																										
Lead	mg/L																										
Manganese	mg/L																										
Mercury	mg/L																										
Molybdenum	mg/L																										
Selenium	mg/L																										
Silica (SiO2)	mg/L																										
Silicon	mg/L																										
Uranium	mg/L																										
Zinc	mg/L																										

**Notes & Definitions:**

Y/N	yes or no		1. " $<$ " values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
gpm	gallons per minute		
deg C	degrees Celsius		
SU	standard pH units		2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
µS/cm	microsiemens per centimeter		
mV	millivolts		
mg/L	milligram per liter		
pCi/L	picocuries per liter		3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
NM	not measured (field)		
NA	not analyzed (lab)		

### GCC Energy Hydrologic Monitoring Data

MW-2-MI																										
Year	2017							2018							2019				2020				2021			
Quarter	Q1	Q2	Q3		Q4			Q1		Q2			Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Month	3	6	7	8	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	9	11	2	5	8	11
Sample Date	3/30	6/7	7/18	8/23	10/30	11/16	12/5	1/2	2/9	3/22	4/11	5/10	8/7	11/1	2/20	5/29	8/14	11/6	2/11	5/27	9/1	11/24	2/15	5/20	8/24	11/17
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Field Parameters:																										
Purge Flow Rate	gpm																									
Total Purged	gal																									
Depth to Water	ft bgs																									
Temperature	deg C	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
pH	SU																									
Specific Conductance	µS/cm																									
Oxygen Reduction Potential	mV																									
Lab Analytical Results:																										
Hardness as CaCO3	mg/L																									
pH (Lab)	SU																									
Total Dissolved Solids (Lab)	mg/L																									
Calcium	mg/L																									
Magnesium	mg/L																									
Sodium	mg/L																									
Potassium	mg/L																									
Alkalinity, Total	mg/L																									
Alkalinity, Bicarbonate	mg/L																									
Alkalinity, Carbonate	mg/L																									
Alkalinity, Hydroxide	mg/L																									
Chloride	mg/L																									
Fluoride	mg/L																									
Sulfate as SO4	mg/L																									
Total Organic Carbon (TOC)	mg/L																									
Nitrate/Nitrite as N	mg/L																									
Aluminum	mg/L																									
Arsenic	mg/L																									
Cadmium	mg/L																									
Copper	mg/L																									
Iron	mg/L																									
Lead	mg/L																									
Manganese	mg/L																									
Mercury	mg/L																									
Molybdenum	mg/L																									
Selenium	mg/L																									
Silica (SiO2)	mg/L																									
Silicon	mg/L																									
Uranium	mg/L																									
Zinc	mg/L																									

Notes & Definitions:		
<p>Y/N    yes or no</p> <p>gpm    gallons per minute</p> <p>deg C    degrees Celsius</p> <p>SU    standard pH units</p> <p>µS/cm    microsiemens per centimeter</p> <p>mV    millivolts</p> <p>mg/L    milligram per liter</p> <p>pCi/L    picocuries per liter</p> <p>NM    not measured (field)</p> <p>NA    not analyzed (lab)</p>		<ol style="list-style-type: none"> <li>1. "<math>&lt;</math>" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.</li> <li>2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.</li> <li>3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.</li> </ol>

### GCC Energy Hydrologic Monitoring Data

MW-2-C																											
Year	2017							2018							2019				2020				2021				
Quarter	Q1	Q2	Q3		Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	
Month	3	6	7	8	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	9	11	2	5	8	11	
Sample Date	3/30	6/7	7/18	8/23	10/30	11/16	12/5	1/2	2/9	3/22	4/11	5/10	8/7	11/1	2/20	5/29	8/14	11/6	2/11	5/27	9/1	11/24	2/15	5/20	8/24	11/17	
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
Field Parameters:																											
Purge Flow Rate	gpm																										
Total Purged	gal																										
Depth to Water	ft bgs																										
Temperature	deg C	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
pH	SU																										
Specific Conductance	µS/cm																										
Oxygen Reduction Potential	mV																										
Lab Analytical Results:																											
Hardness as CaCO3	mg/L																										
pH (Lab)	SU																										
Total Dissolved Solids (Lab)	mg/L																										
Calcium	mg/L																										
Magnesium	mg/L																										
Sodium	mg/L																										
Potassium	mg/L																										
Alkalinity, Total	mg/L																										
Alkalinity, Bicarbonate	mg/L																										
Alkalinity, Carbonate	mg/L																										
Alkalinity, Hydroxide	mg/L																										
Chloride	mg/L																										
Fluoride	mg/L																										
Sulfate as SO4	mg/L																										
Total Organic Carbon (TOC)	mg/L																										
Nitrate/Nitrite as N	mg/L																										
Aluminum	mg/L																										
Arsenic	mg/L																										
Cadmium	mg/L																										
Copper	mg/L																										
Iron	mg/L																										
Lead	mg/L																										
Manganese	mg/L																										
Mercury	mg/L																										
Molybdenum	mg/L																										
Selenium	mg/L																										
Silica (SiO2)	mg/L																										
Silicon	mg/L																										
Uranium	mg/L																										
Zinc	mg/L																										

**Notes & Definitions:**

- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

## GCC Energy Hydrologic Monitoring Data

MW-3-A																												
Year	2017								2018							2019				2020				2021				
Quarter	Q1	Q2	Q3			Q4			Q1		Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4		
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2	5	8	11	
Sample Date	3/27	6/30	7/18	8/24	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	8/14	11/12	2/4	5/26	8/31	12/1	2/10	5/18	8/10	11/9	
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	
Field Parameters:																												
Purge Flow Rate	gpm	0.50	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.12	0.15	0.06	0.25	0.12	0.13	0.13	0.13	0.05	0.13	0.15	0.13		
Total Purged	gal	30.0	2.0	NM	NM	NM	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.3	1.0	1.1	1.5	1.3	1.3	1.5	1.1	1.2	1.5	1.3	1.3	1.5		
Depth to Water	ft bgs	297.35	298.24	297.45	298.24	298.11	298.12	298.01	298.05	298.37	298.04	297.86	297.76	298.17	298.55	298.27	297.85	296.79	297.27	297.33	296.47	296.87	297.21	297.02	296.97	296.72	297.47	297.46
Temperature	deg C	11.7	13.2	19.5	12.6	12.3	12.5	11.7	12.0	11.8	11.7	12.2	11.9	13.5	13.5	11.9	11.8	12.1	NM	13.1	11.5	13.2	13.1	11.9	12.1	12.4	13.6	12.2
pH	SU	8.82	8.75	8.56	8.67	8.72	8.64	8.61	8.57	8.54	8.52	8.61	8.21	8.38	8.30	8.31	8.28	8.31	8.13	8.51	8.11	8.26	8.23	8.39	8.53	8.46	8.42	8.47
Specific Conductance	µS/cm	2535	2446	2115	2524	2470	2430	2483	2494	2528	2506	2458	2415	2253	2336	2391	2355	2309	NM	2204	2211	2249	2112	2192	1930	1525	2091	2127
Oxygen Reduction Potential	mV	-269.0	-101.5	-55.3	-87.4	-142.3	-124.5	-125.6	-146.8	-120.3	-125.2	-181.6	-135.8	-138.2	-155.8	-164.6	-145.9	-132.3	-138.6	-120.1	-65.7	-156.8	-98.8	-89.3	-101.3	-157.1	-149.0	-156.8
Lab Analytical Results:																												
Hardness as CaCO3	mg/L	7.53	12.6			12.6		10.4			11.5			11.2	12.6	14.1	11.9	10.7	10.4	11.1	10.8	10.3	11.1	9.41	10.5	8.14	8.89	8.68
pH (Lab)	SU	8.63	8.69			8.53		8.29			8.45			8.36	8.37	8.24	8.28	8.29	8.27	8.39	8.09	7.68	8.16	8.13	8.13	8.22	8.21	8.19
Total Dissolved Solids (Lab)	mg/L	1630	1670			1630		1690			1680			1670	1600	1540	1500	1530	1520	1510	1500	1460	1380	1460	1410	1350	1420	1360
Calcium	mg/L	2.00	3.67			3.63		3.27			3.33			3.2	3.71	4.15	3.55	3.16	3.08	3.34	3.14	3.07	3.02	2.83	3.07	2.48	2.59	2.53
Magnesium	mg/L	0.616	0.823			0.859		0.550			0.776			0.774	0.811	0.913	0.739	0.692	0.655	0.680	0.723	0.645	0.866	0.568	0.698	0.475	0.586	0.577
Sodium	mg/L	566	585			589		551			562			542	562	605	543	525	553	528	520	507	510	505	536	471	462	448
Potassium	mg/L	1.72	2.02			2.04		<5.00			<2.00			1.8	<2.00	2.17	<2.00	1.92	<2.00	<5.00	<3.00	<5.00	<5.00	<5.00	<5.00	<3.00	<5.00	<2.00
Alkalinity, Total	mg/L	530	470			500		490			430			480	480	475	540	450	459	420	460	430	440	470	520	530	465	485
Alkalinity, Bicarbonate	mg/L	380	470			440		460			360			480	420	385	330	430	423	420	460	400	440	450	520	530	465	435
Alkalinity, Carbonate	mg/L	150	<10.0			60.0		30.0			70.0			<10.0	60.0	90.0	210	20	36.0	<10.0	<10.0	30.0	<10.0	20	<10.0	<10.0	<10.0	50.0
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	16.1	17.4			18.5		16.9			16.4			16.1	15.1	16.0	15.2	15	15.0	14.7	13.9	13.9	13.5	14	13.5	14	14.1	14.6
Fluoride	mg/L	0.464	0.488			0.535		<0.500			<0.500			<0.5	NA	0.383	0.406	0.404	0.396	<0.500	0.370	0.374	0.366	0.372	0.336	0.352	0.366	0.314
Sulfate as SO4	mg/L	729	802			840		730			812			756	706	682	716	699	724	633	637	656	624	644	600	601	599	515
Total Organic Carbon (TOC)	mg/L	3.52	10.0			7.26		6.07			5.32			4.7	4.62	4.52	4.15	4.10	3.84	3.81	3.42	3.48	3.39	3.15	3.16	3.18	3.01	3.02
Nitrate/Nitrite as N	mg/L	<0.100	<0.100			<0.020		<0.020			<0.020			<0.020	<0.020	<0.020	0.266	<0.020	<0.020	<0.020	0.024	0.026	0.039	0.032	<0.020	0.024	<0.020	<0.020
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.354	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.0730	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100			<0.050	<0.050	<0.100	<0.100	<0.050	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250	<0.150	<0.250	<0.100
Arsenic	mg/L	0.0025	<0.0025			<0.0025		<0.0025			<0.0025			0.0006	<0.0025	<0.0010	<0.0010	<0.0025	<0.0010	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	0.0026	0.0006	0.001	0.0018
Cadmium	mg/L	<0.0001	<0.0005			<0.0005		<0.0005			<0.0005			<0.0001	<0.0001	<0.0002	<0.0002	<0.0005	<0.0002	<0.0002	<0.0002	<0.0002	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010
Copper	mg/L	0.0061	0.0081			0.0080		0.0079			0.0236			0.0063	0.0117	0.0086	0.0137	0.0078	0.0067	0.0039	0.0037	0.0021	0.0051	0.0055	0.0037	0.0157	0.0156	0.0113
Iron	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100			<0.05	<0.05	<0.100	<0.100	<0.050	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250	<0.150	<0.250	<0.100
Lead	mg/L	<0.0005	<0.0025			<0.0025		<0.0025			<0.0025			<0.0005	<0.0005	<0.0010	<0.0010	<0.0025	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	<0.0025	<0.001	<0.0010	<0.0010
Manganese	mg/L	0.0042	0.0251			0.0194		0.0269			0.0232			0.018	0.0222	0.0187	0.0172	0.0185	0.0166	0.0140	0.0162	0.0136	0.0120	0.0125	0.0128	0.0121	0.0096	0.0101
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0005	0.0274			0.0091		0.0078			0.0065			0.0046	0.0043	0.0033	0.003	0.003	0.0018	0.0027	0.0022	0.0015	<0.0025	<0.0025	<0.0025	0.0015	0.0013	<0.001
Selenium	mg/L	0.0577	<0.0050			<0.0050		<0.0050			<0.0050			0.0109	<0.0050	0.0028	0.0039	<0.005	0.0020	<0.0020	<0.0020	0.0033	0.0086	<0.0050	0.129	0.0276	0.0167	0.0855
Silica (SiO2)	mg/L	10.1	10.9			11.6		7.66			11.1			11	12.0	12.8	11.7	11	12.7	11.8	11.6	10.5	11.0	11.2	11.3	10.1	10.7	10.9
Silicon	mg/L	4.70	5.10			5.41		3.58			5.18			5.17	5.62	5.97	5.46	5.16	5.95	5.53	5.43	4.92	5.14	5.22	5.28	4.73	4.98	5.11
Uranium	mg/L	0.0002	0.0040			0.0051		0.0036			0.0030			0.0026	0.0026	0.0027	0.0018	0.0014	0.0012	0.0011	0.0010	<0.0025	<0.0025	<0.0025	<0.0025	<0.0010	<0.0010	<0.0010
Zinc	mg/L	0.0031	<0.0100			<0.0100		<0.0100			<0.0100			<0.002	<0.002	<0.0040	<0.0040	<0.01	<0.0080	<0.0040	<0.0040	<0.0040	<0.0100	<0.0100	<0.0100	<0.0020	<0.0040	<0.0040

**Notes & Definitions:**

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

## GCC Energy Hydrologic Monitoring Data

MW-3-MI																												
Year	2017								2018								2019				2020				2021			
Quarter	Q1	Q2	Q3			Q4			Q1		Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4		
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2	5	8	11	
Sample Date	3/27	6/30	7/18	8/16	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	8/21	11/12	2/4	5/26	8/31	12/1	2/10	5/18	8/10	11/9	
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																												
Purge Flow Rate	gpm	0.50	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.12	0.12	0.06	0.25	0.50	0.25	0.13	0.13	0.10	0.13	0.13	0.25		
Total Purged	gal	19.0	2.0	NM	NM	NM	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.3	1.0	1.1	1.5	1.3	2.0	1.0	1.5	1.3	1.8	1.3	1.3	1.5	1.5	1.3
Depth to Water	ft bgs	304.49	241.15	240.46	240.53	240.46	240.44	240.44	240.58	240.73	240.55	240.65	240.84	241.04	241.97	242.13	242.15	242.32	246.55	243.07	242.85	243.05	243.6	243.9	243.93	244.25	244.28	244.15
Temperature	deg C	10.0	12.6	22.0	12.9	11.0	12.1	11.7	11.7	11.9	11.3	11.9	11.8	12.6	13.0	12.4	11.6	11.3	13.2	12.3	11.6	12.6	12.8	11.7	11.5	12.8	13.0	11.9
pH	SU	9.34	8.94	8.46	8.90	8.74	8.90	8.86	8.86	8.84	8.83	8.84	8.51	8.48	8.49	8.46	8.51	8.55	8.71	8.75	8.71	8.92	9.01	9.09	9.03	9.06	9.13	9.11
Specific Conductance	µS/cm	1907	1699	1402	1598	1737	1729	1745	1786	1790	1810	1771	1772	1727	1709	1746	1753	1739	1691	1739	1758	1737	1560	1555	1519	1232	1647	1765
Oxygen Reduction Potential	mV	-87.0	-54.5	-26.4	-108.2	-107.3	-113.8	-124.2	-163.1	-136.0	-131.4	-160.7	-99.9	-103.9	-127.8	-176.5	-113.0	-84.5	43.9	-130.8	-104.3	-174.5	-111.0	-132.4	-94.6	-120.4	-142.9	-163.3
Lab Analytical Results:																												
Hardness as CaCO3	mg/L	4.85	8.73			9.02		7.75			9.92			8.65	8.63	8.88	7.63	6.84	7.98	6.64	6.50	7.25	6.39	5.94	6.63	5.06	5.39	5.21
pH (Lab)	SU	8.95	8.75			8.72		8.72			8.66			8.56	8.58	8.34	8.5	8.45	8.58	8.62	8.61	8.59	8.87	8.77	8.72	8.84	8.81	8.88
Total Dissolved Solids (Lab)	mg/L	1550	1120			1140		1080			1170			1210	1110	1120	1120	1170	1010	1130	1130	1130	1060	1160	1120	1110	1180	1130
Calcium	mg/L	1.32	2.32			2.34		2.06			2.22			1.91	1.95	2.03	1.87	1.7	2.04	1.73	1.63	1.76	1.62	1.42	1.66	1.28	1.34	1.25
Magnesium	mg/L	0.374	0.714			0.775		0.632			1.07			0.945	0.911	0.926	0.715	0.629	0.703	0.561	0.591	0.694	0.570	0.579	0.606	0.454	0.5	0.508
Sodium	mg/L	420	430			440		411			459			417	446	476	434	419	454	437	437	427	431	431	468	410	403	390
Potassium	mg/L	2.15	2.21			1.93		<5.00			<2.00			1.63	<2.00	<2.00	1.39	1.65	<2.00	<5.00	<2.00	<5.00	<3.00	<4.00	<5.00	<2.00	<2.00	<2.00
Alkalinity, Total	mg/L	740	675			700		660			700			680	730	720	685	755	720	690	705	680	625	770	690	690	705	705
Alkalinity, Bicarbonate	mg/L	510	555			600		570			600			500	630	610	485	605	590	610	645	550	465	690	450	550	555	565
Alkalinity, Carbonate	mg/L	230	120			100		90.0			100			180	100	110	200	150	130	80.0	60.0	130	160	80	240	140	150	140
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	8.66	10.1			10.7		10.6			10.7			10.7	8.54	8.83	9.21	9.25	10.2	9.13	9.21	9.61	9.45	10	9.84	10.5	10.4	10.4
Fluoride	mg/L	0.952	1.34			1.26		1.26			1.30			1.2	1.16	1.19	1.21	1.22	1.19	1.19	1.13	1.13	1.09	1.12	1.03	1.09	1.07	0.980
Sulfate as SO4	mg/L	165	241			247		254			245			250	226	230	232	229	236	224	227	231	222	110	223	227	228	230
Total Organic Carbon (TOC)	mg/L	8.34	14.8			10.9		10.3			9.24			8.67	7.83	7.28	6.73	6.56	6.17	5.78	5.58	6.07	5.79	5.46	5.34	5.33	5.4	5.26
Nitrate/Nitrite as N	mg/L	<0.020	<0.020			<0.020		<0.020			<0.020			<0.02	<0.02	<0.02	<0.020	<0.020	<0.020	<0.020	0.034	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.317	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.348	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	0.102			<0.050		<0.250			<0.100			<0.050	<0.050	<0.10	<0.050	<0.050	0.167	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100	<0.100
Arsenic	mg/L	0.0134	0.0167			0.0131		0.0135			0.0160			0.0152	0.0127	0.0104	0.0149	0.0107	0.0142	0.0099	0.0093	0.0086	0.0061	0.007	0.0083	0.0091	0.0091	0.0078
Cadmium	mg/L	<0.0001	<0.0005			<0.0005		<0.0005			<0.0001			<0.0001	<0.0001	<0.0002	<0.0001	<0.0005	<0.0001	<0.0002	<0.0002	<0.0005	<0.0005	<0.0004	<0.0005	<0.0005	<0.0010	<0.0010
Copper	mg/L	0.0055	0.0058			0.0065		0.0059			0.0122			0.0048	0.0071	0.0073	0.0068	0.0063	0.0049	0.0037	0.0024	<0.0025	0.0046	0.0045	0.0031	0.0131	0.0143	0.0097
Iron	mg/L	<0.050	<0.100			<0.050		<0.250			<0.100			<0.05	<0.05	<0.1	<0.050	<0.050	<0.100	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100	<0.100
Lead	mg/L	0.0024	<0.0025			<0.0025		<0.0025			<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0025	<0.0005	<0.0010	<0.0010	<0.0025	<0.0025	<0.0020	<0.0025	<0.0005	<0.0010	<0.0010
Manganese	mg/L	0.0022	0.0058			0.0033		0.0045			0.0049			0.006	0.0054	0.0072	0.0078	0.0082	0.0079	0.0099	0.0095	0.0102	0.0072	0.007	0.0069	0.0057	0.0058	0.0054
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0061	0.0211			0.0148		0.0152			0.0170			0.016	0.0149	0.0158	0.0157	0.0167	0.0277	0.0372	0.0204	0.0195	0.0149	0.0163	0.0162	0.016	0.0149	0.0140
Selenium	mg/L	0.0013	<0.0050			<0.0050		<0.0050			0.0010			0.0019	<0.0050	<0.002	0.0034	<0.005	<0.0010	<0.0020	<0.0020	<0.0050	<0.0050	<0.004	0.0462	0.0033	<0.0020	0.0091
Silica (SiO2)	mg/L	7.97	8.18			9.05		5.35			9.33			8.83	9.49	10.2	8.95	8.85	9.73	9.46	8.80	8.24	8.84	9.11	9.64	8.11	8.77	8.82
Silicon	mg/L	3.73	3.82			4.23		2.50			4.36			4.13	4.44	4.76	4.18	4.14	4.55	4.42	4.11	3.85	4.13	4.26	4.51	3.79	4.1	4.12
Uranium	mg/L	0.0049	0.0084			0.0140		0.0124			0.0125			0.0126	0.0111	0.0110	0.011	0.0085	0.0080	0.0070	0.0063	0.0059	0.0043	0.0049	0.0049	0.0043	0.0041	0.0033
Zinc	mg/L	0.0405	<0.0100			<0.0100		<0.0100			<0.0020			0.0023	0.0023	<0.0040	0.0028	<0.0100	0.0070	<0.0040	<0.0040	<0.0100	<0.0100	<0.0080	<0.0100	<0.0020	<0.0040	<0.0040

**Notes & Definitions:**

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

## GCC Energy Hydrologic Monitoring Data

MW-3-C																												
Year	2017								2018								2019				2020				2021			
Quarter	Q1	Q2	Q3			Q4			Q1		Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4		
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	9	11	3	5	8	12	2	5	8	11	
Sample Date	3/27	6/30	7/27	8/24	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	9/17	11/12	3/13	5/26	8/31	12/1	2/10	5/18	8/10	11/10	
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																												
Purge Flow Rate	gpm	0.50	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.06	0.06	0.13	0.13	0.10	0.03	0.08	0.13	0.13	0.13	0.13	0.13		
Total Purged	gal	20.0	2.0	NM	NM	NM	1.0	1.0	1.0	1.5	1.5	1.5	1.0	1.3	1.3	1.1	1.3	1.5	10.0	1.5	11.0	1.1	1.3	1.5	1.3	1.5		
Depth to Water	ft bgs	304.21	296.3	296.93	296.87	297.43	297.46	297.43	297.35	297.01	296.66	296.57	296.62	296.78	297.12	296.80	296.39	295.56	295.70	295.50	299.35	294.99	294.60	295.26	295.97	295.25	295.70	295.68
Temperature	deg C	10.5	12.9	13.1	12.5	11.8	12.7	11.5	11.7	11.7	11.4	11.6	12.2	13.0	13.3	11.5	11.0	11.4	13.5	12.5	11.3	13.4	15.0	14.0	9.9	12.3	15.6	9.6
pH	SU	8.61	8.57	8.51	8.46	8.44	8.48	8.41	8.48	8.43	8.43	8.45	8.25	8.28	8.26	8.17	8.28	8.29	8.31	8.20	7.98	8.44	8.45	8.73	8.71	8.50	8.71	8.85
Specific Conductance	µS/cm	3549	3588	3815	4112	4351	4412	4659	4596	4923	4864	5063	5019	4916	4953	5127	5155	5184	5144	5144	4921	3143	5039	4251	4426	3755	4571	5244
Oxygen Reduction Potential	mV	-129.0	-87.2	-137.5	-128.8	-149.9	-198.3	-200.7	-222.2	-187.9	-183.5	-155.4	-154.7	-161.4	-180.5	-217.6	-185.4	-188.5	-151.8	-184.4	-155.0	-240.5	-174.4	-150.0	-202.7	-149.6	-255.3	-227.4
Lab Analytical Results:																												
Hardness as CaCO3	mg/L	14.4	11.8			15.1		14.9			16.1			40.3	17.9	21.7	17.3	16.8	18.6	18.6	18.3	16.0	18.1	16.9	18.5	14.8	16.9	16.7
pH (Lab)	SU	8.5	8.48			8.35		8.28			8.35			8.34	8.31	8.24	8.2	8.23	8.31	8.12	7.98	8.41	8.36	8.36	8.43	8.38	8.47	8.87
Total Dissolved Solids (Lab)	mg/L	2130	2360			3070		3310			3540			3610	3520	3360	3300	3440	3500	3390	3220	3180	3170	3280	3200	3230	3300	3200
Calcium	mg/L	3.60	2.87			3.50		3.58			3.81			7.28	4.01	4.70	4.05	3.74	4.30	4.23	4.26	3.81	3.97	3.72	4.25	3.59	3.84	3.76
Magnesium	mg/L	1.31	1.12			1.55		1.44			1.59			5.38	1.92	2.41	1.75	1.8	1.91	1.94	1.86	1.58	1.98	1.84	1.92	1.42	1.77	1.78
Sodium	mg/L	796	890			1100		1130			1200			1350	1220	1460	1270	1100	1360	1300	1280	1240	1250	1250	1360	1220	1220	1170
Potassium	mg/L	3.47	3.24			4.01		<5.00			<10.0			<5.00	<5.00	<5.00	<5.00	5.24	<5.00	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<6.00	<5.00	<5.00
Alkalinity, Total	mg/L	1490	1570			1690		1880			1910			1760	1730	2050	2000	2110	2190	2130	2160	2050	1820	2090	2170	2130	2140	2230
Alkalinity, Bicarbonate	mg/L	1360	1480			1650		1830			1810			1600	1670	1900	1830	2000	2020	2070	2000	1800	1690	1970	1710	1910	1950	1950
Alkalinity, Carbonate	mg/L	130	90.0			40.0		50.0			100			160	60.0	150	170	110	170	60.0	160	250	130	120	460	220	190	280
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	NA	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	182	330			477		506			549			544	524	561	577	575	620	542	549	555	552	578	574	577	582	462
Fluoride	mg/L	4.89	4.94			4.52		4.34			4.15			3.52	3.84	4.04	4.04	3.91	3.78	3.66	3.61	3.51	3.47	3.53	3.37	3.34	3.36	3.16
Sulfate as SO4	mg/L	73.4	73.5			46.4		24.5			<10.0			<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00
Total Organic Carbon (TOC)	mg/L	10.6	58.5			219		251			337			343	306	141	122	129	132	107	81.9	23.4	17.1	15.7	15.7	16.3	15.7	16.4
Nitrate/Nitrite as N	mg/L	<0.020	<0.400			<0.400		<0.020			<0.020			<0.02	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.040
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.500	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.212	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	<0.100			<0.050		<0.250			<0.500			1.47	<0.500	<0.250	<0.250	<0.500	<0.250	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.300	<0.250	<0.250
Arsenic	mg/L	0.0115	0.0088			0.0098		0.0091			0.0194			0.0168	0.0148	0.0155	0.0218	0.0171	0.0192	0.0188	0.0087	0.0133	0.0106	0.0125	0.0113	0.0163	0.0195	0.0170
Cadmium	mg/L	<0.0001	<0.0010			<0.0010		<0.0005			<0.0005			<0.0005	<0.0005	<0.0005	<0.0005	<0.001	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.001	<0.0010	<0.0025	<0.0025	<0.0025
Copper	mg/L	0.0109	0.0147			0.0174		0.0160			0.0409			0.0183	0.0257	0.0227	0.0223	0.0168	0.0102	0.0109	0.0069	0.0064	0.0136	0.0156	0.0102	0.0499	0.0434	0.0323
Iron	mg/L	<0.050	<0.050			<0.050		<0.250			<0.500			0.252	<0.500	<0.250	<0.250	0.344	0.328	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.300	0.464	0.310
Lead	mg/L	0.0085	<0.0050			<0.0050		<0.0025			<0.0025			<0.0025	<0.0025	<0.0025	<0.0025	<0.005	<0.0025	<0.0025	<0.0025	<0.0025	<0.0050	<0.0050	<0.0050	<0.0025	<0.0025	<0.0025
Manganese	mg/L	0.0091	0.0188			0.0178		0.0202			0.0307			0.0275	0.0243	0.0252	0.0483	0.063	0.0378	0.0266	0.0245	0.0175	0.0102	0.0079	0.0052	0.0046	0.0034	0.0032
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0143	0.0291			0.0241		0.0241			0.0221			0.0189	0.0155	0.0140	0.0134	0.0121	0.0081	0.0075	0.0082	0.0085	0.0076	0.0075	0.008	0.0069	0.0061	0.0061
Selenium	mg/L	0.0233	0.0121			0.0149		0.0240			0.0383			0.0268	0.0232	0.0261	0.0464	0.0203	0.0203	0.0173	0.0125	0.0129	0.0135	0.0191	0.027	0.0411	0.0372	0.0319
Silica (SiO2)	mg/L	7.82	8.86			9.16		6.01			<10.7			9.69	8.68	10.7	8.24	8.35	9.06	<10.7	<10.7	<10.7	<10.7	<10.7	<10.7	7.48	8.4	8.33
Silicon	mg/L	3.66	4.14			4.28		2.81			<5.00			4.53	4.06	5.01	3.85	3.9	4.24	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	3.5	3.93	3.89
Uranium	mg/L	0.0091	0.0102			0.0137		0.0100			0.0091			0.0087	0.0089	0.0113	0.0077	0.0046	0.0053	0.0034	0.0045	0.0033	<0.0050	<0.0050	<0.0050	0.0025	0.0025	<0.0025
Zinc	mg/L	0.375	<0.0200			<0.0200		<0.0100			<0.0100			<0.0100	0.0664	0.0814	0.123	0.128	0.0567	0.0886	<0.0100	<0.0100	<0.0200	0.0332	0.0294	0.0363	0.0347	0.0377

**Notes & Definitions:**

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

## GCC Energy Hydrologic Monitoring Data

MW-4-A																																								
Year	2017								2018								2019								2020								2021							
Quarter	Q1	Q2	Q3			Q4			Q1		Q2			Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4													
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	11	2	5	8	11													
Sample Date	3/29	6/30	7/19	8/23	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/6	5/26	8/27	11/25	2/10	5/18	8/10	11/10													
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y													
Field Parameters:																																								
Purge Flow Rate	gpm	NM	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.06	0.06	0.06	0.13	0.03	0.03	0.13	0.13	0.05	0.13	0.25	0.20														
Total Purged	gal	19.0	2.0	1.5	0.5	1.0	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.5	1.5	1.1	1.5	1.3	1.1	1.0	1.5	1.2	1.3	1.3	1.3	1.3	1.5	1.3												
Depth to Water	ft bgs	338.6	334.96	335.59	334.79	334.81	334.86	332.29	334.09	334.31	334.73	334.81	335.07	335.58	336.06	336.73	335.6	335.07	335.21	335.16	336.35	337.16	336.88	336.13	335.46	335.72	335.93	336.16												
Temperature	deg C	15.6	16.8	25.5	17.6	11.9	11.6	10.8	10.1	10.9	9.8	11.4	10.9	17.8	12.9	11.6	11.1	10.4	13.6	11.6	10.3	12.5	14.0	12.3	10.3	11.2	12.1	11.6												
pH	SU	8.61	8.29	8.55	7.98	8.41	8.32	8.38	8.32	8.33	8.37	8.41	8.19	8.20	8.10	8.12	8.15	8.08	8.02	8.11	8.07	8.19	8.27	8.30	8.25	8.30	8.38	8.38												
Specific Conductance	µS/cm	2163	2053	1876	2096	2180	2165	2186	2261	2259	2267	2207	2214	2183	2192	2246	2205	2237	2201	2211	2271	2273	2165	2249	2052	1618	2205	2268												
Oxygen Reduction Potential	mV	28.6	54.0	60.2	61.7	-8.6	-27.0	-12.3	-51.8	-35.2	-75.9	-117.3	-77.9	-81.8	-137.5	-157.6	-92.3	-89.3	-54.3	-19.8	15.3	-71.3	-11.5	-10.6	29.0	-63.4	-48.7	-77.3												
Lab Analytical Results:																																								
Hardness as CaCO3	mg/L	9.16	9.85			7.77		7.11			7.73			7.84	7.69	8.81	7.76	7.31	8.62	8.00	8.19	7.46	7.87	7.77	8.87	7.02	5.81	7.54												
pH (Lab)	SU	8.2	8.40			8.36		8.40			8.28			8.31	8.21	8.24	8.05	8.08	8.15	8.02	8.11	7.90	8.19	8.16	8.04	8.15	8.09	8.21												
Total Dissolved Solids (Lab)	mg/L	1470	1470			1450		1500			1490			1470	1430	1350	1450	1410	1540	1490	1500	1480	1460	1560	1370	1430	1510	1470												
Calcium	mg/L	2.23	2.43			1.76		1.87			1.81			1.75	1.71	1.92	1.77	1.68	1.94	1.82	1.88	1.67	1.79	1.73	2.04	1.65	1.41	1.76												
Magnesium	mg/L	0.871	0.916			0.823		0.591			0.778			0.846	0.832	0.973	0.809	0.756	0.914	0.837	0.850	0.798	0.826	0.836	0.917	0.704	0.555	0.765												
Sodium	mg/L	515	537			513		511			507			528	531	568	535	515	548	529	551	498	533	531	565	507	411	488												
Potassium	mg/L	1.57	1.75			1.63		<5.00			<2.00			1.5	<2.00	<2.00	<2.00	<2.00	4.75	<5.00	<3.00	<5.00	<5.00	<5.00	<5.00	<3.00	<5.00	<2.00												
Alkalinity, Total	mg/L	635	560			630		590			530			560	575	575	545	565	575	544	560	585	605	538	620	590	580	670												
Alkalinity, Bicarbonate	mg/L	635	560			590		560			490			560	555	575	505	544	535	528	560	545	565	530	620	530	580	670												
Alkalinity, Carbonate	mg/L	<10.0	<10.0			40.0		30.0			40.0			<10.0	20.0	<10.0	40	32	40.0	16.0	<10.0	40.0	40	<10.0	<10.0	60	<10.0	<10.0												
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0												
Chloride	mg/L	9.56	9.66			10.3		10.3			10.0			9.94	9.55	8.60	8.93	8.99	8.91	8.76	8.83	8.89	10.1	9.15	8.79	9.15	9.17	9.04												
Fluoride	mg/L	<0.400	<0.400			<0.500		<0.500			<0.500			<0.500	<0.500	0.143	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.500	<0.200	<0.200	<0.200	<0.200	<0.200												
Sulfate as SO4	mg/L	594	588			783		594			579			561	522	450	567	584	615	559	557	580	542	607	561	577	593	551												
Total Organic Carbon (TOC)	mg/L	6.63	11.7			3.52		3.27			3.46			3.59	3.60	3.59	3.47	3.40	3.33	3.25	3.10	3.49	3.48	3.27	3.42	3.42	3.23	3.28												
Nitrate/Nitrite as N	mg/L	0.035	<0.020			<0.020		<0.020			<0.020			<0.02	<0.02	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020												
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.312	NA	NA	NA	NA	NA	NA	NA	NA												
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA	NA												
Aluminum	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100			<0.05	<0.05	<0.100	<0.100	<0.100	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250	<0.150	<0.250	<0.100												
Arsenic	mg/L	0.0016	<0.0025			<0.0025		<0.0025			0.0019			0.0005	<0.0025	<0.0010	<0.0010	<0.0005	<0.0005	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	0.0005	<0.0010	<0.0010												
Cadmium	mg/L	<0.0001	<0.0005			<0.0005		<0.0005			<0.0001			<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0002	<0.0002	<0.0002	<0.0002	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010												
Copper	mg/L	0.0053	0.0093			0.0076		0.0073			0.0124			0.0077	0.0105	0.0084	0.0081	0.0061	0.0120	0.0037	0.0034	0.0020	0.0056	0.0053	0.0036	0.0135	0.0161	0.0126												
Iron	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100			<0.050	<0.050	<0.100	<0.100	<0.100	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250	<0.150	<0.250	<0.100												
Lead	mg/L	0.0014	<0.0025			<0.0025		<0.0025			<0.0005			<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	<0.0005	<0.0010	<0.0010												
Manganese	mg/L	0.0044	0.0063			0.0044		0.0040			0.0035			0.0033	<0.0075	0.0034	0.0032	0.0031	0.0026	0.0016	0.0033	0.0031	0.0029	0.0035	0.0029	0.0029	0.003	0.0030												
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002												
Molybdenum	mg/L	0.0009	0.0275			<0.0025		<0.0025			0.0005			<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0005	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	<0.0005	<0.0010	<0.0010												
Selenium	mg/L	0.0016	<0.0050			<0.0050		<0.0050			0.0014			0.0025	<0.0050	<0.0020	0.0036	<0.0010	<0.0010	<0.0020	<0.0020	<0.0020	<0.0050	<0.0050	<0.0050	<0.0010	<0.0020	<0.0040												
Silica (SiO2)	mg/L	10.2	10.6			9.99		6.85			9.47			10	10.2	11.2	9.65	9.81	11.0	10.5	10.3	8.55	9.44	9.96	10.4	8.98	8.57	10.0												
Silicon	mg/L	4.75	4.97			4.67		3.20			4.43			4.7	4.77	5.22	4.51	4.59	5.14	4.89	4.79	4.00	4.42	4.65	4.87	4.2	4.01	4.67												
Uranium	mg/L	0.0016	<0.0005			<0.0005		0.0005			0.0003			<0.0001	<0.0005	<0.0002	<0.0002	<0.0001	<0.0002	<0.0002	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	<0.0005	<0.0010	<0.0010												
Zinc	mg/L	0.269	0.0319			<0.0100		<0.0100			0.0022			0.0024	<0.0100	<0.0040	<0.0040	0.0033	<0.0020	<0.0040	<0.0040	<0.0040	<0.0100	<0.0100	<0.0100	0.0021	<0.0040	<0.0040												

**Notes & Definitions:**

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.



## GCC Energy Hydrologic Monitoring Data

MW-4-MI																												
Year	2017								2018								2019				2020				2021			
Quarter	Q1	Q2	Q3			Q4			Q1		Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4		
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	11	2	5	8	11	
Sample Date	3/30	6/16	7/27	8/23	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/6	5/26	8/27	11/25	2/10	5/18	8/10	11/10	
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																												
Purge Flow Rate	gpm	NM	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.06	0.06	0.13	0.25	0.13	0.13	0.13	0.13	0.13	0.13	0.25	0.25		
Total Purged	gal	0.5	6.5	NM	NM	1.0	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.3	1.8	1.6	2.0	1.3	1.1	1.0	1.3	1.2	1.3	1.3	1.5	1.5		
Depth to Water	ft bgs	378.2	330.15	330.94	330.85	330.81	330.8	330.74	330.67	330.52	330.42	330.53	330.5	329.62	331.1	336.57	331.1	331.06	331.92	332.1	332.5	332.87	332.45	333.29	333.22	329.27	333.57	333.65
Temperature	deg C	15.0	14.6	12.9	12.5	11.4	10.7	11.3	11.4	11.2	11.0	10.5	10.9	10.1	11.8	11.3	11.1	10.8	13.3	11.6	11.8	12.2	12.9	11.8	10.8	11.6	12.1	11.7
pH	SU	9.08	8.91	8.78	8.79	8.76	8.76	8.73	8.67	8.62	8.48	8.53	8.01	8.50	8.14	8.25	8.38	8.23	8.14	8.26	8.18	8.42	8.45	8.57	8.57	8.60	8.59	8.59
Specific Conductance	µS/cm	1581	1668	1731	1708	1784	1794	1804	1833	1848	1856	1841	1816	1739	1756	1808	1716	1800	1830	1776	1795	1794	1730	1777	1605	1258	1711	1761
Oxygen Reduction Potential	mV	155.2	64.7	9.8	35.2	-29.6	-37.3	-111.5	-89.2	-112.5	-151.3	-145.7	-117.7	-130.0	-178.2	-202.3	-140.4	-154.7	-127.3	-76.8	-50.6	-131.2	-92.0	-87.7	-53.9	-105.9	-97.8	-118.1
Lab Analytical Results:																												
Hardness as CaCO3	mg/L	5.43	8.71			7.07		4.20			6.01			5.88	6.06	6.39	5.35	4.93	5.65	3.31	4.70	<3.31	5.19	2.84	4.91	3.79	4.59	4.53
pH (Lab)	SU	8.83	8.59			8.63		8.51			8.47			8.48	8.31	8.47	8.35	8.3	8.44	8.08	8.33	8.02	8.28	8.38	8.21	8.38	8.28	8.59
Total Dissolved Solids (Lab)	mg/L	1160	1170			1180		1180			1220			1140	1120	1100	1130	1130	1140	1120	1110	1110	1070	1170	1130	1100	1130	1090
Calcium	mg/L	1.53	2.32			1.88		1.68			1.64			1.55	1.56	1.60	1.44	1.3	1.51	1.32	1.21	1.22	1.32	1.14	1.97	1.05	1.23	1.09
Magnesium	mg/L	0.392	0.707			0.579		<0.500			0.465			0.49	0.524	0.580	0.428	0.408	0.458	<0.500	0.406	<0.500	0.459	<0.400	<0.500	0.285	0.37	0.441
Sodium	mg/L	408	458			449		452			447			471	470	500	462	458	496	477	441	460	459	458	476	431	427	418
Potassium	mg/L	1.46	<2.00			1.73		<5.00			<2.00			1.39	<2.00	<2.00	1.43	1.77	2.03	<5.00	<2.00	<5.00	<3.00	<4.00	<5.00	<2.00	<2.00	<2.00
Alkalinity, Total	mg/L	965	915			1100		985			965			955	968	995	510	890	970	978	985	1030	1020	1010	990	1020	985	1140
Alkalinity, Bicarbonate	mg/L	775	825			880		885			875			865	896	885	420	650	880	886	895	935	940	965	910	900	865	1020
Alkalinity, Carbonate	mg/L	190	90.0			220		100			90.0			90	72.0	110	90	240	90.0	92.0	90.0	90.0	80	40	80	120	120	120
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	2.18	7.50			8.78		9.11			8.74			7.99	5.68	5.38	5.98	5.98	5.83	5.47	5.37	5.11	5.02	4.97	4.89	4.85	4.91	4.98
Fluoride	mg/L	4.72	5.02			5.09		5.10			5.02			4.82	4.84	4.94	5.49	5.44	5.38	5.31	5.11	5.16	5	5.27	4.92	5.03	5.2	4.78
Sulfate as SO4	mg/L	17.4	64.7			76.6		77.5			68.6			54.4	48.3	47.6	38.7	34.4	31.9	28.2	24.6	21.9	20	18.7	17.1	16.1	16.4	13.7
Total Organic Carbon (TOC)	mg/L	2.64	6.49			8.58		9.53			9.54			9.25	8.94	8.48	8.37	8.25	7.81	6.42	6.63	6.55	5.93	5.77	5.78	5.36	5.29	5.09
Nitrate/Nitrite as N	mg/L	<0.020	<0.020			<0.020		<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.040	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.240	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.280	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	<0.100			<0.050		<0.250			<0.100			<0.050	<0.100	<0.100	<0.050	<0.050	<0.100	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100	<0.100
Arsenic	mg/L	0.0099	0.0220			0.0131		0.0122			0.0139			0.0153	0.014	0.0119	0.0164	0.0111	0.0116	0.0107	0.0127	0.0139	0.0084	0.0092	0.0088	0.011	0.0099	0.0093
Cadmium	mg/L	<0.0001	<0.0001			<0.0005		<0.0005			<0.0001			<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0005	<0.0004	<0.0005	<0.0005	<0.0010	<0.0010
Copper	mg/L	0.0059	0.0058			0.0071		0.0070			0.0079			0.0063	0.0071	0.0078	0.0087	0.0153	0.0051	0.0027	0.0028	0.0020	0.0052	0.0045	0.004	0.0103	0.0134	0.0107
Iron	mg/L	<0.050	<0.100			<0.050		<0.250			<0.100			<0.050	<0.100	<0.100	<0.050	<0.050	<0.100	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100	<0.100
Lead	mg/L	0.0010	<0.0005			<0.0025		<0.0025			<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0025	<0.0020	<0.0025	<0.0005	<0.0010	<0.0010
Manganese	mg/L	0.0020	0.0066			0.0081		0.0124			0.0080			0.007	0.0068	0.0084	0.0091	0.0084	0.0084	0.0073	0.0085	0.0086	0.0086	0.0092	0.0094	0.0073	0.0075	0.0077
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0020	0.0160			0.0127		0.0134			0.0151			0.0119	0.0115	0.0129	0.0121	0.0119	0.0108	0.0101	0.0096	0.0091	0.0081	0.0089	0.0082	0.0076	0.0068	0.0065
Selenium	mg/L	<0.0010	0.0012			<0.0050		<0.0050			<0.0010			0.0022	0.0113	<0.0020	0.002	<0.0010	<0.0010	<0.0020	<0.0020	<0.0010	<0.005	<0.0040	0.0143	<0.0010	<0.0020	<0.0040
Silica (SiO2)	mg/L	7.27	8.01			8.80		<5.35			8.30			8.9	9.29	10.3	8.86	9.06	10.2	9.51	8.21	7.81	8.39	8.88	9.26	7.82	8.69	8.54
Silicon	mg/L	3.40	3.75			4.11		2.50			3.88			4.16	4.34	4.81	4.14	4.24	4.76	4.45	3.84	3.65	3.92	4.15	4.33	3.66	4.06	3.99
Uranium	mg/L	0.0043	0.0126			0.0184		0.0169			0.0183			0.0173	0.0151	0.0191	0.0269	0.0176	0.0168	0.0145	0.0163	0.0195	0.0121	0.0139	0.0137	0.0115	0.0112	0.0097
Zinc	mg/L	0.113	0.0697			<0.0100		<0.0100			<0.0020			<0.0020	<0.0020	<0.0040	<0.0020	<0.0020	<0.0100	<0.0040	<0.0040	<0.0100	<0.0080	<0.0100	<0.0020	<0.0040	<0.0040	

**Notes & Definitions:**

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry

## GCC Energy Hydrologic Monitoring Data

MW-4-C																												
Year	2017								2018								2019				2020				2021			
Quarter	Q1	Q2	Q3			Q4			Q1		Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4		
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2	5	8	11	
Sample Date	3/30	6/16	7/27	8/23	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/4	5/26	8/27	12/1	2/10	5/18	8/10	11/10	
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																												
Purge Flow Rate	gpm	NM	NM	NM	NM	NM	NM	NM	NM	0.1	NM	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
Total Purged	gal	7.0	1.5	NM	NM	1.0	1.0	1.0	1.0	1.5	1.5	1.5	1.0	1.5	1.0	1.3	1.5	1.3	1.1	1.0	1.5	1.2	1.5	1.3	1.5	1.5	1.5	
Depth to Water	ft bgs	328.33	314.05	309.87	306.86	303.96	303.80	302.47	304.80	282.35	281.30	303.30	304.05	NM	302.55	302.17	302.45	303.93	304.93	305.73	306.44	304.90	307.80	308.05	308.65	308.58	309.32	309.90
Temperature	deg C	13.3	17.4	12.7	12.0	13.9	11.8	11.2	11.0	11.7	10.8	12.5	11.4	12.4	12.9	11.5	11.3	11.2	12.5	11.7	11.2	12.7	13.0	11.4	10.0	11.4	12.3	11.7
pH	SU	8.33	7.62	7.68	7.70	7.69	7.75	7.72	7.79	7.80	7.88	7.94	7.75	7.79	7.76	7.79	7.87	7.86	7.81	7.85	7.87	7.97	8.00	8.05	8.02	8.05	8.12	8.11
Specific Conductance	µS/cm	3792	5944	5997	5885	5813	5721	5782	5604	5834	5903	5628	5792	5592	5583	5775	5710	5712	5930	5636	5729	5636	5429	5665	5106	4047	5454	5687
Oxygen Reduction Potential	mV	57.3	20.3	-101.5	-111.2	-103.7	-117.4	-109.0	-120.1	-123.8	-154.3	-131.3	-134.9	-129.3	-157.6	-209.0	-160.1	-180.1	-156.8	-148.7	-135.9	-147.7	-132.1	-128.7	-106.2	-100.6	-142.3	-173.0
Lab Analytical Results:																												
Hardness as CaCO3	mg/L	46.3	55.9			38.9		30.0			26.5			26.2	25.9	28.6	23.6	22.5	25.2	24.4	24.0	22.7	23	21.8	25.6	19.6	21.9	20.9
pH (Lab)	SU	7.61	7.77			7.79		7.98			7.84			7.97	7.96	8.27	7.9	7.92	7.95	7.85	7.95	7.76	7.92	7.94	7.96	7.97	7.96	8.08
Total Dissolved Solids (Lab)	mg/L	3230	4050			3750		3780			3730			3660	3650	3590	3580	3590	3610	3610	3580	3570	3510	3610	3720	3540	3600	3630
Calcium	mg/L	13.6	13.7			9.15		7.45			6.32			6.15	5.90	6.60	5.5	5.21	5.83	5.61	5.57	5.31	5.3	5.15	5.98	4.64	5.07	4.77
Magnesium	mg/L	2.99	5.26			3.90		2.76			2.61			2.62	2.72	2.94	2.39	2.3	2.57	2.53	2.44	2.30	2.36	2.18	2.58	1.95	2.25	2.19
Sodium	mg/L	908	1510			1490		1400			1410			1400	1410	1590	1410	1370	1440	1430	1440	1390	1400	1400	1520	1310	1340	1270
Potassium	mg/L	4.38	5.71			6.07		<10.0			<10.0			<5.00	<5.00	5.36	<5.00	<5.00	5.42	<10.0	<5.00	<10.0	<10.0	<10.0	<6.00	<5.00	<5.00	
Alkalinity, Total	mg/L	1250	2360			2780		2680			2600			2410	2480	2450	2470	2550	2500	2470	2480	2460	2500	2950	2470	2500	2410	2630
Alkalinity, Bicarbonate	mg/L	1250	2360			2780		2640			2600			2330	2480	2450	2470	2350	2390	2410	2420	2340	2390	2880	2430	2360	2290	2410
Alkalinity, Carbonate	mg/L	<10.0	<10.0			<10.0		40.0			<10.0			80	<10.0	<10.0	<10.0	200	110	60.0	60.0	120	110	70	40	140	120	220
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	181	550			587		608			592			573	533	590	575	554	580	525	528	555	543	565	557	553	572	561
Fluoride	mg/L	1.29	2.04			2.17		2.43			2.53			2.52	2.48	2.54	2.64	2.62	2.59	2.51	2.41	2.36	2.34	2.37	2.21	2.16	2.28	2.04
Sulfate as SO4	mg/L	534	487			70.2		26.0			34.5			27	18.7	11.2	5.07	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00
Total Organic Carbon (TOC)	mg/L	30	6.42			5.08		3.64			3.23			3.23	2.80	3.46	3.24	2.62	2.63	4.18	2.23	2.50	2.31	3.72	4.57	4.92	4.81	4.70
Nitrate/Nitrite as N	mg/L	<2.00	<0.500			<0.400		<0.100			<0.020			<0.020	<0.020	<0.020	0.061	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.424	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.182	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	<0.050			<0.050		<0.500			<0.500			<0.250	<0.250	<0.250	<0.250	<0.250	<0.250	<0.500	<0.250	<0.500	<0.500	<0.500	<0.500	<0.300	<0.250	<0.250
Arsenic	mg/L	0.0059	0.0119			0.0128		0.0152			0.0246			0.0195	0.0202	0.0164	0.0211	0.0171	0.0178	0.0179	0.0203	0.0195	0.015	0.0182	0.0177	0.0212	0.0248	0.0213
Cadmium	mg/L	<0.0001	<0.0010			<0.0010		<0.0010			<0.0005			<0.0005	<0.0005	<0.0005	<0.0005	<0.0001	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.001	<0.001	<0.0010	<0.0025	<0.0025
Copper	mg/L	0.0125	0.0243			0.0221		0.0208			0.0482			0.0389	0.0280	0.0230	0.0249	0.0382	0.0198	0.0107	0.0111	0.0069	0.0151	0.0148	0.0111	0.0464	0.0499	0.0370
Iron	mg/L	<0.050	<0.050			<0.050		<0.500			<0.500			0.373	0.397	0.474	0.279	0.391	0.522	0.619	0.591	0.551	<0.500	0.553	0.837	0.355	0.793	0.551
Lead	mg/L	<0.0005	<0.0050			<0.0050		<0.0050			<0.0025			<0.0025	<0.0025	<0.0025	<0.0025	<0.0005	<0.0025	<0.0025	<0.0025	<0.0025	<0.0050	<0.0050	<0.0050	<0.0025	<0.0025	<0.0025
Manganese	mg/L	0.0269	0.0772			0.0554		0.0571			0.0647			0.0529	0.0381	0.0283	0.0268	0.0174	0.0162	0.0096	0.0209	0.0103	0.008	0.0076	0.0059	0.0063	0.005	0.0047
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0526	0.115			0.0138		0.0106			0.0086			0.0072	0.0071	0.0057	0.0074	0.007	0.0056	0.0047	0.0045	0.0044	<0.005	<0.005	<0.0050	0.0037	0.0031	0.0031
Selenium	mg/L	0.0248	0.0231			0.0214		0.0269			0.0378			0.0317	0.0260	0.0211	0.0339	0.0195	0.0195	0.0156	0.0140	0.0129	0.0112	0.0182	<0.0100	0.0186	0.028	0.0269
Silica (SiO2)	mg/L	9.85	12.6			12.9		<10.7			<10.7			11	11.2	12.8	10.1	10.5	11.3	11.0	9.88	<10.7	<10.7	<10.7	10.8	8.35	9.54	9.37
Silicon	mg/L	4.61	5.88			6.02		<5.00			<5.00			5.16	5.24	6.00	4.7	4.89	5.29	5.14	4.62	<5.00	<5.00	<5.00	5.06	3.91	4.46	4.38
Uranium	mg/L	0.0297	0.121			0.0984		0.0545			0.0311			0.0311	0.0277	0.0246	0.0215	0.0154	0.0086	0.0073	0.0063	0.0039	<0.0050	<0.0050	<0.0050	<0.0025	<0.0025	<0.0025
Zinc	mg/L	0.0156	0.0265			<0.0200		<0.0200			<0.0100			<0.0100	<0.0100	<0.0100	<0.0100	0.0038	<0.0100	<0.0100	<0.0100	<0.0100	<0.0200	<0.0200	<0.0200	<0.0100	<0.0100	<0.0100

**Notes & Definitions:**

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry

### GCC Energy Hydrologic Monitoring Data

MW-6-A																				
Year	2018	2019										2020				2021				
Quarter	Q4	Q1			Q2			Q3				Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Month	12	1	2	3	4	5	6	7	8	9	11	2	5	8	11	2	5	8	11	
Sample Date	12/28	1/31	2/21	3/21	4/23	5/20	6/19	7/23	8/15	9/24	11/7	2/5	5/14	8/11	11/25	2/9	5/17	8/9	11/9	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																				
Purge Flow Rate	gpm	NM	NM	0.10	2.00	0.03	0.03	0.03	0.06	0.03	0.02	0.01	0.05	0.13	0.05	0.05	0.05	0.02	0.13	0.02
Total Purged	gal	36.3	0.5	0.5	2.0	2.0	1.3	1.0	1.3	1.1	1.3	1.5	1.1	1.0	1.3	1.0	1.0	1.0	1.0	1.0
Depth to Water	ft bgs	304.33	306.41	307.40	309.60	311.05	312.50	314.20	315.75	316.43	NM	318.70	315.46	319.63	319.64	319.65	319.66	319.66	319.64	319.66
Temperature	deg C	7.4	10.7	8.1	7.5	9.6	7.3	12.5	12.3	11.9	10.4	10.4	7.8	9.8	19.5	8.0	9.7	12.6	19.4	10.7
pH	SU	7.32	6.64	6.66	6.74	6.65	6.73	6.76	6.75	6.76	6.80	6.79	6.89	6.95	6.97	7.10	7.03	7.10	7.11	7.11
Specific Conductance	µS/cm	6573	6053	6072	6107	6012	6057	5725	5598	5562	5451	5108	5043	4779	4339	4656	4051	3198	4238	4465
Oxygen Reduction Potential	mV	-22.8	19.4	24.6	12.6	11.8	34.8	86.6	25.8	6.5	29.2	20.5	36.7	51.7	62.3	55.2	73.5	83.5	5.2	26.5
Lab Analytical Results:																				
Hardness as CaCO3	mg/L	4360		4190			3920			3540		3070	3200	2780	2690	2710	2660	2550	2740	2510
pH (Lab)	SU	7.10		6.85			6.77			6.85		6.87	6.9	6.93	6.66	7.04	7.20	6.93	7.1	6.98
Total Dissolved Solids (Lab)	mg/L	6520		6520			120*			6080		5210	4980	4670	4490	4570	4480	4390	4440	4310
Calcium	mg/L	615		559			553			492		431	467	400	398	406	398	378	415	370
Magnesium	mg/L	687		678			617			560		484	495	431	411	413	404	390	413	385
Sodium	mg/L	294		283			296			304		276	296	274	261	273	272	266	263	254
Potassium	mg/L	15.0		14.4			12.4			12.8		11.1	<20.0	10.6	10.3	10.5	11.1	10.7	11	10.4
Alkalinity, Total	mg/L	160		160			143			183		220	215	233	236	246	245	290	255	295
Alkalinity, Bicarbonate	mg/L	160		160			143			183		220	215	233	236	246	245	290	255	295
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	97.4		28.6			27.3			29.9		29.6	28.4	29.0	26.0	26.6	24.9	25.8	26	26.6
Fluoride	mg/L	2.83		<0.500			<0.500			<0.500		<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500
Sulfate as SO4	mg/L	205		4300			4280			4260		3460	3080	3020	3160	2890	2620	2740	2780	2790
Total Organic Carbon (TOC)	mg/L	3.45		3.08			2.91			3.57		3.10	3.16	3.39	3.31	3.26	1.71	3.82	3.33	3.25
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020		<0.020	0.049	0.154	0.117	0.093	0.039	0.156	0.118	0.096
Ammonia as N ^	mg/L	NA		NA			NA			NA		2.72	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA		<0.0500	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.500		<0.250			<0.250			<0.250		<0.250	<1.00	<0.500	<0.250	<0.500	<0.250	<0.250	<0.250	<0.250
Arsenic	mg/L	<0.0025		<0.0025			0.0009			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025
Cadmium	mg/L	<0.0005		<0.0005			0.0001			<0.0005		<0.0005	<0.0005	<0.0010	<0.0005	<0.0010	<0.0005	<0.0025	<0.0025	<0.0025
Copper	mg/L	0.0116		0.0081			0.0035			0.0039		0.0017	0.0028	<0.0050	<0.0025	<0.0050	<0.0025	0.0068	0.0082	0.0063
Iron	mg/L	1.37		3.75			3.93			3.22		2.72	1.95	1.38	1.10	1.24	1.17	0.890	1.48	1.15
Lead	mg/L	<0.0025		<0.0025			<0.0005			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025
Manganese	mg/L	0.788		0.802			0.724			0.690		0.585	0.551	0.526	0.520	0.454	0.437	0.397	0.407	0.391
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002		<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	<0.0025		<0.0025			<0.0005			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.005	<0.0025	<0.0025	<0.0025	<0.0025
Selenium	mg/L	<0.0050		<0.0050			0.0028			<0.0050		<0.0050	<0.005	<0.0100	<0.0050	<0.0100	<0.0050	<0.0050	<0.0050	<0.0100
Silica (SiO2)	mg/L	12.3		11.9			14.3			13.4		12.5	<21.4	11.0	11.4	12.3	11.9	13.2	14.3	13.6
Silicon	mg/L	5.77		5.57			6.69			6.28		5.83	<10.00	5.17	5.35	5.76	5.58	6.17	6.67	6.36
Uranium	mg/L	<0.0005		<0.0005			&													

### GCC Energy Hydrologic Monitoring Data

MW-6-MI																				
Year	2018						2019						2020				2021			
Quarter	Q4		Q1		Q2		Q3		Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4		
Month	12	1	2	3	4	5	5	6	7	8	9	11	2	5	8	11	2	5	8	11
Sample Date	12/29	1/31	2/25	3/21	4/19	5/20	5/30	6/19	7/23	8/15	9/24	11/7	2/5	5/14	8/11	11/24	2/9	5/17	8/9	11/9
Lab Analysis (Y/N)	Y	N	Y	N	N	N <sup>#</sup>	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Field Parameters:																				
Purge Flow Rate	gpm	NM	NM	NM	0.5	0.1	0.015													
Total Purged	gal	11.3	0.5	1.5	0.5	1.0	0.9													
Depth to Water	ft bgs	374.49	368.09	367.92	370.49	369.50	371.00													
Temperature	deg C	14.3	13.6	10.8	9.7	16.7	3.9	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
pH	SU	8.26	7.43	7.21	7.55	7.97	7.84													
Specific Conductance	µS/cm	3390	3620	3132	2619	2202	2527													
Oxygen Reduction Potential	mV	103.0	-80.2	77.6	59.8	38.3	64.9													
Lab Analytical Results:																				
Hardness as CaCO3	mg/L	679		147																
pH (Lab)	SU	8.18		8.35																
Total Dissolved Solids (Lab)	mg/L	2480		1880																
Calcium	mg/L	104		23.4																
Magnesium	mg/L	102		21.6																
Sodium	mg/L	646		565																
Potassium	mg/L	12.0		5.30																
Alkalinity, Total	mg/L	395		615																
Alkalinity, Bicarbonate	mg/L	345		615																
Alkalinity, Carbonate	mg/L	50.0		<10.0																
Alkalinity, Hydroxide	mg/L	<10.0		<10.0																
Chloride	mg/L	175		178																
Fluoride	mg/L	2.06		2.46																
Sulfate as SO4	mg/L	1210		585																
Total Organic Carbon (TOC)	mg/L	3.63		4.55																
Nitrate/Nitrite as N	mg/L	0.023		<0.020																
Aluminum	mg/L	<0.100		<0.100																
Arsenic	mg/L	0.0084		0.0144																
Cadmium	mg/L	<0.0001		<0.0002																
Copper	mg/L	0.0113		0.0112																
Iron	mg/L	<0.100		<0.100																
Lead	mg/L	<0.0005		<0.0010																
Manganese	mg/L	0.0500		0.0224																
Mercury	mg/L	<0.0002		<0.0002																
Molybdenum	mg/L	0.0558		0.0690																
Selenium	mg/L	0.0098		0.0127																
Silica (SiO2)	mg/L	9.93		9.05																
Silicon	mg/L	4.64		4.23																
Uranium	mg/L	0.0200		0.0118																
Zinc	mg/L	0.0092		0.0143																

**Notes & Definitions:**

- # No sample collected, due to low yield, insufficient volume for lab sample after field parameters we measured**
  - Y/N yes or no
  - gpm gallons per minute
  - deg C degrees Celsius
  - SU standard pH units
  - µS/cm microsiemens per centimeter
  - mV millivolts
  - mg/L milligram per liter
  - pCi/L picocuries per liter
  - NM not measured (field)
  - NA not analyzed (lab)
1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
  2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
  3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

**GCC Energy Hydrologic Monitoring Data**

MW-6-C																				
Year	2018	2019										2020				2021				
Quarter	Q4	Q1			Q2			Q3				Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Month	12	1	2	3	4	5	6	7	8	9	11	2	5	8	11	2	5	8	11	
Sample Date	12/24	1/30	2/21	3/21	4/23	5/20	6/19	7/23	8/15	9/24	11/7	2/5	5/12	8/11	11/24	2/9	5/17	8/9	11/9	
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
Field Parameters:																				
Purge Flow Rate	gpm																			
Total Purged	gal																			
Depth to Water	ft bgs																			
Temperature	deg C	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	
pH	SU																			
Specific Conductance	µS/cm																			
Oxygen Reduction Potential	mV																			
Lab Analytical Results:																				
Hardness as CaCO3	mg/L																			
pH (Lab)	SU																			
Total Dissolved Solids (Lab)	mg/L																			
Calcium	mg/L																			
Magnesium	mg/L																			
Sodium	mg/L																			
Potassium	mg/L																			
Alkalinity, Total	mg/L																			
Alkalinity, Bicarbonate	mg/L																			
Alkalinity, Carbonate	mg/L																			
Alkalinity, Hydroxide	mg/L																			
Chloride	mg/L																			
Fluoride	mg/L																			
Sulfate as SO4	mg/L																			
Total Organic Carbon (TOC)	mg/L																			
Nitrate/Nitrite as N	mg/L																			
Aluminum	mg/L																			
Arsenic	mg/L																			
Cadmium	mg/L																			
Copper	mg/L																			
Iron	mg/L																			
Lead	mg/L																			
Manganese	mg/L																			
Mercury	mg/L																			
Molybdenum	mg/L																			
Selenium	mg/L																			
Silica (SiO2)	mg/L																			
Silicon	mg/L																			
Uranium	mg/L																			
Zinc	mg/L																			

**Notes & Definitions:**

Y/N	yes or no	1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
gpm	gallons per minute	
deg C	degrees Celsius	
SU	standard pH units	2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
µS/cm	microsiemens per centimeter	
mV	millivolts	
mg/L	milligram per liter	
pCi/L	picocuries per liter	3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
NM	not measured (field)	
NA	not analyzed (lab)	

### GCC Energy Hydrologic Monitoring Data

MW-6-LM																					
Year	2018	2019										2020				2021					
Quarter	Q4	Q1			Q2			Q3				Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	
Sample Date	12/30	1/31	2/25	3/21	4/23	5/20	6/19	7/23	8/15	9/24	10/28	11/7	2/5	5/14	8/11	11/25	2/9	5/17	8/9	11/9	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y		
<b>Field Parameters:</b>																					
Purge Flow Rate	gpm	NM	NM	0.06	2.00	0.03	0.03	0.10	0.06	0.03	0.02	0.01	0.03	0.01	0.13	0.01	0.13	0.13	0.13	0.13	
Total Purged	gal	0.5	0.5	1.5	2.0	2.0	2.3	1.3	1.3	1.8	2.0	1.5	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
Depth to Water	ft bgs	535.72	538.73	539.34	540.64	539.98	537.58	540.00	540.35	540.24	540.17	539.80	540.18	539.70	539.45	539.98	540.30	539.78	540.20	541.25	541.34
Temperature	deg C	7.9	14.3	7.8	8.1	9.1	9.3	11.7	14.0	13.4	11.6	10.1	12.4	10.5	11.3	14.8	11.4	10.2	11.6	14.4	11.1
pH	SU	7.64	7.38	7.51	7.54	7.49	7.54	7.67	7.80	7.65	7.43	7.45	7.37	7.39	7.54	7.44	7.47	7.44	7.54	7.52	7.49
Specific Conductance	µS/cm	6011	3784	3503	1461	1164	1296	1400	1272	1532	2104	2267	2113	2283	2287	2442	2495	2136	1629	2531	2478
Oxygen Reduction Potential	mV	185.3	10.7	40.9	-32.8	-35.8	-111.0	-194.5	-163.6	-67.2	6.4	-48.0	19.9	-128.9	-222.9	32.1	21.8	3.5	-188.8	-2.6	-36.6
<b>Lab Analytical Results:</b>																					
Hardness as CaCO3	mg/L	2260		1270			431			621			843	1060	965	1130	1160	1120	1010	1280	1130
pH (Lab)	SU	7.60		7.52			7.47			7.59			7.32	7.43	7.18	6.95	7.45	7.49	7.45	7.37	7.57
Total Dissolved Solids (Lab)	mg/L	5100		2840			875			1150			1630	1840	1840	2040	2020	1990	1830	2290	2050
Calcium	mg/L	367		216			75.9			103			136	173	150	179	184	176	154	201	174
Magnesium	mg/L	325		177			58.7			88.3			122	153	143	165	171	166	152	189	170
Sodium	mg/L	459		248			129			153			172	203	188	194	194	188	169	177	166
Potassium	mg/L	173		64.5			14.0			13.7			11.3	11	7.82	7.20	6.04	5.96	5.22	5.69	4.99
Alkalinity, Total	mg/L	205		315			371			381			355	320	353	335	329	336	346	330	380
Alkalinity, Bicarbonate	mg/L	205		315			371			381			355	320	353	335	329	336	346	330	380
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	256		43.7			5.73			8.70			11.4	11	11.7	12.2	12.4	11	10.5	12.6	11.1
Fluoride	mg/L	0.530		<0.500			0.324			<0.500			<0.500	0.352	<0.500	0.346	0.356	0.318	0.340	0.418	0.306
Sulfate as SO4	mg/L	3050		1790			338			492			830	951	904	1260	1170	1020	978	1300	1100
Total Organic Carbon (TOC)	mg/L	3.46		2.61			1.57			1.78			1.85	1.76	1.84	1.87	1.93	3.17	1.81	1.91	1.94
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			1.99	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.250		<0.250			<0.050			<0.050			<0.100	<0.250	<0.250	<0.150	<0.250	<0.250	<0.150	<0.100	<0.100
Arsenic	mg/L	0.0039		0.0049			0.0036			0.0038			0.0035	0.0044	0.0034	0.0038	0.0036	0.0038	0.0038	0.0039	0.0038
Cadmium	mg/L	<0.0005		<0.0005			<0.0001			<0.0001			<0.0002	<0.0002	<0.0005	<0.0003	<0.0005	<0.0005	<0.0015	<0.0010	<0.0010
Copper	mg/L	0.0135		0.0064			0.0017			0.0018			0.0069	0.0014	<0.0025	<0.0015	<0.0025	<0.0025	0.0042	0.0046	0.0040
Iron	mg/L	<0.250		<0.250			<0.050			<0.050			<0.100	<0.250	<0.250	<0.150	<0.250	<0.250	<0.150	<0.100	<0.100
Lead	mg/L	<0.0025		<0.0025			<0.0005			<0.0005			<0.0010	<0.001	<0.0025	<0.0015	<0.0025	<0.0025	<0.0015	<0.0010	<0.0010
Manganese	mg/L	0.383		0.223			0.0692			0.148			0.166	0.184	0.171	0.267	0.292	0.253	0.203	0.257	0.263
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0490		0.0169			0.0037			0.0025			0.0022	0.002	<0.0025	0.0023	<0.0025	<0.0025	<0.0015	0.0016	0.0013
Selenium	mg/L	0.0080		<0.0050			<0.0010			<0.0010			<0.0020	<0.002	<0.0050	<0.0030	<0.0050	0.0151	<0.0030	<0.0020	<0.0040
Silica (SiO2)	mg/L	10.5		13.5			17.0			17.4			15.9	17.1	15.1	14.7	16.0	15.6	16.4	16.8	16.6
Silicon	mg/L	4.91		6.29			7.96			8.12			7.43	7.97	7.07	6.88	7.47	7.3	7.68	7.85	7.75
Uranium	mg/L	0.0230		0.0075			0.0039			0.0054			0.0047	0.0055	0.0043	0.0046	0.0042	0.0039	0.0030	0.0037	0.0032
Zinc	mg/L	0.0323		<0.0100			<0.0020			<0.0040			<0.0040	<0.004	<0.0100	0.0069	<0.0100	<0.0100	<0.0060	<0.0040	<0.0040

**Notes & Definitions:**

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

## GCC Energy Hydrologic Monitoring Data

MW-7-EAA																					
Year	2018	2019										2020				2021					
Quarter	Q4	Q1			Q2			Q3				Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	
Sample Date	12/23	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	11/30	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																					
Purge Flow Rate	gpm	1.10	1.10	1.00	3.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.25	0.13	0.25	0.25	0.13	0.25	0.25	
Total Purged	gal	15.0	18.0	15.0	3.0	15.0	16.0	15.3	15.3	17.0	15.0	15.0	15.0	36.5	15.0	16.0	17.0	15.0	17.0	17.0	
Depth to Water	ft bgs	36.13	36.27	36.45	36.52	36.70	36.25	36.22	36.48	36.49	36.88	36.85	36.85	36.72	35.40	36.35	37.10	36.20	35.33	36.91	
Temperature	deg C	10.0	10.0	10.0	9.9	10.1	10.4	10.4	10.6	10.5	10.3	10.4	10.6	10.4	12.1	10.3	10.3	10.1	10.5	10.9	
pH	SU	6.99	7.01	7.04	6.93	7.00	7.06	7.07	6.28	6.95	7.06	7.03	7.06	6.91	7.17	7.09	7.12	7.14	7.19	7.24	
Specific Conductance	µS/cm	2001	1910	1910	1926	1912	1767	1836	1885	1890	1913	1936	1922	1993	1890	1772	1628	1672	1805	1814	
Oxygen Reduction Potential	mV	-68.0	-36.7	-41.4	-38.1	-48.8	14.1	-13.8	-33.9	-37.8	-29.5	-25.6	-21.3	0.9	-49.2	17.6	-8.6	2.2	-55.8	-41.9	
Lab Analytical Results:																					
Hardness as CaCO3	mg/L	936		1030			982			997			1020	963	1020	1080	939	1090	958	986	
pH (Lab)	SU	7.2		7.37			7.17			7.09			6.99	6.92	6.89	7.23	7.06	6.99	6.92	7.03	
Total Dissolved Solids (Lab)	mg/L	1460		1480			1490			1480			1530	1520	1430	1480	1450	1590	1460	1510	
Calcium	mg/L	170		179			171			173			162	165	175	183	157	186	167	167	
Magnesium	mg/L	124		142			135			137			144	134	142	150	133	152	131	138	
Sodium	mg/L	75.3		81.3			75.0			75.2			74.9	73.7	76.0	80.9	73.4	81.4	75	74.6	
Potassium	mg/L	3.87		3.9			<5.00			3.74			3.74	3.82	<5.00	<5.00	<5.00	4.25	<5.00	<5.00	
Alkalinity, Total	mg/L	380		367			405			392			350	357	355	268	430	420	395	340	
Alkalinity, Bicarbonate	mg/L	380		367			405			392			425	357	355	268	430	420	395	340	
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	11.9		10.7			10.8			10.9			11.6	10.3	10.7	10.2	10.1	10.4	10.1	10.5	
Fluoride	mg/L	<0.500		0.332			0.322			0.322			<0.500	0.354	0.330	0.322	0.322	0.300	0.304	0.312	
Sulfate as SO4	mg/L	732		736			733			844			746	774	803	767	742	757	746	796	
Total Organic Carbon (TOC)	mg/L	3.72		3.57			3.73			3.70			3.45	3.42	3.63	4.01	3.39	3.00	3.42	3.63	
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	
Ammonia as N ^	mg/L	NA		NA			NA			NA			0.178	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.100			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.250	<0.250	
Arsenic	mg/L	0.0014		0.0015			0.0013			0.0016			0.0013	0.0013	0.0011	<0.0015	<0.0025	0.0016	<0.0025	<0.0025	
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0002	<0.0002	<0.0002	<0.0003	<0.0005	<0.0001	<0.0025	<0.0025	
Copper	mg/L	0.0003		0.0018			0.0011			0.0008			0.0006	<0.0010	<0.0010	<0.0015	<0.0025	0.0007	<0.0025	<0.0025	
Iron	mg/L	1.82		1.95			1.81			2.12			2.00	1.84	1.71	2.16	2.15	2.08	1.92	1.75	
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0010	<0.001	<0.0010	<0.0015	<0.0025	<0.0005	<0.0025	<0.0025	
Manganese	mg/L	3.72		4.49			4.01			4.22			4.76	4.86	3.63	4.49	4.42	5.22	4.21	4.39	
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	
Molybdenum	mg/L	0.0008		0.0011			0.0007			0.0009			<0.0010	0.001	<0.0010	<0.0015	<0.0025	0.0006	<0.0025	<0.0025	
Selenium	mg/L	<0.0020		<0.0020			<0.0010			0.0011			<0.0020	<0.002	<0.0020	<0.0030	<0.0050	<0.0010	<0.0050	<0.0050	
Silica (SiO2)	mg/L	16.6		16.1			16.1			16.9			16.8	16.4	15.8	16.9	14.9	17.7	17.1	16.7	
Silicon	mg/L	7.75		7.52			7.55			7.90			7.83	7.67	7.37	7.91	6.96	8.28	7.97	7.81	
Uranium	mg/L	0.0021		0.0018			0.0017			0.0018			0.0020	0.0019	0.0016	0.0018	<0.0025	0.0018	<0.0025	<0.0025	
Zinc	mg/L	<0.0050		<0.0040			0.0021			0.0020			<0.0040	<0.004	<0.0040	<0.0060	<0.0100	0.0022	<0.0100	<0.0100	

**Notes & Definitions:**

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

**GCC Energy Hydrologic Monitoring Data**

MW-8-EAA																					
Year	2018	2019										2020				2021					
Quarter	Q4	Q1			Q2			Q3				Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	
Sample Date	12/23	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	11/30	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	
<b>Field Parameters:</b>																					
Purge Flow Rate	gpm	0.85	1.10	0.50	3.00	0.50	0.75	1.00	0.75	0.50	1.00	0.25	1.00	0.25	0.13	0.13	0.13	0.13	0.25	0.25	
Total Purged	gal	18.0	14.0	15.0	3.0	15.0	17.0	15.3	15.3	18.0	15.3	15.5	15.0	15.2	15.0	16.0	15.0	15.0	16.0	15.0	14.0
Depth to Water	ft bgs	40.00	39.95	40.10	43.45	40.44	40.05	39.94	40.10	40.08	40.25	40.31	40.22	40.40	40.45	34.50	40.83	41.22	41.00	40.98	48.04
Temperature	deg C	10.3	10.2	10.0	9.9	10.3	10.5	10.6	10.5	10.6	10.3	10.2	11.2	10.5	11.0	11.1	11.0	10.9	11.0	11.2	10.7
pH	SU	7.12	7.09	7.13	7.17	7.09	7.02	7.17	7.09	7.05	7.03	6.99	6.99	6.99	7.14	7.19	7.19	7.20	7.27	7.31	7.30
Specific Conductance	µS/cm	1781	1696	1720	1725	1729	1628	1676	1699	172	1739	1774	1739	1758	1760	1675	1716	1570	1642	1671	1746
Oxygen Reduction Potential	mV	-65.0	-52.8	-51.8	-53.0	-59.7	11.0	-29.5	-46.6	-44.8	-33.5	-38.8	-39.2	-18.2	-72.4	1.4	-14.7	-20.2	-63.3	-57.4	-37.2
<b>Lab Analytical Results:</b>																					
Hardness as CaCO3	mg/L	870		861			864			883			867	861	907	937	810	914	838	859	859
pH (Lab)	SU	7.28		7.36			7.13			7.05			7.01	7.11	6.96	7.18	7.1	7.03	6.97	7.06	6.81
Total Dissolved Solids (Lab)	mg/L	1220		1290			1240			1280			1380	1290	1260	1280	1310	1400	1320	1320	1340
Calcium	mg/L	152		151			148			154			143	149	153	160	134	156	146	146	149
Magnesium	mg/L	119		118			120			121			124	119	127	130	115	127	115	120	118
Sodium	mg/L	81.7		82.6			77.2			78.6			77.1	77.2	77.7	82.9	74.3	80.9	76.1	75.8	74.9
Potassium	mg/L	3.80		3.27			3.55			3.18			3.52	3.8	<5.00	<5.00	<5.00	3.63	3.49	<5.00	3.36
Alkalinity, Total	mg/L	400		435			450			431			445	404	385	288	480	450	445	385	490
Alkalinity, Bicarbonate	mg/L	400		435			450			431			445	404	385	288	480	450	445	385	490
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	9.83		10.5			10.3			11.1			11.0	10.2	10.3	10.1	11.3	10.4	10.2	10.3	10.5
Fluoride	mg/L	0.380		0.370			0.338			0.342			<0.500	0.33	0.346	0.336	0.334	0.292	0.306	0.35	0.272
Sulfate as SO4	mg/L	533		559			606			643			577	602	625	605	582	609	595	615	599
Total Organic Carbon (TOC)	mg/L	3.77		3.59			3.77			3.68			3.52	3.49	3.56	3.82	3.54	3.04	3.65	3.71	3.48
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.100		<0.100			<0.050			<0.100			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250	<0.100
Arsenic	mg/L	0.0020		0.0018			0.0018			0.0021			0.0018	0.0017	0.0017	0.0018	<0.0025	0.0018	0.0018	<0.0025	0.0017
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0002	<0.0002	<0.0003	<0.0005	<0.0003	<0.0015	<0.0025	<0.0010
Copper	mg/L	0.0004		0.0024			0.0023			0.0008			0.0010	0.001	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	0.0017
Iron	mg/L	2.12		2.13			2.42			2.46			2.30	2.28	2.29	2.31	0.762	2.33	2.25	2.2	2.22
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.001	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.001
Manganese	mg/L	3.17		3.52			3.06			3.37			3.39	3.7	3.36	3.54	3.81	3.55	3.5	3.6	3.66
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0009		0.0011			0.0008			0.0011			0.0008	<0.0010	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010
Selenium	mg/L	<0.0020		<0.0020			0.0010			0.0013			<0.0010	<0.0020	<0.0020	<0.0030	<0.0050	0.0046	<0.003	<0.0050	0.0035
Silica (SiO2)	mg/L	16.3		15.3			15.7			16.1			15.9	15.7	15.0	16.1	14.2	16.0	16.5	15.5	16.4
Silicon	mg/L	7.63		7.15			7.32			7.52			7.42	7.32	7.02	7.53	6.63	7.48	7.72	7.24	7.68
Uranium	mg/L	0.0021		0.0017			0.0016			0.0018			0.0019	0.0019	0.0017	0.0017	<0.0025	0.0016	0.0016	<0.0025	0.0015
Zinc	mg/L	<0.0050		<0.0040			<0.0020			<0.0020			<0.0020	<0.0040	<0.0040	<0.0060	<0.0100	<0.0060	<0.0060	<0.0100	<0.0040

**Notes & Definitions:**

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.



## GCC Energy Hydrologic Monitoring Data

MW-8-MI																					
Year	2018	2019										2020				2021					
Quarter	Q4	Q1			Q2			Q3				Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Month	12	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	
Sample Date	12/23	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	12/23	1/29	2/19	3/20	4/16	5/29	6/20	7/24	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																					
Purge Flow Rate	gpm	1.10	1.00	0.50	3.00	0.50	0.50	0.25	0.50	0.50	1.00	0.25	0.25	0.13	0.10	0.25	0.25	0.13	0.25	0.25	
Total Purged	gal	27.5	18.0	1.0	3.0	1.5	2.5	2.5	2.3	3.0	2.0	2.5	1.0	1.0	1.0	2.0	1.0	2.0	3.0	1.0	
Depth to Water	ft bgs	45.75	43.48	43.50	44.30	44.47	44.10	44.24	44.45	44.59	44.90	45.12	45.10	45.20	45.42	45.84	46.24	46.38	46.54	47.27	
Temperature	deg C	10.8	10.8	10.6	11.2	10.4	11.1	11.4	11.0	11.4	10.9	10.3	11.4	10.2	11.3	13.1	11.3	10.0	11.6	11.9	
pH	SU	7.57	7.50	7.48	7.47	7.34	7.31	7.48	7.42	7.38	7.30	7.23	7.15	7.08	7.44	7.44	7.43	7.47	7.59	7.55	
Specific Conductance	µS/cm	1786	1667	1651	1658	1643	1595	1639	1645	1658	1637	1689	1642	1651	1659	1598	1628	1468	1616	1554	
Oxygen Reduction Potential	mV	-84.4	-177.1	-122.1	-113.3	-87.2	-54.4	-97.1	-116.4	-119.4	-88.4	-82.0	-59.3	-136.6	-184.9	-107.0	-112.2	-72.0	-131.9	-123.1	
Lab Analytical Results:																					
Hardness as CaCO3	mg/L	167		249			273					267	254	309	355	339	376	288	377	317	
pH (Lab)	SU	7.73		7.54			7.24					7.44	7.53	7.25	7.34	7.27	7.33	7.36	7.31	7.06	
Total Dissolved Solids (Lab)	mg/L	1050		1030			1100					1050	1060	1040	1010	1040	1060	1040	1000	1100	
Calcium	mg/L	34.0		48.5			52.4					51.3	48.7	58.5	65.9	62.6	69.7	54	70.3	59.8	
Magnesium	mg/L	19.9		31.0			34.5					33.8	32.1	39.6	46.2	44.4	49.1	37.2	48.9	40.8	
Sodium	mg/L	344		312			289					275	269	272	260	232	237	256	229	238	
Potassium	mg/L	4.47		5.25			<5.00					5.07	4.71	5.00	5.56	5.22	5.88	5.05	5.69	5.14	
Alkalinity, Total	mg/L	500		565			560					585	543	545	448	590	590	575	570	605	
Alkalinity, Bicarbonate	mg/L	500		565			560					585	543	545	448	590	590	575	570	605	
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0					<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0					<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	12.7		10.0			9.33					9.66	8.19	8.23	8.12	7.91	7.96	8.07	7.85	7.91	
Fluoride	mg/L	<0.500		<0.200			<0.200					<0.500	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	
Sulfate as SO4	mg/L	347		353			343					317	314	316	335	319	326	314	324	312	
Total Organic Carbon (TOC)	mg/L	2.73		2.83			2.81					2.65	2.6	2.94	2.87	2.76	2.6	2.74	2.97	2.66	
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020					<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	
Ammonia as N ^	mg/L	NA		NA			NA					1.31	NA	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA		NA			NA					<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.050		<0.100			<0.250					<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250	<0.100	
Arsenic	mg/L	0.0008		<0.0010			0.0006					0.0005	<0.0010	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	
Cadmium	mg/L	<0.0001		<0.0002			<0.0001					<0.0001	<0.0002	<0.0002	<0.0003	<0.0005	<0.0003	<0.0015	<0.0025	<0.0010	
Copper	mg/L	0.0031		0.0066			0.0036					0.0037	0.0027	<0.0010	<0.0015	<0.0025	0.0015	0.0046	0.0047	0.0054	
Iron	mg/L	0.137		0.162			<0.250					0.130	0.108	<0.250	<0.250	<0.250	<0.150	0.113	<0.250	0.168	
Lead	mg/L	<0.0005		<0.0010			<0.0005					<0.0005	<0.0010	<0.0025	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	
Manganese	mg/L	0.0495		0.0383			0.0327					0.0377	0.0391	0.0393	0.0551	0.0546	0.0579	0.0412	0.0544	0.0443	
Mercury	mg/L	<0.0002		<0.0002			<0.0002					<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	
Molybdenum	mg/L	0.0005		<0.0010			<0.0005					<0.0005	<0.001	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	
Selenium	mg/L	<0.0020		<0.0020			0.0010					<0.0010	<0.0020	0.0020	<0.0030	<0.0050	0.0425	0.0037	0.0072	0.0264	
Silica (SiO2)	mg/L	12.1		12.4			12.8					12.6	12.2	11.9	12.9	12.1	13.5	13.2	13.6	13.7	
Silicon	mg/L	5.65		5.78			5.99					5.88	5.71	5.55	6.05	5.67	6.32	6.17	6.35	6.39	
Uranium	mg/L	0.0002		0.0002			0.0002					0.0001	<0.0010	<0.0025	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	
Zinc	mg/L	<0.0050		<0.0040			<0.0020					<0.0020	<0.0040	<0.0040	<0.0060	<0.0100	<0.0060	<0.0060	<0.0100	<0.0040	

**Notes & Definitions:**

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

### GCC Energy Hydrologic Monitoring Data

MW-8-LM																					
Year	2018	2019										2020				2021					
Quarter	Q4	Q1			Q2			Q3				Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	
Sample Date	12/28	1/29	2/19	3/21	4/16	5/29	6/18	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	11/30	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																					
Purge Flow Rate	gpm	NM	1.00	0.25	1.00	0.50	0.10	0.25	0.25	0.50	0.25	0.12	0.25	0.25	0.25	0.13	0.13	0.13	0.13	0.25	0.25
Total Purged	gal	30	4.0	1.5	1.0	2.0	1.3	6.8	2.0	2.0	1.0	1.0	1.5	1.0	1.0	2.0	1.0	2.0	1.5	1.0	1.0
Depth to Water	ft bgs	136.39	130.52	134.30	144.03	140.03	137.48	142.23	144.15	138.06	137.50	137.60	137.34	139.15	129.70	127.90	125.75	126.72	126.13	125.25	123.55
Temperature	deg C	4.1	13.9	13.2	8.7	13.6	13.9	12.8	13.7	13.4	13.0	11.7	13.3	11.4	13.4	13.6	8.8	12.1	12.8	13.5	12.5
pH	SU	8.37	8.70	8.71	8.41	8.70	8.50	8.66	8.64	8.58	8.44	8.47	8.47	7.98	8.76	8.83	8.81	8.82	8.90	8.90	8.91
Specific Conductance	µS/cm	2306	1274	1265	1310	1262	1234	1264	1226	1269	1252	1299	1255	1294	1282	1055	1117	1132	1121	1196	1262
Oxygen Reduction Potential	mV	37.5	-114.3	112.8	77.0	-36.2	33.2	-63.9	-93.5	-103.0	-115.9	-94.4	-47.4	-106.6	-204.5	-106.9	-93.6	-87.8	-164.1	-106.1	-99.3
Lab Analytical Results:																					
Hardness as CaCO3	mg/L	45.0		7.29			16.9			6.67			6.38	6.79	7.76	7.53	6.35	6.93	7.23	4.65	7.11
pH (Lab)	SU	8.57		8.63			8.02			8.56			8.52	8.55	8.41	8.45	8.48	8.54	8.57	8.48	8.31
Total Dissolved Solids (Lab)	mg/L	1420		770			780			785			780	840	730	740	700	795	720	740	760
Calcium	mg/L	10.8		1.93			3.84			1.78			1.68	1.77	2.09	2.05	1.71	1.87	1.92	1.86	1.88
Magnesium	mg/L	4.39		0.600			1.77			0.541			0.528	0.574	0.620	0.587	0.502	0.550	0.592	<0.500	0.587
Sodium	mg/L	382		341			317			306			305	309	315	337	304	319	315	308	291
Potassium	mg/L	45.7		3.49			<5.00			2.27			2.18	2.06	<5.00	<5.00	<5.00	<3.00	2.24	<5.00	2.12
Alkalinity, Total	mg/L	615		720			745			731			745	685	630	675	780	730	755	750	770
Alkalinity, Bicarbonate	mg/L	535		610			645			645			685	595	530	585	680	630	645	650	620
Alkalinity, Carbonate	mg/L	80.0		110			100			86.0			60.0	90	100	90	100	100	110	100	150
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	175		5.11			6.80			2.63			2.48	3.04	3.01	2.98	2.47	2.5	2.48	2.55	2.47
Fluoride	mg/L	2.06		3.91			3.95			3.97			3.88	3.61	3.63	3.53	3.66	3.58	3.48	3.67	3.40
Sulfate as SO4	mg/L	190		3.79			9.58			1.02			<1.00	<2.00	<2.00	<2.00	<1.00	<1.00	<1.00	<1.00	<1.00
Total Organic Carbon (TOC)	mg/L	2.80		1.80			3.33			1.94			1.69	1.69	1.92	1.82	1.66	1.2	1.71	1.79	1.60
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			0.282	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250	<0.100
Arsenic	mg/L	0.0106		<0.0010			0.0006			0.0007			0.0006	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0001	<0.0002	<0.0003	<0.0005	<0.0003	<0.0015	<0.0025	<0.0010
Copper	mg/L	0.0337		0.0077			0.0047			0.0041			0.0051	0.0033	0.0012	0.0017	<0.0025	0.0025	0.0057	0.0068	0.0065
Iron	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250	<0.100
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0010	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010
Manganese	mg/L	0.0258		0.0038			0.0150			0.0020			0.0026	0.0025	0.0029	0.0026	0.0028	0.0024	0.0021	0.0025	0.0023
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0142		<0.0010			0.0009			<0.0005			<0.0005	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010
Selenium	mg/L	0.0020		<0.0020			<0.0010			<0.0010			<0.0010	<0.0010	<0.0020	<0.0030	<0.0050	0.0031	<0.0030	<0.0050	<0.0020
Silica (SiO2)	mg/L	9.09		8.45			8.68			8.28			7.77	7.62	7.40	7.84	7.4	8.17	8.21	7.8	

### GCC Energy Hydrologic Monitoring Data

MW-8-PL																					
Year	2018	2019										2020				2021					
Quarter	Q4	Q1			Q2			Q3				Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	
Sample Date	12/27	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	11/30	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	
<b>Field Parameters:</b>																					
Purge Flow Rate	gpm	0.25	1.00	0.50	3.00	0.50	0.25	0.50	1.00	0.50	0.75	0.25	0.25	0.25	0.25	0.25	0.75	0.25	0.25	0.25	
Total Purged	gal	20.0	5.0	2.0	3.0	2.0	3.0	2.5	2.3	2.5	2.0	2.5	1.3	2.0	2.0	2.3	2.0	2.0	2.0	2.0	
Depth to Water	ft bgs	125.97	126.29	126.40	127.10	126.98	126.70	126.82	127.25	127.38	127.42	127.48	127.59	127.32	127.34	128.00	127.31	127.50	127.83	127.89	127.90
Temperature	deg C	10.3	14.2	13.4	12.9	13.2	14.2	14.8	14.7	14.9	14.0	13.2	14.9	13.8	14.8	14.9	14.1	12.9	14.6	14.8	13.4
pH	SU	7.50	7.30	7.49	7.30	7.29	7.31	7.57	7.56	7.52	7.45	7.47	7.52	7.55	7.47	7.52	7.52	7.53	7.58	7.55	7.57
Specific Conductance	µS/cm	1690	1531	1571	1558	1554	1411	1326	1165	1083	940	900	862	844	792	827	760	813	816	836	
Oxygen Reduction Potential	mV	30.2	-116.5	97.9	-108.7	-110.6	34.2	-57.6	-74.0	-79.5	-51.3	-52.5	-30.8	-59.9	-101.9	-38.0	-37.3	-11.5	-76.6	-64.4	-53.5
<b>Lab Analytical Results:</b>																					
Hardness as CaCO3	mg/L	617		644			596			411			294	278	298	292	268	281	283	280	272
pH (Lab)	SU	7.28		7.40			7.26			7.22			7.39	7.47	7.19	7.16	7.41	7.36	7.41	7.29	7.16
Total Dissolved Solids (Lab)	mg/L	1150		1090			995			705			620	500	490	525	465	525	505	475	465
Calcium	mg/L	112		120			105			73.1			52.1	49.3	53.8	53.3	49.1	52.2	53.3	53	51.1
Magnesium	mg/L	82.1		83.8			81.4			55.4			39.7	37.6	39.7	38.5	35.4	36.6	36.5	35.9	35.0
Sodium	mg/L	106		124			102			91.7			83.3	78.5	80.4	81.6	77.2	78.6	79.7	77.8	73.7
Potassium	mg/L	5.14		5.62			<5.00			2.80			2.35	2.32	2.11	<2.00	<2.00	1.78	1.73	<2.00	1.54
Alkalinity, Total	mg/L	370		415			435			393			390	339	340	315	410	370	385	360	385
Alkalinity, Bicarbonate	mg/L	370		415			435			393			390	339	340	315	410	370	385	360	385
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	18.8		18.5			9.03			5.61			5.66	3.51	3.38	3.33	3.32	3.39	3.30	3.33	3.38
Fluoride	mg/L	0.505		0.474			0.290			0.291			<0.500	0.258	0.240	0.233	0.224	0.219	0.200	0.222	0.196
Sulfate as SO4	mg/L	478		471			390			232			127	109	103	99.2	99	101	96.3	102	98.4
Total Organic Carbon (TOC)	mg/L	4.17		4.02			2.92			2.21			1.75	1.63	1.63	1.61	1.44	0.928	1.42	1.54	1.40
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			0.199	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.050	<0.100	<0.100	<0.100	<0.050	<0.050	<0.100	<0.050
Arsenic	mg/L	0.0074		0.0124			0.0190			0.0156			0.0104	0.0073	0.0075	0.0064	0.0058	0.0074	0.0055	0.0017	0.0051
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0002	<0.0001	<0.0002	<0.0002	<0.0001	<0.0010	<0.0010	<0.0005
Copper	mg/L	0.0016		0.0025			0.0017			0.0011			0.0004	0.001	<0.0025	<0.001	0.0014	0.0005	0.0013	<0.0010	0.0015
Iron	mg/L	<0.050		0.352			<0.250			0.129			0.075	0.054	<0.100	<0.100	<0.100	<0.050	<0.050	<0.100	0.070
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010	<0.0005
Manganese	mg/L	1.31		1.22			0.697			0.505			0.313	0.303	0.307	0.259	0.219	0.196	0.175	0.0772	0.161
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0090		0.0068			0.0020			0.0021			0.0017	0.0008	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010	<0.0005
Selenium	mg/L	0.0012		<0.0020			<0.0010			<0.0010			<0.0010	<0.001	<0.0010	<0.0020	<0.0020	0.0038	<0.002	<0.0020	0.0031
Silica (SiO2)	mg/L	14.1		16.3			17.7			18.5			18.0	18.9	18.7	19.9	18.5	20.1	21.5	20	20.8
Silicon	mg/L	6.58		7.64			8.28			8.67			8.42	8.82	8.75	9.28	8.66	9.40	10.00	9.37	9.71
Uranium	mg/L	0.0052		0.0040			0.0010			0.0009			0.0004	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.001	<0.0010	<0.0005
Zinc	mg/L	0.0344		<0.0040			<0.0020			<0.0080			<0.0020	<0.0020	<0.0100	<0.0040	<0.0040	<0.0020	<0.004	<0.0040	<0.0020

**Notes & Definitions:**

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.