

GCC Energy Hydrologic Monitoring Data

Hay Gulch Ditch Upgradient																																				
Year	2016										2017				2018				2019				2020				2021				2022					
Quarter	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1							
Month	3	4	5	6	7	8	9	10	11	12	1	2	3	6	9	11	2	5	8	11	2	5	8	11	2	5	8	12	2	6	9	11	3			
Sample Date	3/31	4/22	5/26	6/23	7/20	8/25	9/21	10/19	11/29	12/13	1/26	2/27	3/22	6/28	9/21	11/28	2/22	5/14	8/9	11/8	2/28	5/23	8/16	11/13	2/13	5/13	8/13	12/3	2/22	6/3	9/1	11/15	3/24			
Lab Analysis (Y/N)	Y	N	N	Y	N	N	Y	Y	Y	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y			
Field Parameters:																																				
Flow Rate	cfs	0.70	1.0	1.20	1.60	1.0	1.0	1.10	1.0	NM	1.0	NM	0.82	0.28	2.70	NM	NM	NM	0.60	0.70	0.70	0.25	3.63	1.17	NM	NM	0.92	0.13	1.02	0.06	0.16	NM	0.67	0.16		
Temperature	deg C	9.8	20.9	11.3	21.1	20.8	16.8	14.9	16.4	5.9	7.0	1.5	4.7	10.7	20.2	19.7	8.8	4.7	11.3	22.1	1.1	5.9	5.9	16.9	5.7	1.5	16.5	18.1	2.0	5.8	11.3	15.5	7.1	8.6		
pH	SU	7.75	8.27	7.95	8.15	8.24	8.26	8.47	8.19	8.79	8.58	8.2	8.69	8.77	8.88	8.39	7.60	7.9	7.58	9.07	7.16	6.4	7.53	8.03	7.33	7.75	8.39	8.65	8.08	7.83	7.75	8.07	6.94	7.11		
Specific Conductance	µS/cm	247	323	197	141	189	207	233	210	258	234	687	455	454	106	549	868	1041	304	307	307	752	306	275	682	902	314	528	434	1024	189	280	252	553		
Oxygen Reduction Potential	mV	76.4	114.7	97.2	51.6	53.6	82.8	72.5	105.9	92.4	116.3	66.3	-12	-10.6	23.8	86.1	95.10	-164.1	111.4	-181.3	13.9	103.7	-24.0	24.4	-22.4	-4.5	81.7	118.9	120.3	51.6	86.6	58.3	109.2	3.2		
Dissolved Oxygen	mg/L	8.1	6.4	8.0	6.0	6.5	6.9	7.2	4.7	6.7	6.1	10.6	9.0	6.9	4.8	6.7	9.3	9.4	8.5	6.4	10.2	8.0	8.9	7.8	7.9	7.0	7.5	8.4	10.4	8.7	8.5	7.1	9.2	8.5		
Lab Analytical Results:																																				
Hardness as CaCO3	mg/L	128			80.9				119						257	69.2	316	456	489	101	153	149	393	136	125	372	405	150	287	213	588	92.6	131	120	280	
pH (Lab)	SU	8.17			8.04				8.16						8.06	8.06	8.22	8.31	8.39	7.99	9.07	7.86	7.45	7.69	7.83	7.40	7.22	7.60	8.01	7.92	7.57	7.72	7.44	7.52	7.81	
Total Dissolved Solids (Lab)	mg/L	170			75				165						285	65.0	390	650	700	140	215	175	535	205	225	635	587	255	340	160	685	210	185	140	380	
Total Suspended Solids	mg/L	30.0			117				17.0						2.50	63.5	2.00	5.75	6.01	106	6.25	14.8	22.0	113	20.0	5.38	<4.0	140	19.5	13.2	55	133	51	13.2	13.4	
Calcium	mg/L	33.5			24				33.0						53.6	20.8	64.9	86.6	87.3	26.3	39.1	40.3	79.8	34.6	32.4	79.3	81.5	36.1	63.2	49.9	113	25.8	35.8	34.2	61.7	
Magnesium	mg/L	10.9			5.08				9.01						29.8	4.21	37.5	58.3	65.9	8.61	13.5	11.9	47.0	12.1	10.8	42.2	49	14.5	31.3	21.5	74.3	6.87	10.1	8.35	30.5	
Sodium	mg/L	4.46			2.19				3.90						10.9	1.97	13.8	27.1	34.6	3.31	5.33	5.00	19.1	7.24	5.81	25.4	30.9	7.67	10.9	8.39	34.3	2.71	3.97	3.53	13.8	
Potassium	mg/L	<1			<1				1.35						<1.00	1.75	2.15	3.05	3.52	1.18	1.24	<1.00	3.89	1.57	1.07	3.25	3.65	1.86	1.85	1.53	4.74	<1.00	3.28	<1.00	3.39	
Alkalinity, Total	mg/L	160			65				98.0						185	55.0	177	305	244	67	111	120	260	390	103	233	315	102	220	137	340	68	98	87.0	162	
Alkalinity, Bicarbonate	mg/L	160			65				94.0						185	55.0	161	285	244	67	107	120	260	390	103	233	295	102	220	131	340	68	98	87.0	162	
Alkalinity, Carbonate	mg/L	<10.0			<10.0				<10.0						<10.0	<10.0	16.0	20.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0			<10.0				<10.0						<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	5.77			2.07				4.32						22.7	1.76	30.8	48.2	46.7	3.12	6.70	5.58	48.1	7.75	6.04	22.8	31.6	9.64	24.5	14.8	85.9	3.17	5.23	3.44	32.3	
Fluoride	mg/L	0.213			0.208				0.223						0.215	0.195	0.265	0.283	0.285	0.224	0.272	0.224	0.252	0.208	0.214	<0.500	0.239	<0.500	0.226	0.226	0.235	0.188	0.227	0.179	0.178	
Sulfate as SO4	mg/L	42.1			17.7				29.0						87.7	15.0	99.0	179	229	34	49.7	45.0	128	47.2	35.6	107	151	44.0	86.3	64.4	211	26.4	42.2	40.0	95.5	
Total Organic Carbon (TOC)	mg/L	1.41			1.6				2.21						2.49	1.15	1.90	1.99	1.81	2.31	1.61	1.09	4.94	3.08	1.84	4.54	5.45	2.93	1.65	1.22	2.69	1.39	2.8	0.832	1.86	
Oil & Grease	mg/L	<5.00			<5.00				<5.00						<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	
Nitrate/Nitrite as N	mg/L	<0.02			0.028				<0.020						0.053	<0.020	0.045	0.088	0.105	0.026	<0.020	<0.020	0.263	0.050	0.072	0.104	0.044	0.302	0.042	0.026	0.282	0.049	0.026	<0.02	0.118	
Sodium Adsorption Ratio (SAR)	no unit	0.17			0.1				0.16						0.30	0.10	0.34	0.55	0.68	0.14	0.18	0.16	0.42	0.26	0.22	0.55	0.65	0.26	0.29	0.25	0.62	0.12	0.15	0.14	0.36	
Ammonia as N ^	mg/L	NA			NA				NA						NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.100	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA			NA				NA						NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.05			<0.05				<0.05						<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	
Arsenic	mg/L	<0.0005			<0.0005				<0.0005						0.0005	<0.0005	0.0009	0.0007	<0.0025	<0.0005	0.0009	<0.0005	0.0007	0.0006	0.0007	0.0005	0.0006	<0.0005	0.0007	<0.0005	0.0012	<0.0005	0.001	<0.0005	0.0005	
Cadmium	mg/L	<0.0001			<0.0001				<0.0001						<0.0001	<0.0001	<0.0001	<0.0001	<0.0005	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	
Copper	mg/L	0.0006			0.0011				0.0011						0.0008	0.0013	0.0006	0.0005	0.0007	0.0011	0.0011	0.0013	0.0026	0.0013	0.0012	0.0005	0.0005	0.0010	0.0006	0.0005	0.0007	0.0009	0.0012	0.0006	0.0011	
Iron	mg/L	<0.05			<0.05				<0.05						<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.255	0.055	<0.0500	0.316	0.551	<0.0500	<0.0500	0.103	<0.0500	<0.0500	<0.0500	<0.0500		
Lead	mg/L	<0.0005			<0.0005				<0.0005						<0.0005	<0.0005	<0.0005	<0.0005	<0.0025	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
Manganese	mg/L	0.0059			0.0035				0.0043						0.0070	0.0024	0.0098	0.0049	0.0049	0.0093	0.0016	0.0043	0.127	0.0349	0.0096	0.113	0.368	0.0297	0.0087	0.0047	0.149	0.0042	0.0156	0.0074	0.0337	
Mercury	mg/L	<0.0002			<0.0002				<0.0002						<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	
Molybdenum	mg/L	<0.0005			0.0009				0.0007						0.0006	0.0009	0.0012	0.0008	<0.0025	0.001	0.0012	0.0009	0.0011	0.0009	0.0011	0.0007	0.0005	0.0009	0.0009	0.0009	0.0009	0.0007	0.0009	0.0011	0.0008	0.0009
Selenium	mg/L	<0.0010			<0.0010				<0.0010						0.0023	<0.0010	<0.0010	0.0010	<0.0050	<0.0010	<0.0010	<0.0010	0.0017	<0.0010	<0.0010	<0.0010										

GCC Energy Hydrologic Monitoring Data

Hay Gulch Ditch Downgradient																																			
Year		2016										2017					2018				2019				2020				2021				2022		
Quarter		Q1		Q2		Q3		Q4		Q1		Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1				
Month	Sample Date	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12
Lab Analysis (Y/N)		3/31	4/22	5/26	6/23	7/20	8/25	9/21	10/19	11/29	12/13	1/26	2/27	3/22	4/19	5/17	6/14	7/12	8/9	9/6	10/4	11/1	11/29	12/27	1/24	2/21	3/18	4/15	5/13	6/10	7/8	8/5	9/2	10/1	10/29
		Y	N	N	Y	N	N	Y	N	Y	N	N	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Field Parameters:																																			
Flow Rate	cfs	1.10	1.20	1.10	NM	1.10	1.10	NM	0.80	NM	NM	NM	0.80	0.30	0.30	NM	dry	NM	NM	NM	0.50	0.25	0.30	1.05	NM	NM	1.50	0.13	NM	0.001	0.40	NM	0.67	0.060	
Temperature	deg C	11.8	17.6	10.9	21.9	21.3	18.8	16.1	11.8	7.0	6.6	7.2	5.0	12.7	17.6	18.7		6.3	11.3	20.6	4.7	6.88	8.23	15.15	3.51	3.73	14.21	20.4	6.83	10.37	13.35	10.47	4.00	9.21	
pH	SU	8.57	8.55	8.14	8.14	8.55	8.37	8.3	8.36	8.64	8.06	7.28	8.06	9.00	8.53	8.66		8.33	7.58	7.43	7.48	6.42	7.77	7.61	8.38	7.94	8.24	8.00	7.7	7.76	8.12	8.26	7.00	7.22	
Specific Conductance	µS/cm	429	530	297	116	308	257	1183	420	421	728	678	987	17	114	164		742	304	356	309	577	202	295	554	882	137	237	478	815	131	184	311	636	
Oxygen Reduction Potential	mV	57.5	105.9	33.2	32.5	68.6	38.4	18.7	88.6	117.5	155.2	147.6	-15.5	137.8	185.3	4.8		51.6	111.4	-10.0	-88.9	125.6	50.6	111.6	-108.1	124.2	104.8	103.0	127.8	-26.5	85.1	119.5	122.7	-85.2	
Dissolved Oxygen	mg/L	7.9	7.7	8.7	6.0	6.7	5.6	6.8	7.1	6.5	7.2	7.6	9.8	5.6	6.4	7.1	9.8	8.5	6.3	9.1	7.6	8.8	7.2	9.6	9.5	8.0	6.4	9.6	6.8	7.8	6.7	9.8	NM		
Lab Analytical Results:																																			
Hardness as CaCO3	mg/L	226			67.8			480		267				503	59.1	91.4	329	140	182	167	281	91.9	137	295	416	63.6	120	232	419	64.8	90.7	143	346		
pH (Lab)	SU	8.42			8.13			8.25		8.24				8.15	7.98	7.98	8.17	8.05	8.09	7.95	7.84	7.68	7.73	7.73	7.80	7.49	7.59	7.85	7.83	7.74	7.58	7.39	8.01		
Total Dissolved Solids (Lab)	mg/L	270			55			630		320				615	65.0	80.0	420	220	260	185	390	185	195	355	573	120	135	370	435	175	90	120	410		
Total Suspended Solids	mg/L	27.3			18			4.20		12.4				12.7	3.00	<0.500	49.5	<2	5.67	4.40	18.4	153.0	22.5	<4.00	4.20	17.5	28.6	10.5	28.0	8.4	4.8	5.44	18.3		
Calcium	mg/L	55.5			21.9			94.7		65.5				112	19.0	29.5	75.4	37.5	49.0	44.7	61.6	26.0	34.5	67.2	85.6	20.3	34.2	55.6	98.2	21.2	29.8	39.3	82.1		
Magnesium	mg/L	21.1			3.15			59.1		25.2				54.6	2.86	4.31	34.2	11.2	14.4	13.4	31	6.54	12.3	30.8	49.0	3.15	8.38	22.7	42.2	2.86	3.94	11.0	34.2		
Sodium	mg/L	8.69			1.57			16.8		10.7				22.5	1.49	2.37	18.1	5.42	6.49	5.15	16.5	5.03	6.62	17.0	28.5	1.90	3.68	9.03	15.8	1.14	1.75	4.71	16.4		
Potassium	mg/L	1.49			<1			4.48		1.46				2.33	<1.00	<1.00	2.84	1.14	1.58	1.34	3.13	1.31	1.27	2.60	3.81	<1.00	1.36	1.89	3.75	<1.00	1.02	1.30	2.89		
Alkalinity, Total	mg/L	220			59			220		225				320	47.0	85.0	265	112	170	140	150	340	140	194	297	48	110	158	315	52	72	116	282		
Alkalinity, Bicarbonate	mg/L	220			59			140		155				320	47.0	85.0	259	104	170	140	150	340	140	188	283	48	110	154	315	52	72	116	282		
Alkalinity, Carbonate	mg/L	<10			<10			80.0		70				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	14.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0		
Alkalinity, Hydroxide	mg/L	<10			<10			<10		<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	9.40			1.26			97.9		12				31.9	<1.00	1.54	23.1	7.54	7.47	5.69	40.2	16.9	7.65	14.8	30.7	1.87	4.42	17.1	59	1.16	1.21	5.07	15.0		
Fluoride	mg/L	0.244			0.195			0.244		0.227				0.224	0.290	0.227	0.308	0.228	0.295	0.228	0.232	0.205	0.218	0.252	0.272	0.185	0.224	0.244	0.246	0.195	0.216	0.185	0.257		
Sulfate as SO4	mg/L	68.1			13.5			144		89.5				204	11.3	17.9	86.5	40.2	46.8	45.0	91.4	18.5	42.7	83.3	143	14.2	32.4	70.2	90.1	17.3	25.7	46.3	74.7		
Total Organic Carbon (TOC)	mg/L	1.53			1.4			3.48		1.65				2.31	2.16	0.932	1.56	1.28	1.33	1.76	2.90	2.37	2.10	3.26	4.53	1.39	1.47	1.55	2.31	1.18	1.48	1.12	1.42		
Oil & Grease	mg/L	<5			<5			<5		<5.00				<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00		
Nitrate/Nitrite as N	mg/L	<0.02			0.026			0.027		<0.020				<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.17	0.146	0.090	<0.020	0.056	0.031	0.053	<0.020	0.148	0.021	<0.020	<0.020	0.041		
Sodium Adsorption Ratio (SAR)	no unit	0.25			0.03			0.33		0.28				0.44	0.08	0.11	0.43	0.2	0.20	0.17	0.43	0.22	0.24	0.41	0.61	0.10	0.14	0.26	0.34	0.06	0.08	0.17	0.38		
Ammonia as N ^	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.05			<0.05			<0.05		<0.050				<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	
Arsenic	mg/L	0.0005			<0.0005			0.0015		0.0006				0.0006	0.0005	0.0006	0.0005	0.0005	0.0008	<0.0005	0.0006	0.0006	0.0006	0.0005	0.0006	<0.0005	0.0007	<0.0005	0.0013	<0.0005	0.0007	<0.0005	<0.0005		
Cadmium	mg/L	<0.0001			<0.0001			<0.0001		<0.0001				<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	
Copper	mg/L	0.0004			0.0016			0.0012		0.0005				0.0004	0.0020	0.0013	0.0005	0.0008	0.0008	0.0008	<0.0010	0.0021	0.0009	0.0007	0.0006	0.0014	0.0009	0.0005	0.0006	0.0011	0.001	0.0007	0.0009		
Iron	mg/L	<0.05			<0.05			<0.05		<0.050				<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	
Lead	mg/L	<0.0005			<0.0005			<0.0005		<0.0005				<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
Manganese	mg/L	0.0039			0.0044			0.0059		0.0063				0.0112	0.0009	0.0010	0.0962	0.0038	0.0445	0.0102	0.048	0.0125	0.0033	0.0102	0.0286	0.0012	0.0046	0.0116	0.133	0.0011	0.0021	0.0124	0.0082		
Mercury	mg/L	<0.0002			<0.0002			<0.0002		<0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0005	<0.0002	<0.0002	<0.0002	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001		
Molybdenum	mg/L	<0.0005			0.0008			0.0013		0.0007				<0.0005	0.0009	0.0011	0.0010	0.0011	0.0012	0.0010	0.001	0.0011	0.0012	0.0007	0.0006	0.0008	0.0012	0.0009	0.0009	0.0009	0.001	0.0009	0.0010		
Selenium																																			

GCC Energy Hydrologic Monitoring Data

Well #1 Upgradient																																		
Year	2016												2017				2018				2019				2020				2021				2022	
Quarter	Q1	Q2			Q3			Q4			Q1		Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1		
Month	3	4	5	6	7	8	9	10	11	12	1	2	3	6	9	11	2	5	8	11	2	5	8	12	2	5	8	11	3					
Sample Date	3/30	4/27	5/26	6/23	7/19	8/24	9/21	10/24	11/30	12/14	1/18	2/27	3/22	6/28	9/28	11/29	2/22	5/14	8/9	11/7	2/25	5/23	8/16	11/14	2/13	6/1	8/31	12/14	2/11	5/19	8/12	11/12	3/1	
Lab Analysis (Y/N)	Y	N	N	Y	N	N	Y	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Field Parameters:																																		
Purge Flow Rate	gpm	1.5	7.9	7.1	5.8	7.1	7.4	6.8	7.5	9.3	7.5	7.7	7.5	8.2	7.0	7.1	7.5	7.2	7.2	10	7.2	10.0	8.3	11.0	6.5	8.0	10.0	8.0	8.0	8.0	8.0	8.0	4.0	8.0
Total Purged	gal	306	522	870	297	280	284	288	300	280	295	298	297	291	286	259	287	268	280	267	305	300	321	327	293	314	300	291	280	302	324	300	400	300
Depth to Water	ft bgs	4.40	5.07	4.60	4.95	5.55	6.30	6.03	5.73	5.69	5.08	4.30	3.80	3.82	4.50	5.51	5.50	5.40	5.77	5.65	6.50	5.98	4.50	5.68	6.08	5.55	4.17	6.25	3.72	6.48	5.82	7.25	6.55	6.47
Temperature	deg C	8.8	13.1	11.9	14.2	14.1	12.7	12.5	12.6	10.6	11.3	10.9	10.4	11.2	11.9	11.8	11.6	11.5	11.7	12.0	12.5	11.7	11.5	11.8	12.9	11.6	12.1	12.3	11.5	11.6	12.2	12.3	12.0	12.0
pH	SU	7.77	7.57	7.46	7.6	7.69	7.59	7.67	7.77	7.72	7.68	7.6	7.67	7.67	7.59	7.6	7.58	7.56	7.49	7.35	7.34	7.44	7.39	7.37	7.32	7.37	7.38	7.57	7.6	7.54	7.56	7.59	7.57	7.46
Specific Conductance	µS/cm	1224	1199	1284	1246	1226	1143	1176	1223	1280	1305	1392	1415	1351	1159	1162	1241	1278	1218	1289	1204	1235	1308	1253	1232	1277	1268	1067	1190	1142	1235	1212	1301	1235
Oxygen Reduction Potential	mV	-123.1	-162.2	-142.5	-185.4	-156.6	-196.8	-140.6	-148.9	-152.9	-141.0	-143.6	-125.6	-132.2	-201	-176.9	-213.20	-185.3	-219.3	-251.6	-273.0	-232.0	-194.0	-192.0	-159.9	-193.0	-221.7	-187.2	-138.1	-153.4	-208.9	-202.5	-272.2	-306.3
Lab Analytical Results:																																		
Hardness as CaCO3	mg/L	230			306			216			271			391	277	215	280	274	275	369	287	252	350	303	263	290	319	255	247	298	313	236	286	271
pH (Lab)	SU	7.73			7.57			7.58			7.59			7.46	7.74	7.66	7.56	7.75	7.95	7.48	7.50	7.77	7.56	7.23	7.35	7.12	7.26	7.53	7.72	7.39	7.33	7.47	7.23	7.51
Total Dissolved Solids (Lab)	mg/L	760			745			735			725			775	725	705	790	745	770	835	730	735	860	780	705	700	775	710	690	755	785	750	745	725
Calcium	mg/L	44.0			59.7			42.4			51.7			75.7	54.0	41.6	55.6	53.4	53.8	71.5	56.7	49.1	67.8	58.2	51.5	56.5	61.6	49.6	47.4	58.1	60.9	45.4	54.8	53.3
Magnesium	mg/L	29.1			38.2			26.7			34.5			49.1	34.6	27.1	34.4	34.2	34.1	46.4	35.4	31.4	43.8	38.3	32.7	36.1	40.0	31.7	31.1	37.2	39.1	29.8	36.1	33.5
Sodium	mg/L	199			196			210			189			167	189	203	195	183	191	154	212	196	172	167	198	183	178	193	196	204	172	177	182	185
Potassium	mg/L	3.00			3.15			3.01			3.01			3.30	3.00	3.09	2.99	3.09	3.03	3.16	3.15	3.01	3.32	3.01	3.01	<5	3.05	3.05	3.02	<5.00	3.00	<5.00	<5.00	2.93
Alkalinity, Total	mg/L	610			660			620			615			640	585	670	625	620	595	630	640	610	615	615	590	600	576	520	605	570	620	600	770	640
Alkalinity, Bicarbonate	mg/L	570			660			620			615			640	585	670	625	620	595	630	640	610	615	615	590	600	576	520	587	570	620	600	770	640
Alkalinity, Carbonate	mg/L	40.0			<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0			<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	4.33			6.12			4.30			4.44			4.53	4.32	6.21	4.39	4.30	4.35	4.34	4.23	4.35	4.59	4.36	6.19	4.76	4.76	4.62	4.34	4.27	4.91	4.89	4.93	4.46
Fluoride	mg/L	0.347			<0.5			0.353			0.337			0.337	0.362	<0.500	0.358	0.354	0.335	0.390	0.359	0.355	0.349	0.335	<0.500	0.348	0.366	0.356	0.342	0.311	0.338	0.35	0.284	0.349
Sulfate as SO4	mg/L	90.1			108			83.8			117			156	97.4	74.0	101	106	97.2	147	89.9	91.4	131	112	92.1	104	110	79.6	87.9	102	110	98.5	122	96.4
Total Organic Carbon (TOC)	mg/L	2.54			3.3			2.80			3.18			3.84	5.82	2.84	3.33	3.37	3.5	3.94	3.35	3.31	3.70	3.53	3.14	3.29	3.37	3.32	3.17	3.26	3.27	3.23	3.23	3.04
Nitrate/Nitrite as N	mg/L	<0.020			<0.020			<0.020			<0.200			<0.020	<0.400	<0.400	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA			NA			NA			NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.931	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA			NA			NA			NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.0590	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050			<0.050			<0.050			<0.050			<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.100	<0.250	<0.050	<0.150	<0.050	<0.250	<0.050	<0.250	<0.250	<0.050
Arsenic	mg/L	<0.0005			<0.0005			<0.0005			<0.0005			0.0009	<0.0005	<0.0005	<0.0005	0.0005	0.0005	0.0005	<0.0005	0.0005	0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0010	0.0008	<0.0025	0.0005	<0.0005	<0.0025	<0.0005
Cadmium	mg/L	<0.0001			<0.0001			<0.0001			<0.0001			<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	mg/L	0.0035			0.003			0.0021			0.0041			0.0020	0.0020	0.0030	0.0027	0.0035	0.003	0.0022	0.0025	0.0042	0.0015	0.0019	0.0012	0.0017	0.0017	0.0021	0.0007	<0.0025	0.0039	0.0038	0.0059	0.0053
Iron	mg/L	1.20			1.51			0.946			1.64			2.01	1.34	0.101	1.44	1.44	1.39	1.98	1.52	1.26	1.74	1.58	1.41	1.49	1.53	1.24	1.7	1.66	1.69	1.19	1.43	1.25
Lead	mg/L	<0.0005			<0.0005			<0.0005			<0.0005			<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0010	<0.0005	<0.0025	<0.0005	<0.0005	<0.0025	<0.0005	
Manganese	mg/L	0.267			0.344			0.221			0.312			0.491	0.315	0.202	0.311	0.307	0.306	0.498	0.286	0.355	0.439	0.428	0.354	0.366	0.369	0.297	0.297	0.414	0.388	0.308	0.387	0.325
Mercury	mg/L	<0.0002			<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	
Molybdenum	mg/L	<0.00																																

GCC Energy Hydrologic Monitoring Data

		Well #2 Downgradient																																		
Year		2016										2017					2018					2019				2020				2021				2022		
Quarter		Q1		Q2		Q3			Q4			Q1		Q2	Q3	Q4		Q1		Q2	Q3	Q4	Q1		Q2	Q3	Q4	Q1		Q2	Q3	Q4	Q1			
Month		3	4	5	6	7	8	9	10	11	12	1	2	3	6	9	11	2	5	8	8	11	2	5	8	11	2	5	8	12	2	5	8	11	2	
Sample Date		3/30	4/21	5/25	6/23	7/19	8/24	9/20	10/19	11/30	12/14	1/26	2/27	3/22	6/13	9/21	11/28	2/22	5/7	8/8	8/9	11/7	2/27	5/22	8/16	11/13	2/6	6/1	8/26	12/14	2/11	5/19	8/12	11/10	2/28	
Lab Analysis (Y/N)		Y	N	N	Y	N	N	Y	N	Y	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																																				
Purge Flow Rate	gpm	0.50	0.50	0.50	0.50	0.50	0.50	0.50	NM	7.20	2.00	NM	NM	NM	NM	NM	0.1	1.00	0.10	1.00	0.50	0.25	0.50	0.25	0.50	0.25	0.25	0.25	0.13	0.50	0.25	0.25	0.25	0.25	0.25	0.25
Total Purged	gal	7	6	7	7	6	6	6	6	6	6	8	8	6	8	8	6	11	2	6.5	7.5	13	10	9	8	12	8	7	7	12	9	7	12	6		
Depth to Water	ft bgs	3.69	3.17	4.25	1.42	4.17	4.17	5.50	6.4	4.7	5	3.95	2.74	6.35	0.95	4.85	5.68	6.68	7.4	6.65	6.59	5.17	5.85	0.92	3.60	5.20	5.60	4.00	6.29	7.48	8.10	8.70	8.32	8.75	9.14	
Temperature	deg C	6.3	10.1	13.5	18.4	19.8	14.0	14.1	13.3	10.4	12.4	7.0	4.4	8.4	17.1	12.1	11.7	9.8	8.9	14.0	11.1	11.9	9.1	8.1	10.5	11.5	10.4	9.1	11.5	11.0	9.8	9.4	11.2	12.1	10.1	
pH	SU	7.58	7.6	7.6	7.64	7.68	7.73	7.53	7.66	7.66	7.71	7.57	7.68	7.78	7.56	7.66	7.52	7.59	7.48	7.84	7.20	7.15	7.41	7.34	7.23	7.19	7.32	7.41	7.44	7.56	7.50	7.54	7.57	7.53	7.53	
Specific Conductance	µS/cm	899	867	804	600	369	815	877	881	904	872	908	1193	921	633	852	879	887	847	828	895	955	960	1091	1051	1083	1083	1134	1017	1099	964	939	1038	1073	1050	
Oxygen Reduction Potential	mV	-9.4	-13.7	-35.7	-66.9	-112.1	-76.3	-88.3	-82	-72.7	-81.1	-66.8	-55.7	-67	-54.3	-53.7	-63.70	-44.9	-34	-75.6	-127	-91.9	48.4	-57.8	-30.1	-5.5	25.3	-51.3	19.9	3.2	-4.8	-48.3	-26.0	-33.5	-94.0	
Lab Analytical Results:																																				
Hardness as CaCO3	mg/L	444			314			452		432				485	352	378	449	412	415	422	415	465	488	537	513	603	540	575	560	569	624	529	503	521	500	
pH (Lab)	SU	7.63			7.66			7.48		7.55				7.72	7.6	7.51	7.51	7.62	7.6	7.61	7.45	7.50	7.5	7.4	7.04	7.12	7.20	7.09	7.3	7.2	7.17	7.15	7.32	7.24	7.57	
Total Dissolved Solids (Lab)	mg/L	685			470			525		495				635	415	525	540	515	545	545	575	550	575	695	655	690	695	730	665	685	660	655	685	655	605	
Calcium	mg/L	72.2			54.9			75.9		72.7				81.0	60.9	64.8	78.0	70.1	70.2	72.7	70.4	78.7	81.3	87.1	83.3	99.4	87.2	92.2	90.1	90	97.9	81.2	76.8	80.1	76.0	
Magnesium	mg/L	63.9			43.1			63.8		60.8				68.7	48.5	52.6	61.8	57.4	58.2	58.4	58.2	65.2	69.2	77.6	74.0	86.3	78.2	83.7	81.3	83.7	92.2	79.2	75.6	77.9	75.3	
Sodium	mg/L	22.2			16.5			19.8		20.7				21.8	16.1	17.0	20.1	19.4	19.2	19.6	19.1	21.3	22.1	23.4	21.4	25.5	23.3	24.5	23.8	24.5	26.9	23.4	23.1	23.3	23.3	
Potassium	mg/L	2.04			2.1			2.16		2.05				1.94	2.22	1.64	2.19	1.76	1.68	2.00	1.82	2.08	1.97	1.94	2.06	2.40	2.04	2.00	2.06	2.22	<5.00	1.94	<5.00	2.12	2.01	
Alkalinity, Total	mg/L	342			280			380		380				375	285	395	375	333	350	380	328	340	395	460	365	348	324	324	345	341	385	375	380	540	372	
Alkalinity, Bicarbonate	mg/L	338			280			380		380				375	285	395	375	333	350	380	328	340	395	460	365	348	324	324	345	333	385	375	380	540	372	
Alkalinity, Carbonate	mg/L	<10.0			<10.0			<10.0		<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0			<10.0			<10.0		<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	35.8			6.8			27.4		26.2				23.3	7.11	19.0	23.4	24.7	27.2	34.5	34.1	39.3	40.1	42.9	45.2	47.2	48.9	50.3	44.8	44.6	46	45.9	37	44.3	41.1	
Fluoride	mg/L	0.230			0.298			0.272		0.256				0.228	0.313	0.263	0.246	0.244	0.224	0.259	0.281	0.263	0.244	0.246	0.221	<0.500	<0.500	<0.500	0.254	0.248	0.216	0.236	<0.500	0.210	0.251	
Sulfate as SO4	mg/L	129			70			114		117				153	75.2	98.4	94.7	104	102	112	111	137	138	196	189	182	199	230	204	199	186	176	187			
Total Organic Carbon (TOC)	mg/L	3.34			14			2.64		3.4				3.52	3.56	2.61	2.25	2.10	2.02	2.06	1.93	2.08	1.87	2.69	2.28	1.99	1.80	1.84	1.87	1.74	2.18	1.74	1.77	1.73	1.73	
Nitrate/Nitrite as N	mg/L	0.042			<0.02			<0.02		0.089				<0.020	<0.02	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	
Ammonia as N ^	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.100	NA	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	0.156			<0.05			<0.05		<0.050				<0.050	<0.05	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.100	<0.050	<0.250	<0.050	<0.250	<0.05	<0.050	
Arsenic	mg/L	0.0008			0.0015			0.0010		0.0013				0.0009	0.0017	0.0006	0.0011	0.0010	0.0009	0.0012	0.0012	0.0010	0.0012	0.0011	0.0012	0.0012	0.0011	0.0009	<0.001	0.0013	<0.0025	0.0009	0.0012	<0.0025	0.0007	
Cadmium	mg/L	<0.0001			<0.0001			<0.0001		<0.0001				<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	
Copper	mg/L	0.0004			0.0005			0.0003		0.0051				0.0007	0.0002	0.0004	0.0001	0.0056	0.0002	0.0006	0.0004	0.0003	0.0001	0.0016	0.0003	0.0002	<0.0005	<0.0005	<0.0010	<0.0005	<0.0025	0.0006	0.0005	<0.0025	<0.0005	
Iron	mg/L	0.081			0.085			0.118		<0.050				0.213	<0.050	<0.050	0.074	0.060	0.073	0.089	0.163	0.082	0.062	0.116	0.105	0.119	0.094	0.107	0.109	0.159	<0.250	<0.050	<0.250	0.076	<0.050	
Lead	mg/L	<0.0005			<0.0005			<0.0005		0.0078				<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.0005	<0.0025	<0.0005	<0.0005	<0.0025	<0.0005	
Manganese	mg/L	0.497			0.54			0.354		0.359				0.384	0.259	0.307	0.309	0.304	0.306	0.349	0.375	0.320	0.423	0.504	0.404	0.427	0.454	0.444	0.412	0.441	0.422	0.401	0.389	0.438	0.403	
Mercury	mg/L	<0.0002			<0.0002			<0.0002		<0.0002				<																						

GCC Energy Hydrologic Monitoring Data

Wiltse Well																																																																		
Year	2016												2017					2018				2019				2020				2021				2022																																
Quarter	Q1			Q2			Q3			Q4			Q1		Q2		Q3		Q4		Q1		Q2		Q3		Q4		Q1		Q2		Q3		Q4		Q1																													
Month	3		4		5		6		7		8		9		10		11		12		1		2		3		4		5		6		7		8		9		10																											
Sample Date	3/31		4/27		5/25		6/23		7/19		8/24		9/20		10/24		11/29		12/13		1/18		2/27		3/21		6/13		9/28		11/28		2/22		5/16		8/9		11/8		2/28		5/23		8/19		11/11		2/17		5/13		8/12		12/15		2/24		5/21		8/11		11/3		3/1	
Lab Analysis (Y/N)	Y		N		N		Y		N		N		Y		N		Y		N		Y		N		Y		Y		Y		Y		Y		Y		Y		Y		Y		Y		Y		Y		Y		Y															
Field Parameters:																																																																		
Purge Flow Rate	gpm	150.0	38.5	23.4	18.6	19.9	17.3	15.8	17.0	10.6	18.1	39.5	39.6	39.6	NM	18.3	23.5	11.9	12.0	18.5	12.3	28.0	38.0	18.0	17.0	35.0	24.4	16.0	18.0	15.0	12.5	8.5	24.0	18.0																																
Total Purged	gal	5850	4228	4229	3686	2844	2979	2637	2724	2992	2916	3595	3580	3560	2980	2712	2423	2700	2890	2783	2747	3017	3200	3010	3058	3825	3495	3200	3030	2920	3000	1800	2800	2900																																
Depth to Water	ft bgs	0.35	0.00	0.85	2.15	2.99	2.60	3.32	6.85	1.90	1.95	0.30	0.00	0.00	2.05	3.40	3.40	3.35	3.93	4.13	3.78	2.40	0.05	2.47	2.68	0.43	1.60	3.18	5.65	3.64	3.70	4.55	4.10	4.70																																
Temperature	deg C	6.7	8.8	10.4	10.7	11.5	12.1	11.5	11.0	9.1	8.8	7.6	7.2	7.5	10.3	11.3	9.7	8.0	10.2	11.7	10.4	8.0	9.3	10.7	9.9	6.7	9.8	11.7	8.7	8.9	9.9	11.3	10.8	9.5																																
pH	SU	7.22	7.32	7.34	7.26	7.26	7.24	7.22	7.22	7.32	7.29	7.2	7.17	7.12	7.41	7.27	7.3	7.26	7.13	7.04	7.07	7.17	7.08	7.09	7.09	7.01	7.12	7.22	7.26	7.25	7.23	7.33	7.23	7.17																																
Specific Conductance	µS/cm	2043	1633	1805	1768	1478	1602	1941	1937	2014	2036	2262	2276	2085	1869	2074	2190	2232	2144	2072	2167	2170	2151	1964	1970	2171	2017	1450	1984	1739	1789	2012	2038	1965																																
Oxygen Reduction Potential	mV	105.6	17.9	20.1	38.5	26.9	20.0	28.6	21.6	13.7	20.9	3.2	18.3	6.0	13.3	19.5	19.2	14.3	29.9	-52.7	-18.8	22.7	-10.6	-23.7	51.9	49.33	71.9	72.2	73.7	6.9	31.2	41.5	50.5	-26.1																																
Lab Analytical Results:																																																																		
Hardness as CaCO3	mg/L	990			1050			1030			963			1040	1060	1140	1150	1090	1160	1130	1180	1150	1080	1080	1060	982	1060	1070	1130	1090	1070	1080	1080	1070																																
pH (Lab)	SU	7.22			7.34			7.29			7.36			7.22	7.46	7.30	7.33	7.70	8.35	7.22	7.42	7.38	7.35	7.11	7.09	7.12	7.09	7.29	6.86	7.27	6.98	7.25	7.52	7.25																																
Total Dissolved Solids (Lab)	mg/L	1580			1480			1520			1520			1480	1510	1680	1740	1740	1740	1750	1720	1710	1670	1520	1480	1600	1560	1580	1540	1550	1500	1580	1640	1520																																
Calcium	mg/L	197			208			206			186			205	211	219	226	211	216	221	230	226	214	214	208	191	206	206	215	208	199	206	209	208																																
Magnesium	mg/L	121			128			126			121			128	129	143	142	136	150	139	147	143	132	132	132	123	132	136	144	138	140	136	136	133																																
Sodium	mg/L	95.9			75.2			80.7			82.4			110	87.5	80.7	83.4	80.4	82.3	79.1	81.2	83.2	89.4	72.4	67.3	68.1	69.1	64	67.5	65.1	61.1	61.6	63.6	61.0																																
Potassium	mg/L	4.64			4.56			4.90			4.42			4.61	4.79	4.62	<5.00	4.73	4.98	5.01	5.00	5.01	4.77	4.92	4.85	4.33	<5.00	4.48	4.54	<5.00	4.35	<5.00	4.41	4.42																																
Alkalinity, Total	mg/L	460			500			470			450			410	445	510	475	445	435	463	505	515	469	474	460	460	431	475	470	480	480	480	520	505																																
Alkalinity, Bicarbonate	mg/L	440			500			470			450			410	445	510	475	445	435	463	505	515	469	474	460	460	431	475	470	480	480	480	520	505																																
Alkalinity, Carbonate	mg/L	20.0			<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0																																
Alkalinity, Hydroxide	mg/L	<10.0			<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0																																
Chloride	mg/L	81.0			76.3			62.3			70.1			72.5	72.5	68.7	68.9	66.7	60	57.2	57.5	67.2	67.8	49.9	48.2	57.7	51.8	58.1	57.9	54.8	52.3	49	52.4	49.8																																
Fluoride	mg/L	0.285			<0.5			<0.5			0.3			<0.500	0.332	<0.500	<0.500	<0.500	<0.500	0.298	0.324	0.306	<0.500	<0.500	<0.500	<0.500	<0.500	0.304	0.292	0.276	0.28	<0.500	0.280	0.286																																
Sulfate as SO4	mg/L	671			595			656			676			731	702	779	772	832	714	733	741	801	709	627	627	711	633	704	728	683	661	679	697	688																																
Total Organic Carbon (TOC)	mg/L	3.54			4.1			3.15			3.02			3.40	3.54	3.34	3.26	3.37	3.5	3.51	3.63	3.82	4.87	4.27	3.30	4.22	3.80	3.69	3.43	3.29	3.33	3.48	3.37	3.21																																
Nitrate/Nitrite as N	mg/L	0.456			0.891			1.08			0.965			0.492	1.07	1.80	1.94	2.26	2.48	2.26	1.99	1.95	0.651	0.896	1.31	1.05	0.865	1.25	1.48	1.82	1.49	2.06	1.87	1.69																																
Ammonia as N ^	mg/L	NA			NA			NA			NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA																																
Ortho-Phosphate as P ^	mg/L	NA			NA			NA			NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA	NA																																
Aluminum	mg/L	<0.05			<0.05			<0.05			<0.050			<0.050	<0.1	<0.050	<0.250	<0.100	<0.050	<0.050	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.250	<0.100	<0.050	<0.250	<0.050	<0.250	<0.100	<0.050																																
Arsenic	mg/L	<0.0025			<0.0025			0.0005			0.0008			0.0009	0.0006	0.0005	0.0029	0.0009	0.0006	<0.0025	<0.001	<0.0010	0.0006	<0.0010	<0.0010	<0.0010	<0.00025	<0.0010	0.0005	<0.0025	<0.0025	<0.0025	<0.0010	<0.0005																																
Cadmium	mg/L	<0.0005			<0.0005			<0.0005			<0.0001			<0.0001	<0.0001	<0.0001	<0.0005	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0002	<0.0002	<0.0002	<0.0005	<0.0002	<0.0001	<0.0005	<0.0025	<0.0025	<0.0025	<0.001	<0.0005																															
Copper	mg/L	0.0018			0.0024			0.0020			0.0038			0.0023	0.0019	0.0025	0.0097	0.0020	0.0019	0.0018	0.0030	0.002	0.0021	0.0021	0.0012	0.0020	<0.0025	0.0013	0.0006	0.0028	<0.0025	<0.0025	0.0033	0.0031																																
Iron	mg/L	0.100			<0.05			0.060			0.136			0.286	0.161	<0.050	<0.250	0.132	0.151	0.125	0.121	0.151	0.379	0.287	0.209	0.285	<0.250	<0.100	0.216	<0.250	0.304	<0.250	0.154	0.129																																
Lead	mg/L	<0.0025			<0.0025			<0.0025			<0.0005			<0.0005	<0.0005	<0.0005	<0.0025	<0.0005	<0.0005	<0.0005	<0.001	<0.0010	<0.0005	<0.0010	<0.0010	<0.0010	<0.0025	<0.0010	<0.0005	<0.0025	<0.0025	<0.0025	<0.0010	<0.0005																																
Manganese	mg/L	0.673																																																																

GCC Energy Hydrologic Monitoring Data

MW-HGA-4																																		
Year	2016	2017												2018				2019				2020				2021				2022				
Quarter	Q4	Q1			Q2			Q3			Q4			Q1		Q2	Q3	Q4	Q1		Q2	Q3	Q4	Q1		Q2	Q3	Q4	Q1					
Month	12	1	2	3	4	5	6	7	8	9	10	11	12	1	2	5	8	11	2	5	8	11	2	5	8	12	2	5	8	11	2			
Sample Date	12/12	1/26	2/28	3/22	4/27	5/31	6/13	7/27	8/16	9/21	10/27	11/28	12/12	1/3	2/22	5/15	8/9	11/8	2/28	5/23	8/16	11/13	2/13	5/13	8/26	12/14	2/22	5/19	8/12	11/12	2/28			
Lab Analysis (Y/N)	Y	N	N	Y	N	N	Y	N	N	Y	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y			
Field Parameters:																																		
Purge Flow Rate	gpm	0.5	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	9.40	NM	0.1	1.5	2.00	1.00	1.12	1.00	1.00	0.25	1.00	0.25	0.25	0.13	0.25	0.13	0.25	0.25	0.25
Total Purged	gal	21	21	21	21	21	19.5	20	20	21	21	21	24	19	21	21	19	21	24	22	21	21	22	21	20	21	21	21	21	20	22	21	21	
Depth to Water	ft bgs	0.73	0.57	0.60	0.83	0.94	2.06	2.53	3.25	2.65	3.31	3.31	1.76	4.31	1.37	0.55	2.60	3.98	1.90	0.49	0.42	1.95	1.15	0.38	2.36	3.80	1.75	0.90	2.91	3.95	2.33	0.95		
Temperature	deg C	7.3	4.8	6.4	8.1	7.2	9.9	8.4	8.6	8.8	9.0	9.2	9.0	9.3	8.8	7.8	8.1	8.7	8.8	7.6	7.7	8.5	8.8	7.9	7.4	9.2	8.6	7.8	8.2	8.9	9.2	8.3		
pH	SU	7.29	7.36	7.40	7.41	7.33	7.36	7.40	7.36	7.35	7.33	7.31	7.27	7.27	7.33	7.30	7.18	7.27	7.05	7.15	7.18	7.16	7.09	7.12	7.23	7.28	7.31	7.29	7.34	7.37	7.31	7.25		
Specific Conductance	µS/cm	1284	1257	1201	1155	1153	1113	1055	1099	1050	1124	1072	1171	1160	1141	1154	1098	1057	1167	1183	1102	1083	1127	1122	1093	1022	1158	975	1093	1108	1160	1197		
Oxygen Reduction Potential	mV	-72.1	-86.6	-105.1	-104.4	-74.5	-91.3	-134.7	-137.6	-131.0	-139.5	-77.3	-157.9	-70.1	-96.6	-157.3	-130.9	-230.8	-190.9	-128.3	-140.7	-130.9	-104.9	-107.8	-86.7	-61.1	-64.7	-67.9	-116.8	-104.9	-105.8	-185.5		
Lab Analytical Results:																																		
Hardness as CaCO3	mg/L	724			611			616				522		595		561	555	524	625	613	563	544	624	563	528	571	612	630	582	515	627	598		
pH (Lab)	SU	7.30			7.17			7.31				7.25		7.21		7.58	8.15	7.33	7.12	7.2	8.17	6.95	6.88	6.78	6.89	7.07	6.95	7.38	6.89	7.05	7.03	7.22		
Total Dissolved Solids (Lab)	mg/L	855			710			715				750		775		740	730	695	770	795	695	695	715	705	685	700	665	685	680	735	790	790		
Calcium	mg/L	147			118			121				102		118		110	108	102	124	122	110	106	123	112	101	111	122	126	114	98.7	125	119		
Magnesium	mg/L	86.7			76.7			76.6				64.9		72.8		69.3	69	65.4	76.5	74.7	70.3	67.9	76.8	68.9	67.0	71.7	74.9	76.8	72	65.2	76.6	72.9		
Sodium	mg/L	19.5			27.4			28.6				24.9		27.2		26.5	30.4	29.9	27.6	27	28.6	28.3	31.9	27.9	30.3	30.5	26.8	28.4	27.4	26.4	23.1	23.9		
Potassium	mg/L	2.02			2.13			2.11				1.75		2.21		2.17	2.22	2.33	2.13	2.16	2.00	2.10	2.38	2.05	2.06	2.08	2.11	2.24	2.03	<5.00	<5.00	1.82		
Alkalinity, Total	mg/L	545			465			415				465		475		460	425	410	460	455	445	455	432	435	416	485	457	475	465	470	580	470		
Alkalinity, Bicarbonate	mg/L	545			465			415				465		475		460	425	410	460	455	445	455	432	435	416	485	457	475	465	470	580	470		
Alkalinity, Carbonate	mg/L	ND			<10.0			<10.0				<10.0		<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0		
Alkalinity, Hydroxide	mg/L	ND			<10.0			<10.0				<10.0		<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0		
Chloride	mg/L	10.9			8.75			7.95				8.96		8.74		8.43	7.57	6.47	9.40	10.5	8.06	8.44	9.46	8.39	7.64	8.78	10.1	9.65	9.41	11.1	13.9	12.0		
Fluoride	mg/L	0.577			0.485			0.506				0.517		0.495		0.496	0.459	0.482	0.487	0.484	0.456	0.443	0.520	0.447	0.449	0.431	0.473	0.424	0.434	<0.500	0.420	0.472		
Sulfate as SO4	mg/L	240			229			192				205		204		222	190	169	201	221	186	212	190	193	181	179	187	191	184	194	199	216		
Total Organic Carbon (TOC)	mg/L	NA			4.54			4.35				4.69		4.79		4.56	4.57	4.30	4.72	4.82	4.45	4.58	4.35	4.8	4.30	4.56	4.67	4.31	4.36	4.55	4.84	5.47		
Nitrate/Nitrite as N	mg/L	<0.020			<0.020			<0.020				<0.020		<0.100		<0.020	<0.020	<0.020	<0.020	0.173	<0.020	<0.020	<0.020	<0.020	<0.100	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020		
Ammonia as N ^	mg/L	NA			NA			NA				NA		NA		NA	NA	NA	NA	NA	NA	NA	0.528	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Ortho-Phosphate as P ^	mg/L	NA			NA			NA				NA		NA		NA	NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA		
Aluminum	mg/L	0.423			<0.050			<0.050				<0.050		<0.050		<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.100	<0.100	<0.100	<0.050	<0.050	<0.050	<0.250	<0.250	<0.050		
Arsenic	mg/L	0.0030			0.0029			0.0028				0.0028		0.0035		0.0037	0.0034	0.0036	0.0032	0.0031	0.0029	0.0028	0.0033	0.0022	0.0025	0.0026	0.0038	0.0036	0.0033	0.0034	0.0027	0.0036		
Cadmium	mg/L	<0.0001			<0.0001			<0.0001				<0.0001		<0.0001		<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0001	<0.0005	<0.0005	<0.0005	<0.0005		
Copper	mg/L	0.0006			0.0008			0.0002				0.0004		0.0002		0.0006	0.0008	0.0004	0.0008	<0.0010	0.0003	0.0004	0.0002	0.0005	<0.0010	<0.0010	<0.0005	0.0006	0.0007	0.0009	<0.0025	<0.0005		
Iron	mg/L	3.71			7.29			7.32				0.378		7.84		7.60	7.92	8.55	8.44	8.35	7.98	8.38	9.76	8.59	8.22	8.95	9.31	9.6	9.29	8.52	8.44	8.25		
Lead	mg/L	<0.0005			<0.0005			<0.0005				<0.0005		<0.0005		<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005			
Manganese	mg/L	4.07			2.78			2.37				2.03		2.11		1.99	1.81	1.58	2.13	2.56	2.12	1.84	1.78	1.77	1.49	1.66	2.36	2.54	2.51	1.79	2.86	3.03		
Mercury	mg/L	ND			<0.0002			<0.0002				<0.0002		<0.0002		<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002		
Molybdenum	mg/L	0.0013			0.0024			0.0027				0.0028		0.0027		0.0030	0.0031	0.0038	0.0029	0.0026	0.0027	0.0029	0.0031	0.0025	0.0030	0.0032	0.0029	0.0027	0.003	0.0033	0.0024	0.0026		
Selenium	mg/L	<0.001			0.0030			<0.001				<0.0010		<0.0010		<0.0010	0.002	0.0016	<0.001	0.001	<0.0010	<0.0010	<0.0010	<0.001	<0.0020	<0.0020	<0.001	<0.0010	0.001	0.0057	0.0017	0.0011		
Silica (SiO2)	mg/L	22.3			16.8			18				16.5		17.9		15.8	16.4	15.7	17.3	15.9	14.9	14.9	16.5	15.2	13.9	15.4	18.3	16.9	16.3	14.3	17.7	16.7		
Silicon	mg/L	10.4			7.86			8.41	</																									

GCC Energy Hydrologic Monitoring Data

MW-1-A																														
Year	2017								2018								2019				2020				2021				2022	
Quarter	Q2	Q3			Q4			Q1		Q2		Q3		Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Month	6	7	8	9	9	10	11	12	1	2	3	4	5	6	7	8	11	2	5	8	11	2	5	9	11	2	5	8	11	3
Sample Date	6/7	7/18	8/23	9/7	9/26	10/26	11/16	12/5	1/2	2/9	3/22	4/11	5/10	--	7/23	8/7	11/1	2/20	5/30	8/14	11/5	2/12	5/28	9/1	11/16	2/15	5/20	8/23	11/17	3/17
Lab Analysis (Y/N)	Y	N	N	N	Y	N	Y	N	N	Y	N	N	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Field Parameters:																														
Purge Flow Rate	gpm	NM	NM*	NM*	NM	NM	NM	NM	NM	0.1	NM	0.1	0.1	***	0.12	0.10	0.09	0.12	0.12	0.06	0.25	0.25	0.25	0.13	0.13	0.13	0.13	0.25	0.25	0.25
Total Purged	gal	12.8	NM*	NM*	NM	NM	2.0	2.0	1.0	1.5	2	1.5	1	1.3	1.5	1.5	1.6	1.0	1.5	1.1	1.5	1.0	1.0	1.0	1.3	1.0	2.0	1.0	1.3	1.0
Depth to Water	ft bgs	215.42	NM*	215.92	215.54	216.33	216.31	216.47	216.58	216.21	216.47	216.47	216.54	216.54	216.63	216.63	216.65	216.55	216.43	216.33	216.13	216.05	215.85	215.56	215.80	215.60	215.53	215.71	215.65	215.55
Temperature	deg C	17.7	NM*	NM*	10.7	9.7	9.1	9.1	8.7	9.5	9.0	8.7	9.6	9.2	9.9	10.0	8.9	7.5	10.3	9.6	9.7	8.1	9.1	9.6	9.4	8.4	9.6	10.1	9.2	9.5
pH	SU	7.78	NM*	NM*	7.35	7.38	7.29	7.28	7.25	7.19	7.37	7.28	6.8	6.97	6.99	7.05	7.01	7.13	6.96	7.05	7.00	7.13	7.18	7.22	7.24	7.19	7.30	7.35	7.17	7.22
Specific Conductance	µS/cm	1362	NM*	NM*	1555	1563	1616	1650	1693	1700	1723	1735	1647	1761	1734	1815	1781	1776	1681	1757	1737	1797	1855	1664	1670	1550	1647	1691	1792	1707
Oxygen Reduction Potential	mV	-34.6	NM*	NM*	-54.7	-46.5	-50.0	-48.3	-49.6	-44.6	-52.8	-37.5	142.4	0.4	-26.4	-33.2	101.4	-11.8	25.4	-18.7	3.6	12.7	4.2	-20.1	111.4	23.8	-13.4	-6.5	38.2	-110.5
Lab Analytical Results:																														
Hardness as CaCO3	mg/L	124				133		130			159		156			160	174	159	153	148	150	159	165	161	168	168	150	158	157	152
pH (Lab)	SU	7.74				7.35		7.33			7.22		7.45			7.17	7.27	7.13	7.03	7.14	6.92	7.19	6.91	7.23	7.17	7.22	7.13	7.1	7.05	7.30
Total Dissolved Solids (Lab)	mg/L	975				1080		1120			1100		1150			1040	1130	1160	1150	1150	1140	1190	1150	1150	1170	1250	1150	1190	1150	1140
Calcium	mg/L	24.7				25.8		24.9			30.5		29.7			30.9	34.0	31.2	29.8	27.9	29.0	30.9	31.6	30.6	32.8	32.1	28.3	29.9	30.0	28.5
Magnesium	mg/L	15.1				16.7		16.6			20.1		19.9			20.1	21.5	19.7	19.1	18.9	18.8	19.9	20.8	20.6	20.9	21.4	19.2	20.3	20.0	19.7
Sodium	mg/L	324				329		325			348		327			333	358	357	319	348	333	337	349	348	353	357	314	333	340	321
Potassium	mg/L	1.98				2.02		<5.00			<5.00		2.12			2.23	2.47	2.34	2.18	2.29	2.12	2.13	<5.00	2.29	<3.00	<5.00	2.18	<5.00	2.34	2.23
Alkalinity, Total	mg/L	375				450		380			415		353			385	395	375	355	368	420	360	340	325	366	400	400	370	440	405
Alkalinity, Bicarbonate	mg/L	375				450		380			415		353			385	395	375	355	368	420	360	340	325	366	400	400	370	440	405
Alkalinity, Carbonate	mg/L	<10.0				<10.0		<10.0			<10.0		<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0				<10.0		<10.0			<10.0		<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	2.75				2.16		<5.00			2.19		<5.00			2.12	2.20	2.74	2.33	2.72	2.66	2.74	2.71	2.74	2.88	2.73	2.34	2.78	<5.00	2.80
Fluoride	mg/L	0.268				0.245		<0.500			0.240		<0.5			0.260	0.240	0.266	0.242	0.252	0.246	0.234	0.228	0.24	0.264	0.212	0.223	0.24	<0.5	<0.200
Sulfate as SO4	mg/L	427				432		511			518		522			515	511	508	494	537	495	506	532	510	508	553	531	507	458	503
Total Organic Carbon (TOC)	mg/L	5.03				1.36		1.58			1.51		1.54			1.60	1.75	1.61	1.67	1.59	1.50	1.55	1.55	1.49	1.57	1.58	1.49	1.57	1.51	1.56
Nitrate/Nitrite as N	mg/L	<0.200				<0.400		<0.100			<0.020		<0.020			<0.020	0.028	<0.020	<0.020	<0.020	0.020	<0.020	0.046	<0.020	<0.020	<0.020	<0.020	0.036	<0.020	<0.020
Ammonia as N ^	mg/L	NA				NA		NA			NA		NA			NA	NA	NA	NA	NA	0.387	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA				NA		NA			NA		NA			NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050				<0.050		<0.250			<0.250		<0.050			<0.050	<0.100	<0.100	<0.050	<0.050	<0.050	<0.100	<0.250	<0.050	<0.050	<0.250	<0.050	<0.250	<0.100	<0.050
Arsenic	mg/L	<0.0005				<0.0005		<0.0025			<0.0025		<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0025	<0.0005	<0.0015	<0.0015	<0.0025	<0.001	<0.0005
Cadmium	mg/L	<0.0001				<0.0001		<0.0005			<0.0005		<0.0001			<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0002	<0.0002	<0.0002	<0.0005	<0.0001	<0.0003	<0.0015	<0.0025	<0.001	<0.0005
Copper	mg/L	0.0043				0.0057		0.0045			0.0066		0.0041			0.0048	0.0048	0.0075	0.0064	0.0040	0.0147	0.0034	0.0012	0.004	0.0024	0.0026	0.0059	0.0068	0.0086	0.0145
Iron	mg/L	0.128				0.367		<0.250			0.590		0.614			0.644	0.647	0.581	0.589	0.613	0.510	0.614	0.559	0.637	0.579	0.572	0.61	0.592	0.647	0.533
Lead	mg/L	<0.0005				<0.0005		<0.0025			<0.0025		<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0025	<0.0015	<0.0015	<0.0015	<0.0025	<0.0010	<0.0005
Manganese	mg/L	0.0260				0.0218		0.0259			0.0279		0.026			0.0242	0.0282	0.0281	0.0235	0.0270	0.0248	0.0303	0.0329	0.032	0.0313	0.0367	0.0316	0.0328	0.0287	0.0289
Mercury	mg/L	<0.0002				<0.0002		<0.0002			<0.0002		<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0007				0.0010		<0.0025			<0.0025		0.0009			0.0008	0.0007	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0025	<0.0015	<0.0015	<0.0015	<0.0025	<0.0010	<0.0005
Selenium	mg/L	<0.0010				<0.0010		<0.0050			<0.0050		<0.0010			<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	<0.0020	<0.0020	<0.0050	<0.0030	<0.0030	<0.0030	<0.0050	<0.0020	<0.0010
Silica (SiO2)	mg/L	12.3				11.9		8.27			11.2		11.2			11.4	12.0	11.1	11.2	11.6	11.0	11.1	10.4	11.1	11.5	11.3	10.7	10.7	11.6	11.2
Silicon	mg/L	5.74				5.56		3.87			5.24		5.25			5.31	5.62	5.2	5.23	5.43	5.13	5.19	4.85	5.17	5.37	5.27	5.00	5.01	5.42	5.25
Uranium	mg/L	0.0004				0.0002		<0.0005			<0.0005		0.0003			0.0002	0.0003	0.0002	0.0001	0.0001	0.0001	<0.0010	<0.0010	<0.0025	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0005
Zinc	mg/L	0.0270		</																										

GCC Energy Hydrologic Monitoring Data

MW-1-MI																													
Year	2017							2018							2019				2020				2021				2022		
Quarter	Q2	Q3			Q4			Q1			Q2		Q3		Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	
Month	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	11	2	5	8	11	2	5	9	11	2	5	8	11	3
Sample Date	6/7	7/18	8/23	9/26	10/26	11/16	12/5	1/2	2/9	3/22	4/11	5/10	--	7/23	8/7	11/1	2/20	5/30	8/14	11/5	2/12	5/28	9/1	11/16	2/15	5/20	8/23	11/17	3/17
Lab Analysis (Y/N)	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Field Parameters:																													
Purge Flow Rate	gpm	NM	NM*	NM	NM																								
Total Purged	gal	19.5	NM*	<0.5	NM																								
Depth to Water	ft bgs	259.99	NM*	258.29	258.34																								
Temperature	deg C	15.8	NM*	11.8	21.7	dry	dry	dry	dry	dry	dry	dry	***	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
pH	SU	8	NM*	7.94	7.86																								
Specific Conductance	µS/cm	2032	NM*	2137	2119																								
Oxygen Reduction Potential	mV	160.5	NM*	65.7	61.4																								
Lab Analytical Results:																													
Hardness as CaCO3	mg/L	231																											
pH (Lab)	SU	8.14																											
Total Dissolved Solids (Lab)	mg/L	1520																											
Calcium	mg/L	46.7																											
Magnesium	mg/L	27.9																											
Sodium	mg/L	470																											
Potassium	mg/L	2.55																											
Alkalinity, Total	mg/L	600																											
Alkalinity, Bicarbonate	mg/L	600																											
Alkalinity, Carbonate	mg/L	<10.0																											
Alkalinity, Hydroxide	mg/L	<10.0																											
Chloride	mg/L	7.69																											
Fluoride	mg/L	1.14																											
Sulfate as SO4	mg/L	739																											
Total Organic Carbon (TOC)	mg/L	5.14																											
Nitrate/Nitrite as N	mg/L	0.103																											
Aluminum	mg/L	<0.050																											
Arsenic	mg/L	0.0029																											
Cadmium	mg/L	<0.0001																											
Copper	mg/L	0.0067																											
Iron	mg/L	<0.050																											
Lead	mg/L	0.0010																											
Manganese	mg/L	0.0445																											
Mercury	mg/L	<0.0002																											
Molybdenum	mg/L	0.0796																											
Selenium	mg/L	0.0028																											
Silica (SiO2)	mg/L	11.6																											
Silicon	mg/L	5.44																											
Uranium	mg/L	0.0505																											
Zinc	mg/L	1.52																											

Notes & Definitions:

- *** La Plata County stage 3 fire restrictions prevented sampling activity
- | | |
|---|---|
| <p>Y/N yes or no</p> <p>gpm gallons per minute</p> <p>deg C degrees Celsius</p> <p>SU standard pH units</p> <p>µS/cm microsiemens per centimeter</p> <p>mV millivolts</p> <p>mg/L milligram per liter</p> <p>pCi/L picocuries per liter</p> <p>NM not measured (field)</p> <p>NA not analyzed (lab)</p> | <ol style="list-style-type: none"> 1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards. 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3. 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table. |
|---|---|

GCC Energy Hydrologic Monitoring Data

MW-1-C																																					
Year	2017								2018								2019				2020				2021				2022								
Quarter	Q2			Q3			Q4			Q1			Q2			Q3			Q4		Q1		Q2		Q3		Q4		Q1		Q2		Q3		Q4		Q1
Month	6	7	8	9	9	10	11	12	1	2	3	4	5	6	7	8	11	2	5	8	11	2	5	9	11	2	5	8	11	2	5	8	11	3			
Sample Date	6/7	7/18	8/23	9/7	9/26	10/26	11/16	12/5	1/2	2/9	3/22	4/11	5/10	--	7/23	8/7	11/18	2/20	5/30	8/14	11/5	2/12	5/28	9/1	11/16	2/15	5/20	8/23	11/17	3/17							
Lab Analysis (Y/N)	Y	N	N	N	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y			
Field Parameters:																																					
Purge Flow Rate	gpm	NM	NM*	NM*	NM	NM	NM	NM	NM	MM	0.1	NM	0.1	0.1	***	0.05	0.1	0.10	0.06	0.02	0.03	0.01	0.01	0.10	0.05	0.05	0.05	0.05	0.01	0.13	0.13						
Total Purged	gal	5	NM*	NM*	NM	NM	1.00	1.00	1.00	1	1	1	1	1.25		1	1	1.10	1.00	1.10	1.00	1.00	1.00	0.75	0.80	1.00	1.00	2.00	1.00	1.25	1.00						
Depth to Water	ft bgs	216.5	NM*	216.91	216.95	216.59	216.52	216.48	216.52	216.38	216.38	216.37	216.35	216.41		216.41	216.05	216.04	216.41	216.20	216.02	216.04	216.12	216.10	216.41	216.66	216.66	216.66	216.66	216.66	216.66						
Temperature	deg C	16.0	NM*	NM*	NM	12.9	11.7	10.6	7.0	9.7	9.6	6.7	9.2	10.5		20.0	14.1	9.7	5.4	9.8	10.4	11.1	6.4	9.5	11.2	9.7	7.0	10.7	12.1	10.1	7.7						
pH	SU	7.52	NM*	NM*	NM	7.17	7.16	7.15	7.17	7.11	7.19	7.32	7.03	7.05		6.91	6.97	6.93	7.09	6.80	6.65	6.70	6.79	6.85	6.93	6.99	7.40	7.18	7.16	7.15	7.12						
Specific Conductance	μS/cm	2446	NM*	NM*	NM	2725	2738	2739	2778	2778	2738	2751	2700	2749		2693	2675	2751	2621	3139	3172	3080	3005	3002	2653	2709	2410	2249	2290	2554	2223						
Oxygen Reduction Potential	mV	74.3	NM*	NM*	NM	77.4	31.7	23.9	13.0	6.2	-4.3	-29.6	-15.3	-42.3		-41.8	-32.5	-110.0	-23.4	27.6	10.5	51.0	50.7	-57.7	21.8	49.6	57.5	-16.8	0.0	-7.0	-92.9						
Lab Analytical Results:																																					
Hardness as CaCO3	mg/L	498				1290		1180						1130				1120	1180	1010	1820	1840	1700	1600	1590	1400	1420	1320	953	975	920	750					
pH (Lab)	SU	8.35				7.36		7.34						7.2				7.20	7.02	7.24	6.93	6.67	6.63	6.80	6.62	6.83	7.12	7.08	6.86	7.04	6.89	7.22					
Total Dissolved Solids (Lab)	mg/L	2020				2440		2360						2340				2170	2200	1960	2880	2890	2750	2610	2460	2420	2450	2330	1910	1850	1840	1680					
Calcium	mg/L	96.0				234		216						203				203	219	188	340	342	318	301	294	248	265	241	175	178	168	142					
Magnesium	mg/L	62.8				172		155						150				148	154	131	237	240	219	207	207	189	183	173	126	129	122	95.7					
Sodium	mg/L	506				242		253						239				239	255	265	146	119	119	143	155	168	194	206	196	214	234	229					
Potassium	mg/L	11.4				3.81		<5.00						3.07				3.04	2.65	3.13	<5.00	<5.00	<5.00	3.05	<5.00	2.82	<5.00	<5.00	2.68	<5.00	<3.00	2.68					
Alkalinity, Total	mg/L	530				700		540						570				560	410	525	530	518	505	515	490	445	520	580	480	485	640	510					
Alkalinity, Bicarbonate	mg/L	530				700		540						570				560	410	525	530	518	505	515	490	445	520	580	480	485	640	510					
Alkalinity, Carbonate	mg/L	<10.0				<10.0		<10.0						<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0					
Alkalinity, Hydroxide	mg/L	<10.0				<10.0		<10.0						<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0					
Chloride	mg/L	24.2				6.97		8.03						7.78				5.97	6.22	6.36	10.2	9.31	8.78	8.54	8.20	8.15	7.14	7.13	5.3	5.04	7.12	4.87					
Fluoride	mg/L	1.59				0.864		0.955						1.03				0.888	0.924	0.975	0.67	0.525	0.565	0.615	0.695	0.705	0.750	0.804	0.654	0.716	0.755	0.712					
Sulfate as SO4	mg/L	1090				1350		1230						1160				1090	1080	1070	1630	1730	1520	1400	1370	1280	1180	1150	940	872	886	805					
Total Organic Carbon (TOC)	mg/L	4.56				2.84		2.12						2.2				2.35	2.37	2.32	2.62	2.52	2.30	2.30	2.32	2.2	2.13	2.26	1.92	1.93	1.91	1.79					
Nitrate/Nitrite as N	mg/L	<2.00				<0.400		<0.100						<0.020				0.036	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020					
Ammonia as N ^	mg/L	NA				NA		NA						NA				NA	NA	NA	NA	NA	0.140	NA	NA	NA	NA	NA	NA	NA	NA	NA					
Ortho-Phosphate as P ^	mg/L	NA				NA		NA						NA				NA	NA	NA	NA	NA	<0.100	NA	NA	NA	NA	NA	NA	NA	NA	NA					
Aluminum	mg/L	<0.050				<0.050		<0.250						<0.05				<0.05	<0.100	<0.100	<0.250	<0.250	<0.250	<0.150	<0.250	<0.050	<0.050	<0.250	<0.100	<0.250	<0.150	<0.050					
Arsenic	mg/L	0.0029				0.0016		<0.0025						0.0051				0.0052	0.0035	0.0038	0.0048	0.0034	<0.0025	<0.0025	0.0019	<0.0025	<0.0005	<0.0025	<0.0025	<0.0025	<0.0010	0.0009					
Cadmium	mg/L	<0.0001				<0.0001		<0.0005						<0.0001				<0.0001	<0.0001	<0.0002	<0.0001	<0.0002	<0.0005	<0.0005	<0.0003	<0.0005	<0.0001	<0.0005	<0.0025	<0.0025	<0.0010	<0.0005					
Copper	mg/L	0.0088				0.0085		0.0036						0.0052				0.0049	0.0033	0.0054	0.0057	0.0014	0.0096	<0.0025	<0.0015	<0.0025	<0.0005	<0.0025	0.0042	0.0043	0.0064	0.0093					
Iron	mg/L	<0.050				<0.050		<0.250						<0.250				1.01	1.12	0.988	2.3	0.819	0.543	0.570	0.606	0.619	0.855	0.769	0.552	0.573	0.724	0.630					
Lead	mg/L	<0.0005				<0.0005		<0.0025						<0.0005				<0.0005	<0.0005	<0.0010	<0.0005	<0.0010	<0.0025	<0.0025	<0.0015	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0010	<0.0005					
Manganese	mg/L	0.0744				0.0853		0.0959						0.0989				0.140	0.106	0.0807	0.075	0.0562	0.0512	0.0537	0.0473	0.0445	0.0496	0.0482	0.0419	0.0383	0.0346	0.0362					
Mercury	mg/L	<0.0002				<0.0002		<0.0002						<0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002					
Molybdenum	mg/L	0.0164				0.0049		<0.0025						0.0006				<0.0025	<0.0005	<0.0010	<0.0005	<0.0010	<0.0025	<0.0025	<0.0015	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.001	<0.0005					
Selenium	mg/L	0.0136				0.0012		<0.0050						<0.001				<0.0050	0.0011	<0.0020	0.0016	0.0023	<0.0050	<0.0050	<0.0030	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0020	<0.0010					
Silica (SiO2)	mg/L	10.6				16.6		13.2						14.8				14.7	14.5	14	16.6	17.3	16.4	15.7	13.8	14.1	14.8	14.4	15.0	14.5	14.8	14.2					
Silicon	mg/L	4.94				7.77		6.16						6.94				6.87	6.78	6.55	7.75	8.07	7.65	7.35	6.47	6.6	6.93	6.75	7.00	6.79	6.94	6.66					
Uranium	mg/L	0.0500				0.0044		0.0028						0.0024				0.0022	0.0021	0.0016	0.002	0.0025	0.0023	<0.0025	0.0020	<0.0025	<0.0015	<0.0025	<0.0025	<0.0025	0.0010	0.0008					
Zinc	mg/L	0.0293				0.0294		<0.0100						<0.0100				<0.0100	0.0055	<0.0040	0.0085	0.0077	<0.0100	<0.0100	<0.0060	<0.0100	<0.0100	<0.0100	<0.0100	<0.0100	<0.0040	0.0021					

Notes & Definitions:

*** La Plata County stage 3 fire restrictions prevented sampling activity

^ one-time analysis

Y/N yes or no

gpm gallons per minute

deg C degrees Celsius

SU standard pH units

μS/cm microsiemens per centimeter

mV millivolts

mg/L milligram per liter

pCi/L picocuries per liter

NM not measured (field)

NA not analyzed (lab)

- "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
- Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
- Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-2-A																											
Year	2017							2018							2019				2020				2021				2022
Quarter	Q1	Q2	Q3		Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1
Month	3	6	7	8	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	9	11	2	5	8	11	3
Sample Date	3/30	6/7	7/18	8/23	10/30	11/16	12/5	1/2	2/9	3/22	4/11	5/10	8/7	11/1	2/20	5/29	8/14	11/6	2/11	5/27	9/1	11/24	2/15	5/20	8/24	11/17	3/23
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Field Parameters:																											
Purge Flow Rate	gpm																										
Total Purged	gal																										
Depth to Water	ft bgs																										
Temperature	deg C	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
pH	SU																										
Specific Conductance	µS/cm																										
Oxygen Reduction Potential	mV																										
Lab Analytical Results:																											
Hardness as CaCO3	mg/L																										
pH (Lab)	SU																										
Total Dissolved Solids (Lab)	mg/L																										
Calcium	mg/L																										
Magnesium	mg/L																										
Sodium	mg/L																										
Potassium	mg/L																										
Alkalinity, Total	mg/L																										
Alkalinity, Bicarbonate	mg/L																										
Alkalinity, Carbonate	mg/L																										
Alkalinity, Hydroxide	mg/L																										
Chloride	mg/L																										
Fluoride	mg/L																										
Sulfate as SO4	mg/L																										
Total Organic Carbon (TOC)	mg/L																										
Nitrate/Nitrite as N	mg/L																										
Aluminum	mg/L																										
Arsenic	mg/L																										
Cadmium	mg/L																										
Copper	mg/L																										
Iron	mg/L																										
Lead	mg/L																										
Manganese	mg/L																										
Mercury	mg/L																										
Molybdenum	mg/L																										
Selenium	mg/L																										
Silica (SiO2)	mg/L																										
Silicon	mg/L																										
Uranium	mg/L																										
Zinc	mg/L																										

Notes & Definitions:

Y/N	yes or no		
gpm	gallons per minute	1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.	
deg C	degrees Celsius		
SU	standard pH units	2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.	
µS/cm	microsiemens per centimeter		
mV	millivolts		
mg/L	milligram per liter		
pCi/L	picocuries per liter		
NM	not measured (field)	3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.	
NA	not analyzed (lab)		

GCC Energy Hydrologic Monitoring Data

MW-2-MI																												
Year	2017							2018							2019				2020				2021				2022	
Quarter	Q1	Q2	Q3		Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	
Month	3	6	7	8	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	9	11	2	5	8	11	3	
Sample Date	3/30	6/7	7/18	8/23	10/30	11/16	12/5	1/2	2/9	3/22	4/11	5/10	8/7	11/1	2/20	5/29	8/14	11/6	2/11	5/27	9/1	11/24	2/15	5/20	8/24	11/17	3/23	
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
Field Parameters:																												
Purge Flow Rate	gpm																											
Total Purged	gal																											
Depth to Water	ft bgs																											
Temperature	deg C	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
pH	SU																											
Specific Conductance	µS/cm																											
Oxygen Reduction Potential	mV																											
Lab Analytical Results:																												
Hardness as CaCO3	mg/L																											
pH (Lab)	SU																											
Total Dissolved Solids (Lab)	mg/L																											
Calcium	mg/L																											
Magnesium	mg/L																											
Sodium	mg/L																											
Potassium	mg/L																											
Alkalinity, Total	mg/L																											
Alkalinity, Bicarbonate	mg/L																											
Alkalinity, Carbonate	mg/L																											
Alkalinity, Hydroxide	mg/L																											
Chloride	mg/L																											
Fluoride	mg/L																											
Sulfate as SO4	mg/L																											
Total Organic Carbon (TOC)	mg/L																											
Nitrate/Nitrite as N	mg/L																											
Aluminum	mg/L																											
Arsenic	mg/L																											
Cadmium	mg/L																											
Copper	mg/L																											
Iron	mg/L																											
Lead	mg/L																											
Manganese	mg/L																											
Mercury	mg/L																											
Molybdenum	mg/L																											
Selenium	mg/L																											
Silica (SiO2)	mg/L																											
Silicon	mg/L																											
Uranium	mg/L																											
Zinc	mg/L																											

Notes & Definitions:

Y/N	yes or no	1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
gpm	gallons per minute	2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
deg C	degrees Celsius	
SU	standard pH units	3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
µS/cm	microsiemens per centimeter	
mV	millivolts	
mg/L	milligram per liter	
pCi/L	picocuries per liter	
NM	not measured (field)	
NA	not analyzed (lab)	

GCC Energy Hydrologic Monitoring Data

MW-2-C																												
Year	2017							2018							2019				2020				2021				2022	
Quarter	Q1	Q2	Q3		Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	
Month	3	6	7	8	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	9	11	2	5	8	11	3	
Sample Date	3/30	6/7	7/18	8/23	10/30	11/16	12/5	1/2	2/9	3/22	4/11	5/10	8/7	11/1	2/20	5/29	8/14	11/6	2/11	5/27	9/1	11/24	2/15	5/20	8/24	11/17	3/23	
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
Field Parameters:																												
Purge Flow Rate	gpm																											
Total Purged	gal																											
Depth to Water	ft bgs																											
Temperature	deg C	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
pH	SU																											
Specific Conductance	µS/cm																											
Oxygen Reduction Potential	mV																											
Lab Analytical Results:																												
Hardness as CaCO3	mg/L																											
pH (Lab)	SU																											
Total Dissolved Solids (Lab)	mg/L																											
Calcium	mg/L																											
Magnesium	mg/L																											
Sodium	mg/L																											
Potassium	mg/L																											
Alkalinity, Total	mg/L																											
Alkalinity, Bicarbonate	mg/L																											
Alkalinity, Carbonate	mg/L																											
Alkalinity, Hydroxide	mg/L																											
Chloride	mg/L																											
Fluoride	mg/L																											
Sulfate as SO4	mg/L																											
Total Organic Carbon (TOC)	mg/L																											
Nitrate/Nitrite as N	mg/L																											
Aluminum	mg/L																											
Arsenic	mg/L																											
Cadmium	mg/L																											
Copper	mg/L																											
Iron	mg/L																											
Lead	mg/L																											
Manganese	mg/L																											
Mercury	mg/L																											
Molybdenum	mg/L																											
Selenium	mg/L																											
Silica (SiO2)	mg/L																											
Silicon	mg/L																											
Uranium	mg/L																											
Zinc	mg/L																											

Notes & Definitions:

- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-3-A																														
Year	2017								2018								2019				2020				2021				2022	
Quarter	Q1	Q2	Q3		Q4			Q1		Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1				
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2	5	8	11	2		
Sample Date	3/27	6/30	7/18	8/24	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	8/14	11/12	2/4	5/26	8/31	12/1	2/10	5/18	8/10	11/9	2/24		
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	Y			
Field Parameters:																														
Purge Flow Rate	gpm	0.50	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.12	0.15	0.06	0.25	0.12	0.13	0.13	0.13	0.05	0.13	0.15	0.13	0.25			
Total Purged	gal	30.0	2.0	NM	NM	NM	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.3	1.0	1.1	1.5	1.3	1.3	1.5	1.1	1.2	1.5	1.3	1.3	1.5	1.5	1.5		
Depth to Water	ft bgs	297.35	298.24	297.45	298.24	298.11	298.12	298.01	298.05	298.37	298.04	297.86	297.76	298.17	298.55	298.27	297.85	296.79	297.27	297.33	296.47	296.87	297.21	297.02	296.97	296.72	297.47	297.46	296.67	
Temperature	deg C	11.7	13.2	19.5	12.6	12.3	12.5	11.7	12.0	11.8	11.7	12.2	11.9	13.5	13.5	11.9	11.8	12.1	NM	13.1	11.5	13.2	13.1	11.9	12.1	12.4	13.6	12.2	11.4	
pH	SU	8.82	8.75	8.56	8.67	8.72	8.64	8.61	8.57	8.54	8.52	8.61	8.21	8.38	8.30	8.31	8.28	8.31	8.13	8.51	8.11	8.26	8.23	8.39	8.53	8.46	8.42	8.47	8.35	
Specific Conductance	µS/cm	2535	2446	2115	2524	2470	2430	2483	2494	2528	2506	2458	2415	2253	2336	2391	2355	2309	NM	2204	2211	2249	2112	2192	1930	1525	2091	2127	2121	
Oxygen Reduction Potential	mV	-269.0	-101.5	-55.3	-87.4	-142.3	-124.5	-125.6	-146.8	-120.3	-125.2	-181.6	-138.2	-155.8	-164.6	-145.9	-132.3	-138.6	-120.1	-65.7	-156.8	-98.8	-89.3	-101.3	-157.1	-149.0	-156.8	-221.2		
Lab Analytical Results:																														
Hardness as CaCO3	mg/L	7.53	12.6			12.6		10.4			11.5				11.2	12.6	14.1	11.9	10.7	10.4	11.1	10.8	10.3	11.1	9.41	10.5	8.14	8.89	8.68	8.56
pH (Lab)	SU	8.63	8.69			8.53		8.29			8.45				8.36	8.37	8.24	8.28	8.29	8.27	8.39	8.09	7.68	8.16	8.13	8.13	8.22	8.21	8.19	8.17
Total Dissolved Solids (Lab)	mg/L	1630	1670			1630		1690			1680				1670	1600	1540	1500	1530	1520	1510	1500	1460	1380	1460	1410	1350	1420	1360	1220
Calcium	mg/L	2.00	3.67			3.63		3.27			3.33				3.2	3.71	4.15	3.55	3.16	3.08	3.34	3.14	3.07	3.02	2.83	3.07	2.48	2.59	2.53	2.42
Magnesium	mg/L	0.616	0.823			0.859		0.550			0.776				0.774	0.811	0.913	0.739	0.692	0.655	0.680	0.723	0.645	0.866	0.568	0.698	0.475	0.586	0.577	0.610
Sodium	mg/L	566	585			589		551			562				542	562	605	543	525	553	528	520	507	510	505	536	471	462	448	462
Potassium	mg/L	1.72	2.02			2.04		<5.00			<2.00				1.8	<2.00	2.17	<2.00	1.92	<2.00	<5.00	<3.00	<5.00	<5.00	<5.00	<5.00	<3.00	<5.00	<2.00	1.34
Alkalinity, Total	mg/L	530	470			500		490			430				480	480	475	540	450	459	420	460	430	440	470	520	530	465	485	495
Alkalinity, Bicarbonate	mg/L	380	470			440		460			360				480	420	385	330	430	423	420	460	400	440	450	520	530	465	435	455
Alkalinity, Carbonate	mg/L	150	<10.0			60.0		30.0			70.0				<10.0	60.0	90.0	210	20	36.0	<10.0	<10.0	30.0	<10.0	20	<10.0	<10.0	<10.0	40.0	
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	16.1	17.4			18.5		16.9			16.4				16.1	15.1	16.0	15.2	15	15.0	14.7	13.9	13.9	13.5	14	13.5	14	14.1	14.6	14.2
Fluoride	mg/L	0.464	0.488			0.535		<0.500			<0.500				<0.5	NA	0.383	0.406	0.404	0.396	<0.500	0.370	0.374	0.366	0.372	0.336	0.352	0.366	0.314	0.356
Sulfate as SO4	mg/L	729	802			840		730			812				756	706	682	716	699	724	633	637	656	624	644	600	601	599	515	584
Total Organic Carbon (TOC)	mg/L	3.52	10.0			7.26		6.07			5.32				4.7	4.62	4.52	4.15	4.10	3.84	3.81	3.42	3.48	3.39	3.15	3.16	3.18	3.01	3.02	2.96
Nitrate/Nitrite as N	mg/L	<0.100	<0.100			<0.020		<0.020			<0.020				<0.020	<0.020	<0.020	0.266	<0.020	<0.020	<0.020	0.024	0.026	0.039	0.032	<0.020	0.024	<0.020	0.022	
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA				NA	NA	NA	NA	NA	NA	0.354	NA	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA				NA	NA	NA	NA	NA	NA	0.0730	NA	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100				<0.050	<0.050	<0.100	<0.100	<0.050	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.150	<0.250	<0.100	<0.050	
Arsenic	mg/L	0.0025	<0.0025			<0.0025		<0.0025			<0.0025				0.0006	<0.0025	<0.0010	<0.0010	<0.0025	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	0.0026	0.0006	0.001	0.0018	0.0009	
Cadmium	mg/L	<0.0001	<0.0005			<0.0005		<0.0005			<0.0005				<0.0001	<0.0001	<0.0002	<0.0002	<0.0005	<0.0002	<0.0002	<0.0002	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	
Copper	mg/L	0.0061	0.0081			0.0080		0.0079			0.0236				0.0063	0.0117	0.0086	0.0137	0.0078	0.0067	0.0039	0.0037	0.0021	0.0051	0.0055	0.0037	0.0157	0.0156	0.0113	0.0088
Iron	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100				<0.05	<0.05	<0.100	<0.100	<0.050	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.150	<0.250	<0.100	<0.050	
Lead	mg/L	<0.0005	<0.0025			<0.0025		<0.0025			<0.0025				<0.0005	<0.0005	<0.0010	<0.0010	<0.0025	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	<0.0025	<0.001	<0.0010	<0.0010	<0.0005	
Manganese	mg/L	0.0042	0.0251			0.0194		0.0269			0.0232				0.018	0.0222	0.0187	0.0172	0.0185	0.0166	0.0140	0.0162	0.0136	0.0120	0.0125	0.0128	0.0121	0.0096	0.0101	0.0113
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	
Molybdenum	mg/L	0.0005	0.0274			0.0091		0.0078			0.0065				0.0046	0.0043	0.0033	0.003	0.003	0.0018	0.0027	0.0022	0.0015	<0.0025	<0.0025	<0.0025	0.0015	0.0013	<0.001	0.0012
Selenium	mg/L	0.0577	<0.0050			<0.0050		<0.0050			<0.0050				0.0109	<0.0050	0.0028	0.0039	<0.005	0.0020	<0.0020	<0.0020	0.0033	0.0086	<0.0050	0.129	0.0276	0.0167	0.0855	0.0162
Silica (SiO2)	mg/L	10.1	10.9			11.6		7.66			11.1				11	12.0	12.8	11.7	11	12.7	11.8	11.6	10.5	11.0	11.2	11.3	10.1	10.7	10.9	10.8
Silicon	mg/L	4.70	5.10			5.41		3.58			5.18				5.17	5.62	5.97	5.46	5.16	5.95	5.53	5.43	4.92	5.14	5.22	5.28	4.73	4.98	5.11	5.07
Uranium	mg/L	0.0002	0.0040			0.0051		0.0036			0.0030				0.0026	0.0026	0.0027	0.0018	0.0014	0.0012	0.0011	0.0010	<0.0025	<0.0025	<0.0025	<0.0025	<0.0010	<0.0010	0.0005	
Zinc	mg/L	0.0031	<0.0100			<0.0100		<0.0100			<0.0100				<0.002	<0.002	<0.0040	<0.0040	<0.01	<0.0080	<0.0040	<0.0040	<0.0100	<0.0100	<0.0100	<0.0020	<0.0040	<0.0040	<0.0020	

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-3-MI																														
Year		2017								2018								2019				2020				2021				2022
Quarter		Q1	Q2	Q3			Q4			Q1		Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1		
Month		3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2	5	8	11	2	
Sample Date		3/27	6/30	7/18	8/16	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	8/21	11/12	2/4	5/26	8/31	12/1	2/10	5/18	8/10	11/9	2/24	
Lab Analysis (Y/N)		Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Field Parameters:																														
Purge Flow Rate	gpm	0.50	NM	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.12	0.12	0.06	0.25	0.50	0.25	0.13	0.13	0.10	0.13	0.13	0.25	0.25		
Total Purged	gal	19.0	2.0	NM	NM	NM	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.3	1.0	1.1	1.5	1.3	2.0	1.0	1.5	1.3	1.8	1.3	1.5	1.5	1.3	1.5		
Depth to Water	ft bgs	304.49	241.15	240.46	240.53	240.46	240.44	240.44	240.58	240.73	240.55	240.65	240.84	241.04	241.97	242.13	242.15	242.32	246.55	243.07	242.85	243.05	243.6	243.9	243.93	244.25	244.28	244.15	242.90	
Temperature	deg C	10.0	12.6	22.0	12.9	11.0	12.1	11.7	11.7	11.9	11.3	11.9	11.8	12.6	13.0	12.4	11.6	11.3	13.2	12.3	11.6	12.6	12.8	11.7	11.5	12.8	13.0	11.9	11.4	
pH	SU	9.34	8.94	8.46	8.90	8.74	8.90	8.86	8.86	8.84	8.83	8.84	8.51	8.48	8.49	8.46	8.51	8.55	8.71	8.75	8.71	8.92	9.01	9.09	9.03	9.06	9.13	9.11	9.07	
Specific Conductance	µS/cm	1907	1699	1402	1598	1737	1729	1745	1786	1790	1810	1771	1772	1727	1709	1746	1753	1739	1691	1739	1758	1737	1560	1555	1519	1232	1647	1765	1705	
Oxygen Reduction Potential	mV	-87.0	-54.5	-26.4	-108.2	-107.3	-113.8	-124.2	-163.1	-136.0	-131.4	-160.7	-99.9	-103.9	-127.8	-176.5	-113.0	-84.5	43.9	-130.8	-104.3	-174.5	-111.0	-132.4	-94.6	-120.4	-142.9	-163.3	-207.2	
Lab Analytical Results:																														
Hardness as CaCO3	mg/L	4.85	8.73			9.02		7.75			9.92				8.65	8.63	8.88	7.63	6.84	7.98	6.64	6.50	7.25	6.39	5.94	6.63	5.06	5.39	5.21	5.28
pH (Lab)	SU	8.95	8.75			8.72		8.72			8.66				8.56	8.58	8.34	8.5	8.45	8.58	8.62	8.61	8.59	8.87	8.77	8.72	8.84	8.81	8.88	8.78
Total Dissolved Solids (Lab)	mg/L	1550	1120			1140		1080			1170				1210	1110	1120	1120	1170	1010	1130	1130	1060	1160	1120	1110	1180	1130	1070	
Calcium	mg/L	1.32	2.32			2.34		2.06			2.22				1.91	1.95	2.03	1.87	1.7	2.04	1.73	1.63	1.76	1.62	1.42	1.66	1.28	1.34	1.25	1.30
Magnesium	mg/L	0.374	0.714			0.775		0.632			1.07				0.945	0.911	0.926	0.715	0.629	0.703	0.561	0.591	0.694	0.570	0.579	0.606	0.454	0.5	0.508	0.496
Sodium	mg/L	420	430			440		411			459				417	446	476	434	419	454	437	437	427	431	431	468	410	403	390	413
Potassium	mg/L	2.15	2.21			1.93		<5.00			<2.00				1.63	<2.00	<2.00	1.39	1.65	<2.00	<5.00	<2.00	<5.00	<3.00	<4.00	<5.00	<2.00	<2.00	<2.00	1.27
Alkalinity, Total	mg/L	740	675			700		660			700				680	730	720	685	755	720	690	705	680	625	770	690	690	705	705	740
Alkalinity, Bicarbonate	mg/L	510	555			600		570			600				500	630	610	485	605	590	610	645	550	465	690	450	550	555	565	580
Alkalinity, Carbonate	mg/L	230	120			100		90.0			100				180	100	110	200	150	130	80.0	60.0	130	160	80	240	140	150	140	160
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	8.66	10.1			10.7		10.6			10.7				10.7	8.54	8.83	9.21	9.25	10.2	9.13	9.21	9.61	9.45	10	9.84	10.5	10.4	10.4	10.6
Fluoride	mg/L	0.952	1.34			1.26		1.26			1.30				1.2	1.16	1.19	1.21	1.22	1.19	1.19	1.13	1.13	1.09	1.12	1.03	1.09	1.07	0.980	1.10
Sulfate as SO4	mg/L	165	241			247		254			245				250	226	230	232	229	236	224	227	231	222	110	223	227	228	230	233
Total Organic Carbon (TOC)	mg/L	8.34	14.8			10.9		10.3			9.24				8.67	7.83	7.28	6.73	6.56	6.17	5.78	5.58	6.07	5.79	5.46	5.34	5.33	5.4	5.26	5.14
Nitrate/Nitrite as N	mg/L	<0.020	<0.020			<0.020		<0.020			<0.020				<0.02	<0.02	<0.02	<0.02	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	0.102			<0.050		<0.250			<0.100				<0.050	<0.050	<0.10	<0.050	<0.050	0.167	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100	<0.100	<0.050
Arsenic	mg/L	0.0134	0.0167			0.0131		0.0135			0.0160				0.0152	0.0127	0.0104	0.0149	0.0107	0.0142	0.0099	0.0093	0.0086	0.0061	0.007	0.0083	0.0091	0.0091	0.0078	0.0095
Cadmium	mg/L	<0.0001	<0.0005			<0.0005		<0.0005			<0.0001				<0.0001	<0.0001	<0.0002	<0.0001	<0.0005	<0.0001	<0.0002	<0.0002	<0.0005	<0.0005	<0.0004	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005
Copper	mg/L	0.0055	0.0058			0.0065		0.0059			0.0122				0.0048	0.0071	0.0073	0.0068	0.0063	0.0049	0.0037	0.0024	<0.0025	0.0046	0.0045	0.0031	0.0131	0.0143	0.0097	0.0072
Iron	mg/L	<0.050	<0.100			<0.050		<0.250			<0.100				<0.05	<0.05	<0.1	<0.050	<0.050	<0.100	<0.250	<0.100	<0.250	<0.100	<0.250	<0.100	<0.100	<0.100	<0.100	<0.050
Lead	mg/L	0.0024	<0.0025			<0.0025		<0.0025			<0.0005				<0.0005	<0.0005	<0.0010	<0.0005	<0.0025	<0.0005	<0.0010	<0.0025	<0.0025	<0.0020	<0.0025	<0.0005	<0.0010	<0.0010	<0.0005	<0.0005
Manganese	mg/L	0.0022	0.0058			0.0033		0.0045			0.0049				0.006	0.0054	0.0072	0.0078	0.0082	0.0079	0.0099	0.0095	0.0102	0.0072	0.007	0.0069	0.0057	0.0058	0.0054	0.0051
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0061	0.0211			0.0148		0.0152			0.0170				0.016	0.0149	0.0158	0.0157	0.0167	0.0277	0.0372	0.0204	0.0195	0.0149	0.0163	0.0162	0.016	0.0149	0.0140	0.0148
Selenium	mg/L	0.0013	<0.0050			<0.0050		<0.0050			0.0010				0.0019	<0.0050	<0.002	0.0034	<0.005	<0.0010	<0.0020	<0.0020	<0.0050	<0.0050	<0.004	0.0462	0.0033	<0.0020	0.0091	0.0018
Silica (SiO2)	mg/L	7.97	8.18			9.05		5.35			9.33				8.83	9.49	10.2	8.95	8.85	9.73	9.46	8.80	8.24	8.84	9.11	9.64	8.11	8.77	8.82	9.04
Silicon	mg/L	3.73	3.82			4.23		2.50			4.36				4.13	4.44	4.76	4.18	4.14	4.55	4.42	4.11	3.85	4.13	4.26	4.51	3.79	4.1	4.12	4.22
Uranium	mg/L	0.0049	0.0084			0.0140		0.0124			0.0125				0.0126	0.0111	0.0110	0.011	0.0085	0.0080	0.0070	0.0063	0.0059	0.0043	0.0049	0.0049	0.0043	0.0041	0.0033	0.0035
Zinc	mg/L	0.0405	<0.0100			<0.0100		<0.0100			<0.0020				0.0023	0.0023	<0.0040	0.0028	<0.0100	0.0070	<0.0040	<0.0040	<0.0100	<0.0100	<0.0080	<0.0100	<0.0020	<0.0040	<0.0040	<0.0020

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-3-C																														
Year	2017								2018								2019				2020				2021				2022	
Quarter	Q1	Q2	Q3			Q4			Q1		Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1			
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	9	11	3	5	8	12	2	5	8	11	2		
Sample Date	3/27	6/30	7/27	8/24	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	9/17	11/12	3/13	5/26	8/31	12/1	2/10	5/18	8/10	11/10	2/24		
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Field Parameters:																														
Purge Flow Rate	gpm	0.50	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.06	0.06	0.13	0.13	0.10	0.03	0.08	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.15		
Total Purged	gal	20.0	2.0	NM	NM	NM	1.0	1.0	1.0	1.5	1.5	1.5	1.0	1.3	1.3	1.1	1.3	1.5	10.0	1.5	11.0	1.1	1.3	1.5	1.3	1.5	1.3	1.5		
Depth to Water	ft bgs	304.21	296.3	296.93	296.87	297.43	297.46	297.43	297.35	297.01	296.66	296.57	296.62	296.78	297.12	296.80	296.39	295.56	295.70	295.50	299.35	294.99	294.60	295.26	295.97	295.25	295.70	295.68	294.45	
Temperature	deg C	10.5	12.9	13.1	12.5	11.8	12.7	11.5	11.7	11.7	11.4	11.6	12.2	13.0	13.3	11.5	11.0	11.4	13.5	12.5	11.3	13.4	15.0	14.0	9.9	12.3	15.6	9.6	9.4	
pH	SU	8.61	8.57	8.51	8.46	8.44	8.48	8.41	8.48	8.43	8.43	8.45	8.25	8.28	8.17	8.28	8.29	8.31	8.20	7.98	8.44	8.45	8.73	8.71	8.50	8.71	8.85	8.62		
Specific Conductance	µS/cm	3549	3588	3815	4112	4351	4412	4659	4596	4923	4864	5063	5019	4916	4953	5127	5155	5184	5144	5144	4921	3143	5039	4251	4426	3755	4571	5244	4564	
Oxygen Reduction Potential	mV	-129.0	-87.2	-137.5	-128.8	-149.9	-198.3	-200.7	-222.2	-187.9	-183.5	-155.4	-154.7	-161.4	-180.5	-217.6	-185.4	-188.5	-151.8	-184.4	-155.0	-240.5	-174.4	-150.0	-202.7	-149.6	-255.3	-227.4	-325.6	
Lab Analytical Results:																														
Hardness as CaCO3	mg/L	14.4	11.8			15.1		14.9			16.1			40.3	17.9	21.7	17.3	16.8	18.6	18.6	18.3	16.0	18.1	16.9	18.5	14.8	16.9	16.7	16.0	
pH (Lab)	SU	8.5	8.48			8.35		8.28			8.35			8.34	8.31	8.24	8.2	8.23	8.31	8.12	7.98	8.41	8.36	8.36	8.43	8.38	8.47	8.87	8.44	
Total Dissolved Solids (Lab)	mg/L	2130	2360			3070		3310			3540			3610	3520	3360	3300	3440	3500	3390	3220	3180	3170	3280	3200	3230	3300	3200	3270	
Calcium	mg/L	3.60	2.87			3.50		3.58			3.81			7.28	4.01	4.70	4.05	3.74	4.30	4.23	4.26	3.81	3.97	3.72	4.25	3.59	3.84	3.76	3.66	
Magnesium	mg/L	1.31	1.12			1.55		1.44			1.59			5.38	1.92	2.41	1.75	1.8	1.91	1.94	1.86	1.58	1.98	1.84	1.92	1.42	1.77	1.78	1.67	
Sodium	mg/L	796	890			1100		1130			1200			1350	1220	1460	1270	1100	1360	1300	1280	1240	1250	1250	1360	1220	1220	1170	1200	
Potassium	mg/L	3.47	3.24			4.01		<5.00			<10.0			<5.00	<5.00	<5.00	<5.00	5.24	<5.00	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<6.00	<5.00	<5.00	<5.00	
Alkalinity, Total	mg/L	1490	1570			1690		1880			1910			1760	1730	2050	2000	2110	2190	2130	2160	2050	1820	2090	2170	2130	2140	2230	2180	
Alkalinity, Bicarbonate	mg/L	1360	1480			1650		1830			1810			1600	1670	1900	1830	2000	2020	2070	2000	1800	1690	1970	1710	1910	1950	1950	1820	
Alkalinity, Carbonate	mg/L	130	90.0			40.0		50.0			100			160	60.0	150	170	110	170	60.0	160	250	130	120	460	220	190	280	360	
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	NA	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	182	330			477		506			549			544	524	561	577	575	620	542	549	555	552	578	574	577	582	462	608	
Fluoride	mg/L	4.89	4.94			4.52		4.34			4.15			3.52	3.84	4.04	4.04	3.91	3.78	3.66	3.61	3.51	3.47	3.53	3.37	3.34	3.36	3.16	3.37	
Sulfate as SO4	mg/L	73.4	73.5			46.4		24.5			<10.0			<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	
Total Organic Carbon (TOC)	mg/L	10.6	58.5			219		251			337			343	306	141	122	129	132	107	81.9	23.4	17.1	15.7	15.7	16.3	15.7	16.4	17.9	
Nitrate/Nitrite as N	mg/L	<0.020	<0.400			<0.400		<0.020			<0.020			<0.02	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.02	<0.020	<0.020	<0.020	<0.040	<0.020	
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.500	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.212	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.050	<0.100			<0.050		<0.250			<0.500			1.47	<0.500	<0.250	<0.250	<0.500	<0.250	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.300	<0.250	<0.250	
Arsenic	mg/L	0.0115	0.0088			0.0098		0.0091			0.0194			0.0168	0.0148	0.0155	0.0218	0.0171	0.0192	0.0188	0.0087	0.0133	0.0106	0.0125	0.0113	0.0163	0.0195	0.0170	0.0157	
Cadmium	mg/L	<0.0001	<0.0010			<0.0010		<0.0005			<0.0005			<0.0005	<0.0005	<0.0005	<0.0005	<0.001	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.001	<0.0010	<0.0025	<0.0025	<0.0025	<0.0025	
Copper	mg/L	0.0109	0.0147			0.0174		0.0160			0.0409			0.0183	0.0257	0.0227	0.0223	0.0168	0.0102	0.0109	0.0069	0.0064	0.0136	0.0156	0.0102	0.0499	0.0434	0.0323	0.0287	
Iron	mg/L	<0.050	<0.050			<0.050		<0.250			<0.500			0.252	<0.500	<0.250	<0.250	0.344	0.328	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.300	0.464	0.310	0.260
Lead	mg/L	0.0085	<0.0050			<0.0050		<0.0025			<0.0025			<0.0025	<0.0025	<0.0025	<0.0025	<0.005	<0.0025	<0.0025	<0.0025	<0.0025	<0.0050	<0.0050	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025	
Manganese	mg/L	0.0091	0.0188			0.0178		0.0202			0.0307			0.0275	0.0243	0.0252	0.0483	0.063	0.0378	0.0266	0.0245	0.0175	0.0102	0.0079	0.0052	0.0046	0.0034	0.0032	0.0028	
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	
Molybdenum	mg/L	0.0143	0.0291			0.0241		0.0241			0.0221			0.0189	0.0155	0.0140	0.0134	0.0121	0.0081	0.0075	0.0082	0.0085	0.0076	0.0075	0.008	0.0069	0.0061	0.0061	0.0059	
Selenium	mg/L	0.0233	0.0121			0.0149		0.0240			0.0383			0.0268	0.0232	0.0261	0.0464	0.0203	0.0203	0.0173	0.0125	0.0129	0.0135	0.0191	0.027	0.0411	0.0372	0.0319	0.0335	
Silica (SiO2)	mg/L	7.82	8.86			9.16		6.01			<10.7			9.69	8.68	10.7	8.24	8.35	9.06	<10.7	<10.7	<10.7	<10.7	<10.7	<10.7	7.48	8.4	8.33	7.79	
Silicon	mg/L	3.66	4.14			4.28		2.81			<5.00			4.53	4.06	5.01	3.85	3.9	4.24	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	3.5	3.93	3.89	3.64	
Uranium	mg/L	0.0091	0.0102			0.0137		0.0100			0.0091			0.0087	0.0089	0.0113	0.0077	0.0046	0.0053	0.0034	0.0045	0.0033	<0.0050	<0.0050	<0.0050	0.0025	0.0025	<0.0025	<0.0025	
Zinc	mg/L	0.375	<0.0200			<0.0200		<0.0100			<0.0100</																			

GCC Energy Hydrologic Monitoring Data

MW-4-A																																									
Year	2017								2018								2019								2020								2021								2022
Quarter	Q1	Q2	Q3			Q4			Q1			Q2			Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1												
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	11	2	5	8	11	2													
Sample Date	3/29	6/30	7/19	8/23	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/6	5/26	8/27	11/25	2/10	5/18	8/10	11/10	2/23													
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y														
Field Parameters:																																									
Purge Flow Rate	gpm	NM	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.10	0.06	0.06	0.06	0.13	0.03	0.03	0.13	0.13	0.05	0.13	0.25	0.20	0.22													
Total Purged	gal	19.0	2.0	1.5	0.5	1.0	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.5	1.5	1.1	1.5	1.3	1.1	1.0	1.5	1.2	1.3	1.3	1.3	1.5	1.3	1.8													
Depth to Water	ft bgs	338.6	334.96	335.59	334.79	334.81	334.86	332.29	334.09	334.31	334.73	334.81	335.07	335.58	336.06	336.73	335.6	335.07	335.21	335.16	336.35	337.16	336.88	336.13	335.46	335.72	335.93	336.16	336.01												
Temperature	deg C	15.6	16.8	25.5	17.6	11.9	11.6	10.8	10.1	10.9	9.8	11.4	10.9	17.8	12.9	11.6	11.1	10.4	13.6	11.6	10.3	12.5	14.0	12.3	10.3	11.2	12.1	11.6	9.4												
pH	SU	8.61	8.29	8.55	7.98	8.41	8.32	8.38	8.32	8.33	8.37	8.41	8.19	8.20	8.10	8.12	8.15	8.08	8.02	8.11	8.07	8.19	8.27	8.30	8.25	8.30	8.38	8.38	8.35												
Specific Conductance	µS/cm	2163	2053	1876	2096	2180	2165	2186	2261	2259	2267	2207	2214	2183	2192	2246	2205	2237	2201	2211	2271	2273	2165	2249	2052	1618	2205	2268	2294												
Oxygen Reduction Potential	mV	28.6	54.0	60.2	61.7	-8.6	-27.0	-12.3	-51.8	-35.2	-75.9	-117.3	-77.9	-81.8	-137.5	-157.6	-92.3	-89.3	-54.3	-19.8	15.3	-71.3	-11.5	-10.6	29.0	-63.4	-48.7	-77.3	-153.2												
Lab Analytical Results:																																									
Hardness as CaCO3	mg/L	9.16	9.85			7.77		7.11			7.73			7.84	7.69	8.81	7.76	7.31	8.62	8.00	8.19	7.46	7.87	7.77	8.87	7.02	5.81	7.54	8.32												
pH (Lab)	SU	8.2	8.40			8.36		8.40			8.28			8.31	8.21	8.24	8.05	8.08	8.15	8.02	8.11	7.90	8.19	8.16	8.04	8.15	8.09	8.21	8.24												
Total Dissolved Solids (Lab)	mg/L	1470	1470			1450		1500			1490			1470	1430	1350	1450	1410	1540	1490	1500	1480	1460	1560	1370	1430	1510	1470	1400												
Calcium	mg/L	2.23	2.43			1.76		1.87			1.81			1.75	1.71	1.92	1.77	1.68	1.94	1.82	1.88	1.67	1.79	1.73	2.04	1.65	1.41	1.76	1.87												
Magnesium	mg/L	0.871	0.916			0.823		0.591			0.778			0.846	0.832	0.973	0.809	0.756	0.914	0.837	0.850	0.798	0.826	0.836	0.917	0.704	0.555	0.765	0.890												
Sodium	mg/L	515	537			513		511			507			528	531	568	535	515	548	529	551	498	533	531	565	507	411	488	504												
Potassium	mg/L	1.57	1.75			1.63		<5.00			<2.00			1.5	<2.00	<2.00	<2.00	<2.00	4.75	<5.00	<3.00	<5.00	<5.00	<5.00	<3.00	<5.00	<2.00	<2.00													
Alkalinity, Total	mg/L	635	560			630		590			530			560	575	575	545	565	575	544	560	585	605	538	620	590	580	670	535												
Alkalinity, Bicarbonate	mg/L	635	560			590		560			490			560	555	575	505	544	535	528	560	545	565	530	620	530	580	670	485												
Alkalinity, Carbonate	mg/L	<10.0	<10.0			40.0		30.0			40.0			<10.0	20.0	<10.0	40	32	40.0	16.0	<10.0	40.0	40	<10.0	<10.0	60	<10.0	<10.0	50.0												
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0												
Chloride	mg/L	9.56	9.66			10.3		10.3			10.0			9.94	9.55	8.60	8.93	8.99	8.91	8.76	8.83	8.89	10.1	9.15	8.79	9.15	9.17	9.04	9.04												
Fluoride	mg/L	<0.400	<0.400			<0.500		<0.500			<0.500			<0.500	<0.500	0.143	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.500	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200												
Sulfate as SO4	mg/L	594	588			783		594			579			561	522	450	567	584	615	559	557	580	542	607	561	577	593	551	581												
Total Organic Carbon (TOC)	mg/L	6.63	11.7			3.52		3.27			3.46			3.59	3.60	3.59	3.47	3.40	3.33	3.25	3.10	3.49	3.48	3.27	3.42	3.42	3.23	3.28	3.31												
Nitrate/Nitrite as N	mg/L	0.035	<0.020			<0.020		<0.020			<0.020			<0.02	<0.02	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020												
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.312	NA	NA	NA	NA	NA	NA	NA	NA	NA												
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA												
Aluminum	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100			<0.05	<0.05	<0.100	<0.100	<0.100																							

GCC Energy Hydrologic Monitoring Data

MW-4-MI																															
Year	2017								2018								2019				2020				2021				2022		
Quarter	Q1	Q2	Q3		Q4			Q1		Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4		
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	11	2	5	8	11	2	5	8	11
Sample Date	3/30	6/16	7/27	8/23	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/6	5/26	8/27	11/25	2/10	5/18	8/10	11/10	2/23			
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																															
Purge Flow Rate	gpm	NM	NM	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.06	0.06	0.13	0.25	0.13	0.13	0.13	0.13	0.13	0.13	0.25	0.25	0.25			
Total Purged	gal	0.5	6.5	NM	NM	1.0	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.3	1.8	1.6	2.0	1.3	1.1	1.0	1.3	1.2	1.3	1.3	1.5	1.3	1.5	1.5	1.3		
Depth to Water	ft bgs	378.2	330.15	330.94	330.85	330.81	330.8	330.74	330.67	330.52	330.42	330.53	330.5	329.62	331.1	336.57	331.1	331.06	331.92	332.1	332.5	332.87	332.45	333.29	333.22	329.27	333.57	333.65	333.45		
Temperature	deg C	15.0	14.6	12.9	12.5	11.4	10.7	11.3	11.4	11.2	11.0	10.5	10.9	10.1	11.8	11.3	11.1	10.8	13.3	11.6	11.8	12.2	12.9	11.8	10.8	11.6	12.1	11.7	11.0		
pH	SU	9.08	8.91	8.78	8.79	8.76	8.76	8.73	8.67	8.62	8.48	8.53	8.01	8.50	8.14	8.25	8.38	8.23	8.14	8.26	8.18	8.42	8.45	8.57	8.57	8.60	8.59	8.59	8.46		
Specific Conductance	µS/cm	1581	1668	1731	1708	1784	1794	1804	1833	1848	1856	1841	1816	1739	1756	1808	1716	1800	1830	1776	1795	1794	1730	1777	1605	1258	1711	1761	1745		
Oxygen Reduction Potential	mV	155.2	64.7	9.8	35.2	-29.6	-37.3	-111.5	-89.2	-112.5	-151.3	-145.7	-117.7	-130.0	-178.2	-202.3	-140.4	-154.7	-127.3	-76.8	-50.6	-131.2	-92.0	-87.7	-53.9	-105.9	-97.8	-118.1	-141.5		
Lab Analytical Results:																															
Hardness as CaCO3	mg/L	5.43	8.71			7.07		4.20			6.01				5.88	6.06	6.39	5.35	4.93	5.65	3.31	4.70	<3.31	5.19	2.84	4.91	3.79	4.59	4.53	4.17	
pH (Lab)	SU	8.83	8.59			8.63		8.51			8.47				8.48	8.31	8.47	8.35	8.3	8.44	8.08	8.33	8.02	8.28	8.38	8.21	8.38	8.28	8.59	8.35	
Total Dissolved Solids (Lab)	mg/L	1160	1170			1180		1180			1220				1140	1120	1100	1130	1130	1140	1120	1110	1110	1070	1170	1130	1100	1130	1090	1100	
Calcium	mg/L	1.53	2.32			1.88		1.68			1.64				1.55	1.56	1.60	1.44	1.3	1.51	1.32	1.21	1.22	1.32	1.14	1.97	1.05	1.23	1.09	1.05	
Magnesium	mg/L	0.392	0.707			0.579		<0.500			0.465				0.49	0.524	0.580	0.428	0.408	0.458	<0.500	0.406	<0.500	0.459	<0.400	<0.500	0.285	0.37	0.441	0.372	
Sodium	mg/L	408	458			449		452			447				471	470	500	462	458	496	477	441	460	459	458	476	431	427	418	430	
Potassium	mg/L	1.46	<2.00			1.73		<5.00			<2.00				1.39	<2.00	<2.00	1.43	1.77	2.03	<5.00	<2.00	<5.00	<3.00	<4.00	<5.00	<2.00	<2.00	<2.00	<2.00	
Alkalinity, Total	mg/L	965	915			1100		985			965				955	968	995	510	890	970	978	985	1030	1020	1010	990	1020	985	1140	935	
Alkalinity, Bicarbonate	mg/L	775	825			880		885			875				865	896	885	420	650	880	886	895	935	940	965	910	900	865	1020	825	
Alkalinity, Carbonate	mg/L	190	90.0			220		100			90.0				90	72.0	110	90	240	90.0	92.0	90.0	90.0	80	40	80	120	120	120	110	
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	2.18	7.50			8.78		9.11			8.74				7.99	5.68	5.38	5.98	5.98	5.83	5.47	5.37	5.11	5.02	4.97	4.89	4.85	4.91	4.98	4.55	
Fluoride	mg/L	4.72	5.02			5.09		5.10			5.02				4.82	4.84	4.94	5.49	5.44	5.38	5.31	5.11	5.16	5	5.27	4.92	5.03	5.2	4.78	5.16	
Sulfate as SO4	mg/L	17.4	64.7			76.6		77.5			68.6				54.4	48.3	47.6	38.7	34.4	31.9	28.2	24.6	21.9	20	18.7	17.1	16.1	16.4	13.7	13.4	
Total Organic Carbon (TOC)	mg/L	2.64	6.49			8.58		9.53			9.54				9.25	8.94	8.48	8.37	8.25	7.81	6.42	6.63	6.55	5.93	5.77	5.78	5.36	5.29	5.09	4.80	
Nitrate/Nitrite as N	mg/L	<0.020	<0.020			<0.020		<0.020			<0.020				<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.040	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA				NA	NA	NA	NA	NA	NA	0.240	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA				NA	NA	NA	NA	NA	NA	0.280	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.050	<0.100			<0.050		<0.250			<0.100				<0.050	<0.100	<0.100	<0.050	<0.050	<0.100	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100	<0.100	<0.100	
Arsenic	mg/L	0.0099	0.0220			0.0131		0.0122			0.0139				0.0153	0.014	0.0119	0.0164	0.0111	0.0116	0.0107	0.0127	0.0139	0.0084	0.0092	0.0088	0.011	0.0099	0.0093	0.0120	
Cadmium	mg/L	<0.0001	<0.0001			<0.0005		<0.0005			<0.0001				<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0005	<0.0004	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	
Copper	mg/L	0.0059	0.0058			0.0071		0.0070			0.0079				0.0063	0.0071	0.0078	0.0087	0.0153	0.0051	0.0027	0.0028	0.0020	0.0052	0.0045	0.004	0.0103	0.0134	0.0107	0.0116	
Iron	mg/L	<0.050	<0.100			<0.050		<0.250			<0.100				<0.050	<0.100	<0.100	<0.050	<0.050	<0.100	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100	<0.100	<0.100	
Lead	mg/L	0.0010	<0.0005			<0.0025		<0.0025			<0.0005				<0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0025	<0.0020	<0.0025	<0.0005	<0.0010	<0.0010	<0.0005	
Manganese	mg/L	0.0020	0.0066			0.0081		0.0124			0.0080				0.007	0.0068	0.0084	0.0091	0.0084	0.0084	0.0073	0.0085	0.0086	0.0086	0.0092	0.0094	0.0073	0.0075	0.0077	0.0076	
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0050	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	
Molybdenum	mg/L	0.0020	0.0160			0.0127		0.0134			0.0151				0.0119	0.0115	0.0129	0.0121	0.0119	0.0108	0.0101	0.0096	0.0091	0.0081	0.0089	0.0082	0.0076	0.0068	0.0065	0.0065	
Selenium	mg/L	<0.0010	0.0012			<0.0050		<0.0050			<0.0010				0.0022	0.0113	<0.0020	0.002	<0.0010	<0.0010	<0.0020	<0.0020	<0.0010	<0.005	<0.0040	0.0143	<0.0010	<0.0020	<0.0040	<0.0010	
Silica (SiO2)	mg/L	7.27	8.01			8.80		<5.35			8.30				8.9	9.29	10.3	8.86	9.06	10.2	9.51	8.21	7.81	8.39	8.88	9.26	7.82	8.69	8.54	8.49	
Silicon	mg/L	3.40	3.75			4.11		2.50			3.88				4.16	4.34	4.81	4.14	4.24	4.76	4.45	3.84	3.65	3.92	4.15	4.33	3.66	4.06	3.99	3.97	
Uranium	mg/L	0.0043	0.0126			0.0184		0.0169			0.0183				0.0173	0.0151	0.0191	0.0269	0.0176	0.0168	0.0145	0.0163	0.0195	0.0121	0.0139	0.0137	0.0115	0.0112	0.0097	0.0089	
Zinc	mg/L	0.113	0.0697			<0.0100		<0.0100			<0.0020				<0.0020	<0.0020	<0.0040	<0.0020	<0.0020	<0.0100	<0.0040	<0.0040	<0.0100	<0.0080	<0.0100	<0.0020	<0.0040	<0.0040	<0.0020		

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured

GCC Energy Hydrologic Monitoring Data

MW-4-C																																	
Year	2017								2018								2019				2020				2021				2022				
Quarter	Q1	Q2	Q3			Q4			Q1		Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1						
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2	5	8	11	2					
Sample Date	3/30	6/16	7/27	8/23	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/4	5/26	8/27	12/1	2/10	5/18	8/10	11/10	2/23					
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y					
Field Parameters:																																	
Purge Flow Rate	gpm	NM	NM	NM	NM	NM	NM	NM	NM	0.1	NM	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3					
Total Purged	gal	7.0	1.5	NM	NM	1.0	1.0	1.0	1.0	1.5	1.5	1.5	1.0	1.5	1.0	1.3	1.5	1.3	1.1	1.0	1.5	1.2	1.5	1.3	1.5	1.5	1.5	1.5	1.5				
Depth to Water	ft bgs	328.33	314.05	309.87	306.86	303.96	303.80	302.47	304.80	282.35	281.30	303.30	304.05	NM	302.55	302.17	302.45	303.93	304.93	305.73	306.44	304.90	307.80	308.05	308.65	308.58	309.32	309.90	309.80				
Temperature	deg C	13.3	17.4	12.7	12.0	13.9	11.8	11.2	11.0	11.7	10.8	12.5	11.4	12.4	12.9	11.5	11.3	11.2	12.5	11.7	11.2	12.7	13.0	11.4	10.0	11.4	12.3	11.7	10.3				
pH	SU	8.33	7.62	7.68	7.70	7.69	7.75	7.72	7.79	7.80	7.88	7.94	7.75	7.79	7.76	7.79	7.87	7.86	7.81	7.85	7.87	7.97	8.00	8.05	8.02	8.05	8.12	8.11	8.06				
Specific Conductance	µS/cm	3792	5944	5997	5885	5813	5721	5782	5604	5834	5903	5628	5792	5592	5583	5775	5710	5712	5930	5636	5729	5636	5429	5665	5106	4047	5454	5687	5698				
Oxygen Reduction Potential	mV	57.3	20.3	-101.5	-111.2	-103.7	-117.4	-109.0	-120.1	-123.8	-154.3	-131.3	-134.9	-129.3	-157.6	-209.0	-160.1	-180.1	-156.8	-148.7	-135.9	-147.7	-132.1	-128.7	-106.2	-100.6	-142.3	-173.0	-255.6				
Lab Analytical Results:																																	
Hardness as CaCO3	mg/L	46.3	55.9			38.9		30.0			26.5			26.2	25.9	28.6	23.6	22.5	25.2	24.4	24.0	22.7	23	21.8	25.6	19.6	21.9	20.9	22.2				
pH (Lab)	SU	7.61	7.77			7.79		7.98			7.84			7.97	7.96	8.27	7.9	7.92	7.95	7.85	7.95	7.76	7.92	7.94	7.96	7.97	7.96	8.08	8.01				
Total Dissolved Solids (Lab)	mg/L	3230	4050			3750		3780			3730			3660	3650	3590	3580	3590	3610	3610	3580	3570	3510	3610	3720	3540	3600	3630	3520				
Calcium	mg/L	13.6	13.7			9.15		7.45			6.32			6.15	5.90	6.60	5.5	5.21	5.83	5.61	5.57	5.31	5.3	5.15	5.98	4.64	5.07	4.77	5.04				
Magnesium	mg/L	2.99	5.26			3.90		2.76			2.61			2.62	2.72	2.94	2.39	2.3	2.57	2.53	2.44	2.30	2.36	2.18	2.58	1.95	2.25	2.19	2.33				
Sodium	mg/L	908	1510			1490		1400			1410			1400	1410	1590	1410	1370	1440	1430	1440	1390	1400	1400	1520	1310	1340	1270	1360				
Potassium	mg/L	4.38	5.71			6.07		<10.0			<10.0			<5.00	<5.00	5.36	<5.00	<5.00	5.42	<10.0	<5.00	<10.0	<10.0	<10.0	<10.0	<6.00	<5.00	<5.00	<5.00				
Alkalinity, Total	mg/L	1250	2360			2780		2680			2600			2410	2480	2450	2470	2550	2500	2470	2480	2460	2500	2950	2470	2500	2410	2630	2360				
Alkalinity, Bicarbonate	mg/L	1250	2360			2780		2640			2600			2330	2480	2450	2470	2350	2390	2410	2420	2340	2390	2880	2430	2360	2290	2410	2180				
Alkalinity, Carbonate	mg/L	<10.0	<10.0			<10.0		40.0			<10.0			80	<10.0	<10.0	<10.0	200	110	60.0	60.0	120	110	70	40	140	120	220	180				
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0				
Chloride	mg/L	181	550			587		608			592			573	533	590	575	554	580	525	528	555	543	565	557	553	572	561	562				
Fluoride	mg/L	1.29	2.04			2.17		2.43			2.53			2.52	2.48	2.54	2.64	2.62	2.59	2.51	2.41	2.36	2.34	2.37	2.21	2.16	2.28	2.04	2.26				
Sulfate as SO4	mg/L	534	487			70.2		26.0			34.5			27	18.7	11.2	5.07	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00				
Total Organic Carbon (TOC)	mg/L	30	6.42			5.08		3.64			3.23			3.23	2.80	3.46	3.24	2.62	2.63	4.18	2.23	2.50	2.31	3.72	4.57	4.92	4.81	4.70	5.93				
Nitrate/Nitrite as N	mg/L	<2.00	<0.500			<0.400		<0.100			<0.020			<0.020	<0.020	<0.020	0.061	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.040				
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.424	NA	NA	NA	NA	NA	NA	NA	NA	NA				
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	0.182	NA	NA	NA	NA	NA	NA	NA	NA	NA				
Aluminum	mg/L	<0.050	<0.050			<0.050		<0.500			<0.500			<0.250	<0.250	<0.250	<0.250	<0.250	<0.250	<0.250	<0.250	<0.500	<0.500	<0.500	<0.500	<0.300	<0.250	<0.250	<0.250				
Arsenic	mg/L	0.0059	0.0119			0.0128		0.0152			0.0246			0.0195	0.0202	0.0164	0.0211	0.0171	0.0178	0.0179	0.0203	0.0195	0.015	0.0182	0.0177	0.0212	0.0248	0.0213	0.0213				
Cadmium	mg/L	<0.0001	<0.0010			<0.0010		<0.0010			<0.0005			<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.001	<0.001	<0.0010	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Copper	mg/L	0.0125	0.0243			0.0221		0.0208			0.0482			0.0389	0.0280	0.0230	0.0249	0.0382	0.0198	0.0107	0.0111	0.0069	0.0151	0.0148	0.0111	0.0464	0.0499	0.0370	0.0302				
Iron	mg/L	<0.050	<0.050			<0.050		<0.500			<0.500			0.373	0.397	0.474	0.279	0.391	0.522	0.619	0.591	0.551	<0.500	0.553	0.837	0.355	0.793	0.551	0.598				
Lead	mg/L	<0.0005	<0.0050			<0.0050		<0.0050			<0.0025			<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0050	<0.0050	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025				
Manganese	mg/L	0.0269	0.0772			0.0554		0.0571			0.0647			0.0529	0.0381	0.0283	0.0268	0.0174	0.0162	0.0096	0.0209	0.0103	0.008	0.0076	0.0059	0.0063	0.005	0.0047	0.0051				
Mercury	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002				
Molybdenum	mg/L	0.0526	0.115			0.0138		0.0106			0.0086			0.0072	0.0071	0.0057	0.0074	0.007	0.0056	0.0047	0.0045	0.0044	<0.005	<0.005	<0.0050	0.0037	0.0031	0.0031	0.0033				
Selenium	mg/L	0.0248	0.0231			0.0214		0.0269			0.0378			0.0317	0.0260	0.0211	0.0339	0.0195	0.0195	0.0156	0.0140	0.0129	0.0112	0.0182	<0.0100	0.0186	0.028	0.0269	0.0219				
Silica (SiO2)	mg/L	9.85	12.6			12.9		<10.7			<10.7			11	11.2	12.8	10.1	10.5	11.3	11.0	9.88	<10.7	<10.7	<10.7	10.8	8.35	9.54	9.37	9.28				
Silicon	mg/L	4.61	5.88			6.02		<5.00			<5.00			5.16	5.24	6.00	4.7	4.89	5.29	5.14	4.62	<5.00	<5.00	<5.00	5.06	3.91	4.46	4.38	4.34				
Uranium	mg/L	0.0297	0.121			0.0984		0.0545			0.0311			0.0311	0.0277	0.0246	0.0215	0.0154	0.0086	0.0073	0.0063	0.0039	<0.0050	<0.0050	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025				
Zinc	mg/L	0.0156	0.0265			<0.0200		<0.0200			<0.0100			<0.0100	<0.0100	<0.0100	<0.0100	0.0038	<0.0100	<0.0100	<0.0100	<0.0200	<0.0200	<0.0200	<0.0100	<0.0100	<0.0100	<0.0100					

Notes & Definitions:

- ^ one-time analysis
 - Y/N yes or no
 - gpm gallons per minute
 - deg C degrees Celsius
 - SU standard pH units
 - µS/cm microsiemens per centimeter
 - mV millivolts
 - mg/L milligram per liter
 - pCi/L picocuries per liter
 - NM not measured (field)
 - NA not analyzed (lab)
1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
 3. Industry

GCC Energy Hydrologic Monitoring Data

MW-6-A																						
Year	2018	2019										2020				2021				2022		
Quarter	Q4	Q1			Q2			Q3				Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	
Month	12	1	2	3	4	5	6	7	8	9	11	2	5	8	11	2	5	8	11	2		
Sample Date	12/28	1/31	2/21	3/21	4/23	5/20	6/19	7/23	8/15	9/24	11/7	2/5	5/14	8/11	11/25	2/9	5/17	8/9	11/9	2/15		
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Field Parameters:																						
Purge Flow Rate	gpm	NM	NM	0.10	2.00	0.03	0.03	0.03	0.06	0.03	0.02	0.01	0.05	0.13	0.05	0.05	0.05	0.02	0.13	0.02	0.05	
Total Purged	gal	36.3	0.5	0.5	2.0	2.0	1.3	1.0	1.3	1.1	1.3	1.5	1.1	1.0	1.3	1.0	1.0	1.0	1.0	1.0	1.0	
Depth to Water	ft bgs	304.33	306.41	307.40	309.60	311.05	312.50	314.20	315.75	316.43	NM	318.70	315.46	319.63	319.64	319.65	319.66	319.66	319.64	319.66	320.30	
Temperature	deg C	7.4	10.7	8.1	7.5	9.6	7.3	12.5	12.3	11.9	10.4	10.4	7.8	9.8	19.5	8.0	9.7	12.6	19.4	10.7	11.5	
pH	SU	7.32	6.64	6.66	6.74	6.65	6.73	6.76	6.75	6.76	6.80	6.79	6.89	6.95	6.97	7.10	7.03	7.10	7.11	7.11	7.02	
Specific Conductance	µS/cm	6573	6053	6072	6107	6012	6057	5725	5598	5562	5451	5108	5043	4779	4339	4656	4051	3198	4238	4465	4486	
Oxygen Reduction Potential	mV	-22.8	19.4	24.6	12.6	11.8	34.8	86.6	25.8	86.6	6.5	29.2	20.5	36.7	51.7	62.3	55.2	73.5	83.5	5.2	26.5	-56.1
Lab Analytical Results:																						
Hardness as CaCO3	mg/L	4360		4190			3920			3540		3070	3200	2780	2690	2710	2660	2550	2740	2510	2440	
pH (Lab)	SU	7.10		6.85			6.77			6.85		6.87	6.9	6.93	6.66	7.04	7.20	6.93	7.1	6.98	7.19	
Total Dissolved Solids (Lab)	mg/L	6520		6520			120*			6080		5210	4980	4670	4490	4570	4480	4390	4440	4310	4440	
Calcium	mg/L	615		559			553			492		431	467	400	398	406	398	378	415	370	359	
Magnesium	mg/L	687		678			617			560		484	495	431	411	413	404	390	413	385	374	
Sodium	mg/L	294		283			296			304		276	296	274	261	273	272	266	263	254	257	
Potassium	mg/L	15.0		14.4			12.4			12.8		11.1	<20.0	10.6	10.3	10.5	11.1	10.7	11	10.4	10.7	
Alkalinity, Total	mg/L	160		160			143			183		220	215	233	236	246	245	290	255	295	285	
Alkalinity, Bicarbonate	mg/L	160		160			143			183		220	215	233	236	246	245	290	255	295	285	
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	97.4		28.6			27.3			29.9		29.6	28.4	29.0	26.0	26.6	24.9	25.8	26	26.6	26.2	
Fluoride	mg/L	2.83		<0.500			<0.500			<0.500		<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	
Sulfate as SO4	mg/L	205		4300			4280			4260		3460	3080	3020	3160	2890	2620	2740	2780	2790	2870	
Total Organic Carbon (TOC)	mg/L	3.45		3.08			2.91			3.57		3.10	3.16	3.39	3.31	3.26	1.71	3.82	3.33	3.25	3.26	
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020		<0.020	0.049	0.154	0.117	0.093	0.039	0.156	0.118	0.096	0.131	
Ammonia as N ^	mg/L	NA		NA			NA			NA		2.72	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA		<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.500		<0.250			<0.250			<0.250		<0.250	<1.00	<0.500	<0.250	<0.500	<0.250	<0.250	<0.250	<0.250	<0.250	
Arsenic	mg/L	<0.0025		<0.0025			0.0009			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025	<0.0020	
Cadmium	mg/L	<0.0005		<0.0005			0.0001			<0.0005		<0.0005	<0.0005	<0.0010	<0.0005	<0.0010	<0.0005	<0.0025	<0.0025	<0.0025	<0.0020	
Copper	mg/L	0.0116		0.0081			0.0035			0.0039		0.0017	0.0028	<0.0050	<0.0025	<0.0050	<0.0025	0.0068	0.0082	0.0063	0.0065	
Iron	mg/L	1.37		3.75			3.93			3.22		2.72	1.95	1.38	1.10	1.24	1.17	0.890	1.48	1.15	1.41	
Lead	mg/L	<0.0025		<0.0025			<0.0005			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025	<0.0020	
Manganese	mg/L	0.788		0.802			0.724			0.690		0.585	0.551	0.526	0.520	0.454	0.437	0.397	0.407	0.391	0.420	
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002		<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	
Molybdenum	mg/L	<0.0025		<0.0025			<0.0005			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.005	<0.0025	<0.0025	<0.0025	<0.0025	<0.0020	
Selenium	mg/L	<0.0050		<0.0050			0.0028			<0.0050		<0.0050	<0.005	<0.0100	<0.0050	<0.0100	<0.0050	<0.0050	<0.0050	<0.0100	<0.0040	
Silica (SiO2)	mg/L	12.3		11.9			14.3			13.4		12.5	<21.4	11.0	11.4	12.3	11.9	13.2	14.3	13.6	12.7	
Silicon	mg/L	5.77		5.57			6.69			6.28		5.83	<10.00	5.17	5.35	5.76	5.58	6.17	6.67	6.36	5.96	
Uranium	mg/L	<0.0005		<0.0005			<0.0001			<0.0005		<0.0005	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025	<0.0020	
Zinc	mg/L	0.0689		<0.0100			0.0082			0.0108		0.0117	0.0107	<0.0200	0.0159	<0.0200	<0.0100	<0.0100	<0.0100	<0.0100	<0.0080	

Notes & Definitions:

- * Anomalous value under review
- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-6-MI																						
Year	2018	2019										2020				2021				2022		
Quarter	Q4	Q1			Q2				Q3			Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	
Month	12	1	2	3	4	5	5	6	7	8	9	11	2	5	8	11	2	5	8	11	2	
Sample Date	12/29	1/31	2/25	3/21	4/19	5/20	5/30	6/19	7/23	8/15	9/24	11/7	2/5	5/14	8/11	11/24	2/9	5/17	8/9	11/9	2/15	
Lab Analysis (Y/N)	Y	N	Y	N	N	N [#]	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
Field Parameters:																						
Purge Flow Rate	gpm	NM	NM	NM	0.5	0.1	0.015	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	
Total Purged	gal	11.3	0.5	1.5	0.5	1.0	0.9															
Depth to Water	ft bgs	374.49	368.09	367.92	370.49	369.50	371.00															
Temperature	deg C	14.3	13.6	10.8	9.7	16.7	3.9															
pH	SU	8.26	7.43	7.21	7.55	7.97	7.84															
Specific Conductance	µS/cm	3390	3620	3132	2619	2202	2527															
Oxygen Reduction Potential	mV	103.0	-80.2	77.6	59.8	38.3	64.9															
Lab Analytical Results:																						
Hardness as CaCO3	mg/L	679		147																		
pH (Lab)	SU	8.18		8.35																		
Total Dissolved Solids (Lab)	mg/L	2480		1880																		
Calcium	mg/L	104		23.4																		
Magnesium	mg/L	102		21.6																		
Sodium	mg/L	646																				
Potassium	mg/L	12.0		5.30																		
Alkalinity, Total	mg/L	395		615																		
Alkalinity, Bicarbonate	mg/L	345		615																		
Alkalinity, Carbonate	mg/L	50.0		<10.0																		
Alkalinity, Hydroxide	mg/L	<10.0		<10.0																		
Chloride	mg/L	175		178																		
Fluoride	mg/L	2.06		2.46																		
Sulfate as SO4	mg/L	1210		585																		
Total Organic Carbon (TOC)	mg/L	3.63		4.55																		
Nitrate/Nitrite as N	mg/L	0.023		<0.020																		
Aluminum	mg/L	<0.100		<0.100																		
Arsenic	mg/L	0.0084		0.0144																		
Cadmium	mg/L	<0.0001		<0.0002																		
Copper	mg/L	0.0113		0.0112																		
Iron	mg/L	<0.100		<0.100																		
Lead	mg/L	<0.0005		<0.0010																		
Manganese	mg/L	0.0500		0.0224																		
Mercury	mg/L	<0.0002		<0.0002																		
Molybdenum	mg/L	0.0558		0.0690																		
Selenium	mg/L	0.0098		0.0127																		
Silica (SiO2)	mg/L	9.93		9.05																		
Silicon	mg/L	4.64		4.23																		
Uranium	mg/L	0.0200		0.0118																		
Zinc	mg/L	0.0092		0.0143																		

Notes & Definitions:

- # No sample collected, due to low yield, insufficient volume for lab sample after field parameters we measured
 - Y/N yes or no
 - gpm gallons per minute
 - deg C degrees Celsius
 - SU standard pH units
 - µS/cm microsiemens per centimeter
 - mV millivolts
 - mg/L milligram per liter
 - pCi/L picocuries per liter
 - NM not measured (field)
 - NA not analyzed (lab)
1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-6-C																					
Year	2018	2019										2020				2021				2022	
Quarter	Q4	Q1			Q2			Q3				Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1
Month	12	1	2	3	4	5	6	7	8	9	11	2	5	8	11	2	5	8	11	2	
Sample Date	12/24	1/30	2/21	3/21	4/23	5/20	6/19	7/23	8/15	9/24	11/7	2/5	5/12	8/11	11/24	2/9	5/17	8/9	11/9	2/15	
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
Field Parameters:																					
Purge Flow Rate	gpm	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	
Total Purged	gal																				
Depth to Water	ft bgs																				
Temperature	deg C																				
pH	SU																				
Specific Conductance	µS/cm																				
Oxygen Reduction Potential	mV																				
Lab Analytical Results:																					
Hardness as CaCO3	mg/L																				
pH (Lab)	SU																				
Total Dissolved Solids (Lab)	mg/L																				
Calcium	mg/L																				
Magnesium	mg/L																				
Sodium	mg/L																				
Potassium	mg/L																				
Alkalinity, Total	mg/L																				
Alkalinity, Bicarbonate	mg/L																				
Alkalinity, Carbonate	mg/L																				
Alkalinity, Hydroxide	mg/L																				
Chloride	mg/L																				
Fluoride	mg/L																				
Sulfate as SO4	mg/L																				
Total Organic Carbon (TOC)	mg/L																				
Nitrate/Nitrite as N	mg/L																				
Aluminum	mg/L																				
Arsenic	mg/L																				
Cadmium	mg/L																				
Copper	mg/L																				
Iron	mg/L																				
Lead	mg/L																				
Manganese	mg/L																				
Mercury	mg/L																				
Molybdenum	mg/L																				
Selenium	mg/L																				
Silica (SiO2)	mg/L																				
Silicon	mg/L																				
Uranium	mg/L																				
Zinc	mg/L																				

Notes & Definitions:

Y/N	yes or no	1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
gpm	gallons per minute	
deg C	degrees Celsius	
SU	standard pH units	2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
µS/cm	microsiemens per centimeter	
mV	millivolts	
mg/L	milligram per liter	
pCi/L	picocuries per liter	3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
NM	not measured (field)	
NA	not analyzed (lab)	

GCC Energy Hydrologic Monitoring Data

MW-6-LM																						
Year	2018	2019										2020				2021				2022		
Quarter	Q4	Q1			Q2			Q3				Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	2	
Sample Date	12/30	1/31	2/25	3/21	4/23	5/20	6/19	7/23	8/15	9/24	10/28	11/7	2/5	5/14	8/11	11/25	2/9	5/17	8/9	11/9	2/15	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																						
Purge Flow Rate	gpm	NM	NM	0.06	2.00	0.03	0.03	0.10	0.06	0.03	0.02	0.01	0.03	0.01	0.13	0.01	0.13	0.13	0.13	0.13	0.13	
Total Purged	gal	0.5	0.5	1.5	2.0	2.0	2.3	1.3	1.3	1.8	2.0	1.5	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	
Depth to Water	ft bgs	535.72	538.73	539.34	540.64	539.98	537.58	540.00	540.35	540.24	540.17	539.80	540.18	539.70	539.45	539.98	540.30	539.78	540.20	541.25	541.34	541.00
Temperature	deg C	7.9	14.3	7.8	8.1	9.1	9.3	11.7	14.0	13.4	11.6	10.1	12.4	10.5	11.3	14.8	11.4	10.2	11.6	14.4	11.1	11.0
pH	SU	7.64	7.38	7.51	7.54	7.49	7.54	7.67	7.80	7.65	7.43	7.45	7.37	7.39	7.54	7.44	7.47	7.44	7.54	7.52	7.49	7.46
Specific Conductance	µS/cm	6011	3784	3503	1461	1164	1296	1400	1272	1532	2104	2267	2113	2283	2287	2442	2495	2136	1629	2531	2478	2362
Oxygen Reduction Potential	mV	185.3	10.7	40.9	-32.8	-35.8	-111.0	-194.5	-163.6	-67.2	6.4	-48.0	19.9	-128.9	-222.9	32.1	21.8	3.5	-188.8	-2.6	-36.6	-135.8
Lab Analytical Results:																						
Hardness as CaCO3	mg/L	2260		1270			431			621			843	1060	965	1130	1160	1120	1010	1280	1130	1030
pH (Lab)	SU	7.60		7.52			7.47			7.59			7.32	7.43	7.18	6.95	7.45	7.49	7.45	7.37	7.57	7.54
Total Dissolved Solids (Lab)	mg/L	5100		2840			875			1150			1630	1840	1840	2040	2020	1990	1830	2290	2050	1990
Calcium	mg/L	367		216			75.9			103			136	173	150	179	184	176	154	201	174	159
Magnesium	mg/L	325		177			58.7			88.3			122	153	143	165	171	166	152	189	170	154
Sodium	mg/L	459		248			129			153			172	203	188	194	194	188	169	177	166	162
Potassium	mg/L	173		64.5			14.0			13.7			11.3	11	7.82	7.20	6.04	5.96	5.22	5.69	4.99	5.22
Alkalinity, Total	mg/L	205		315			371			381			355	320	353	335	329	336	346	330	380	365
Alkalinity, Bicarbonate	mg/L	205		315			371			381			355	320	353	335	329	336	346	330	380	365
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	256		43.7			5.73			8.70			11.4	11	11.7	12.2	12.4	11	10.5	12.6	11.1	10.5
Fluoride	mg/L	0.530		<0.500			0.324			<0.500			<0.500	0.352	<0.500	0.346	0.356	0.318	0.340	0.418	0.306	0.328
Sulfate as SO4	mg/L	3050		1790			338			492			830	951	904	1260	1170	1020	978	1300	1100	555
Total Organic Carbon (TOC)	mg/L	3.46		2.61			1.57			1.78			1.85	1.76	1.84	1.87	1.93	3.17	1.81	1.91	1.94	1.83
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			1.99	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.250		<0.250			<0.050			<0.050			<0.100	<0.250	<0.250	<0.150	<0.250	<0.250	<0.150	<0.100	<0.100	<0.250
Arsenic	mg/L	0.0039		0.0049			0.0036			0.0038			0.0035	0.0044	0.0034	0.0038	0.0036	0.0038	0.0038	0.0039	0.0038	0.0042
Cadmium	mg/L	<0.0005		<0.0005			<0.0001			<0.0001			<0.0002	<0.0002	<0.0005	<0.0003	<0.0005	<0.0005	<0.0015	<0.0010	<0.0010	<0.0010
Copper	mg/L	0.0135		0.0064			0.0017			0.0018			0.0069	0.0014	<0.0025	<0.0015	<0.0025	<0.0025	0.0042	0.0046	0.0040	0.0044
Iron	mg/L	<0.250		<0.250			<0.050			<0.050			<0.100	<0.250	<0.250	<0.150	<0.250	<0.250	<0.150	<0.100	<0.100	<0.250
Lead	mg/L	<0.0025		<0.0025			<0.0005			<0.0005			<0.0010	<0.001	<0.0025	<0.0015	<0.0025	<0.0025	<0.0015	<0.0010	<0.0010	<0.0010
Manganese	mg/L	0.383		0.223			0.0692			0.148			0.166	0.184	0.171	0.267	0.292	0.253	0.203	0.257	0.263	0.339
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0490		0.0169			0.0037			0.0025			0.0022	0.002	<0.0025	0.0023	<0.0025	<0.0025	<0.0015	0.0016	0.0013	0.0013
Selenium	mg/L	0.0080		<0.0050			<0.0010			<0.0010			<0.0020	<0.002	<0.0050	<0.0030	<0.0050	0.0151	<0.0030	<0.0020	<0.0040	<0.0020
Silica (SiO2)	mg/L	10.5		13.5			17.0			17.4			15.9	17.1	15.1	14.7	16.0	15.6	16.4	16.8	16.6	16.0
Silicon	mg/L	4.91		6.29			7.96			8.12			7.43	7.97	7.07	6.88	7.47	7.3	7.68	7.85	7.75	7.49
Uranium	mg/L	0.0230		0.0075			0.0039			0.0054			0.0047	0.0055	0.0043	0.0046	0.0042	0.0039	0.0030	0.0037	0.0032	0.0028
Zinc	mg/L	0.0323		<0.0100			<0.0020			<0.0040			<0.0040	<0.004	<0.0100	0.0069	<0.0100	<0.0100	<0.0060	<0.0040	<0.0040	<0.0040

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-7-EAA																						
Year	2018	2019										2020				2021				2022		
Quarter	Q4	Q1			Q2			Q3				Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	3	
Sample Date	12/23	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	11/30	3/23	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																						
Purge Flow Rate	gpm	1.10	1.10	1.00	3.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.25	0.13	0.25	0.25	0.13	0.25	0.25	0.25	
Total Purged	gal	15.0	18.0	15.0	3.0	15.0	16.0	15.3	15.3	17.0	15.0	15.0	15.0	36.5	15.0	16.0	17.0	15.0	17.0	17.0	18.0	
Depth to Water	ft bgs	36.13	36.27	36.45	36.52	36.70	36.25	36.22	36.48	36.49	36.88	36.85	36.85	36.72	35.40	36.35	37.10	36.20	35.33	36.91	35.92	
Temperature	deg C	10.0	10.0	10.0	9.9	10.1	10.4	10.4	10.6	10.5	10.3	10.4	10.6	10.4	12.1	10.3	10.3	10.1	10.5	10.9	10.6	
pH	SU	6.99	7.01	7.04	6.93	7.00	7.06	7.07	6.28	6.95	7.06	7.03	7.06	6.91	7.17	7.09	7.12	7.14	7.19	7.24	7.23	
Specific Conductance	µS/cm	2001	1910	1910	1926	1912	1767	1836	1885	1890	1913	1936	1922	1993	1890	1772	1628	1672	1805	1814	1878	
Oxygen Reduction Potential	mV	-68.0	-36.7	-41.4	-38.1	-48.8	14.1	-13.8	-37.8	-29.5	-25.6	-21.3	0.9	-49.2	17.6	-8.6	2.2	-55.8	-41.9	-20.4	-133.6	
Lab Analytical Results:																						
Hardness as CaCO3	mg/L	936		1030			982			997			1020	963	1020	1080	939	1090	958	986	957	
pH (Lab)	SU	7.2		7.37			7.17			7.09			6.99	6.92	6.89	7.23	7.06	6.99	6.92	7.03	7.01	
Total Dissolved Solids (Lab)	mg/L	1460		1480			1490			1480			1530	1520	1430	1480	1450	1590	1460	1510	1580	
Calcium	mg/L	170		179			171			173			162	165	175	183	157	186	167	167	164	
Magnesium	mg/L	124		142			135			137			144	134	142	150	133	152	131	138	133	
Sodium	mg/L	75.3		81.3			75.0			75.2			74.9	73.7	76.0	80.9	73.4	81.4	75	74.6	72.0	
Potassium	mg/L	3.87		3.9			<5.00			3.74			3.74	3.82	<5.00	<5.00	<5.00	4.25	<5.00	<5.00	3.69	
Alkalinity, Total	mg/L	380		367			405			392			350	357	355	268	430	420	395	340	440	
Alkalinity, Bicarbonate	mg/L	380		367			405			392			425	357	355	268	430	420	395	340	440	
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	11.9		10.7			10.8			10.9			11.6	10.3	10.7	10.2	10.1	10.4	10.1	10.5	10.3	
Fluoride	mg/L	<0.500		0.332			0.322			0.322			<0.500	0.354	0.330	0.322	0.322	0.300	0.304	0.312	0.260	
Sulfate as SO4	mg/L	732		736			733			844			746	774	803	767	742	757	746	796	751	
Total Organic Carbon (TOC)	mg/L	3.72		3.57			3.73			3.70			3.45	3.42	3.63	4.01	3.39	3.00	3.42	3.63	3.38	
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	
Ammonia as N ^	mg/L	NA		NA			NA			NA			0.178	NA	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.100			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.250	<0.250	<0.100	
Arsenic	mg/L	0.0014		0.0015			0.0013			0.0016			0.0013	0.0013	0.0011	<0.0015	<0.0025	0.0016	<0.0025	<0.0025	0.0011	
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0002	<0.0002	<0.0002	<0.0003	<0.0005	<0.0001	<0.0025	<0.0025	<0.0010	
Copper	mg/L	0.0003		0.0018			0.0011			0.0008			0.0006	<0.0010	<0.0010	<0.0015	<0.0025	0.0007	<0.0025	<0.0025	0.0018	
Iron	mg/L	1.82		1.95			1.81			2.12			2.00	1.84	1.71	2.16	2.15	2.08	1.92	1.75	1.63	
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0010	<0.001	<0.0010	<0.0015	<0.0025	<0.0005	<0.0025	<0.0025	<0.0010	
Manganese	mg/L	3.72		4.49			4.01			4.22			4.76	4.86	3.63	4.49	4.42	5.22	4.21	4.39	4.66	
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	
Molybdenum	mg/L	0.0008		0.0011			0.0007			0.0009			<0.0010	0.001	<0.0010	<0.0015	<0.0025	0.0006	<0.0025	<0.0025	<0.0010	
Selenium	mg/L	<0.0020		<0.0020			<0.0010			0.0011			<0.0020	<0.002	<0.0020	<0.0030	<0.0050	<0.0010	<0.0050	<0.0050	<0.0020	
Silica (SiO2)	mg/L	16.6		16.1			16.1			16.9			16.8	16.4	15.8	16.9	14.9	17.7	17.1	16.7	17.2	
Silicon	mg/L	7.75		7.52			7.55			7.90			7.83	7.67	7.37	7.91	6.96	8.28	7.97	7.81	8.03	
Uranium	mg/L	0.0021		0.0018			0.0017			0.0018			0.0020	0.0019	0.0016	0.0018	<0.0025	0.0018	<0.0025	<0.0025	0.0015	
Zinc	mg/L	<0.0050		<0.0040			0.0021			0.0020			<0.0040	<0.004	<0.0040	<0.0060	<0.0100	0.0022	<0.0100	<0.0100	<0.0040	

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-8-EAA																								
Year	2018	2019										2020				2021				2022				
Quarter	Q4	Q1			Q2			Q3				Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1		
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	3			
Sample Date	12/23	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	11/30	3/23			
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y			
Field Parameters:																								
Purge Flow Rate	gpm	0.85	1.10	0.50	3.00	0.50	0.75	1.00	1.00	0.75	0.50	1.00	0.25	1.00	0.25	0.13	0.13	0.13	0.13	0.25	0.25	0.25		
Total Purged	gal	18.0	14.0	15.0	3.0	15.0	17.0	15.3	15.3	18.0	15.3	15.5	15.0	15.2	15.0	16.0	15.0	15.0	16.0	15.0	14.0	15.0		
Depth to Water	ft bgs	40.00	39.95	40.10	43.45	40.44	40.05	39.94	40.10	40.08	40.25	40.31	40.22	40.40	40.45	34.50	40.83	41.22	41.00	40.98	48.04	40.95		
Temperature	deg C	10.3	10.2	10.0	9.9	10.3	10.5	10.6	10.5	10.6	10.3	10.2	11.2	10.5	11.0	11.1	11.0	10.9	11.0	11.2	10.7	10.7		
pH	SU	7.12	7.09	7.13	7.17	7.09	7.02	7.17	7.09	7.05	7.03	6.99	6.99	6.99	7.14	7.19	7.19	7.20	7.27	7.31	7.30	7.18		
Specific Conductance	µS/cm	1781	1696	1720	1725	1729	1628	1676	1699	172	1739	1774	1739	1758	1760	1675	1716	1570	1642	1671	1746	1750		
Oxygen Reduction Potential	mV	-65.0	-52.8	-51.8	-53.0	-59.7	11.0	-29.5	-46.6	-44.8	-33.5	-38.8	-39.2	-18.2	-72.4	1.4	-14.7	-20.2	-63.3	-57.4	-37.2	-156.9		
Lab Analytical Results:																								
Hardness as CaCO3	mg/L	870		861			864					883			867	861	907	937	810	914	838	859	859	937
pH (Lab)	SU	7.28		7.36			7.13					7.05			7.01	7.11	6.96	7.18	7.1	7.03	6.97	7.06	6.81	7.19
Total Dissolved Solids (Lab)	mg/L	1220		1290			1240					1280			1380	1290	1260	1280	1310	1400	1320	1320	1340	1380
Calcium	mg/L	152		151			148					154			143	149	153	160	134	156	146	146	149	158
Magnesium	mg/L	119		118			120					121			124	119	127	130	115	127	115	120	118	131
Sodium	mg/L	81.7		82.6			77.2					78.6			77.1	77.2	77.7	82.9	74.3	80.9	76.1	75.8	74.9	81.2
Potassium	mg/L	3.80		3.27			3.55					3.18			3.52	3.8	<5.00	<5.00	<5.00	3.63	3.49	<5.00	3.36	3.65
Alkalinity, Total	mg/L	400		435			450					431			445	404	385	288	480	450	445	385	490	460
Alkalinity, Bicarbonate	mg/L	400		435			450					431			445	404	385	288	480	450	445	385	490	460
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0					<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0					<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	9.83		10.5			10.3					11.1			11.0	10.2	10.3	10.1	11.3	10.4	10.2	10.3	10.5	10.5
Fluoride	mg/L	0.380		0.370			0.338					0.342			<0.500	0.33	0.346	0.336	0.334	0.292	0.306	0.35	0.272	0.304
Sulfate as SO4	mg/L	533		559			606					643			577	602	625	605	582	609	595	615	599	608
Total Organic Carbon (TOC)	mg/L	3.77		3.59			3.77					3.68			3.52	3.49	3.56	3.82	3.54	3.04	3.65	3.71	3.48	3.49
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020					<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA					NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA					NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.100		<0.100			<0.050					<0.100			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250	<0.100	<0.050
Arsenic	mg/L	0.0020		0.0018			0.0018					0.0021			0.0018	0.0017	0.0017	0.0018	<0.0025	0.0018	0.0018	<0.0025	0.0017	0.0015
Cadmium	mg/L	<0.0001		<0.0002			<0.0001					<0.0001			<0.0001	<0.0002	<0.0002	<0.0003	<0.0005	<0.0003	<0.0015	<0.0025	<0.0010	<0.0005
Copper	mg/L	0.0004		0.0024			0.0023					0.0008			0.0010	0.001	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	0.0017	0.0021
Iron	mg/L	2.12		2.13			2.42					2.46			2.30	2.28	2.29	2.31	0.762	2.33	2.25	2.2	2.22	2.52
Lead	mg/L	<0.0005		<0.0010			<0.0005					<0.0005			<0.0005	<0.001	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.001	<0.0025
Manganese	mg/L	3.17		3.52			3.06					3.37			3.39	3.7	3.36	3.54	3.81	3.55	3.5	3.6	3.66	3.77
Mercury	mg/L	<0.0002		<0.0002			<0.0002					<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0009		0.0011			0.0008					0.0011			0.0008	<0.0010	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	0.0009
Selenium	mg/L	<0.0020		<0.0020			0.0010					0.0013			<0.0010	<0.0020	<0.0020	<0.0030	<0.0050	0.0046	<0.003	<0.0050	0.0035	<0.0010
Silica (SiO2)	mg/L	16.3		15.3			15.7					16.1			15.9	15.7	15.0	16.1	14.2	16.0	16.5	15.5	16.4	17.3
Silicon	mg/L	7.63		7.15			7.32					7.52			7.42	7.32	7.02	7.53	6.63	7.48	7.72	7.24	7.68	8.10
Uranium	mg/L	0.0021		0.0017			0.0016					0.0018			0.0019	0.0019	0.0017	0.0017	<0.0025	0.0016	0.0016	<0.0025	0.0015	<0.0025
Zinc	mg/L	<0.0050		<0.0040			<0.0020					<0.0020			<0.0020	<0.0040	<0.0040	<0.0060	<0.0100	<0.0060	<0.0060	<0.0100	<0.0040	<0.0020

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-8-MI																						
Year	2018	2019										2020				2021				2022		
Quarter	Q4	Q1			Q2			Q3				Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	3	
Sample Date	12/23	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	11/30	3/23	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																						
Purge Flow Rate	gpm	1.10	1.00	0.50	3.00	0.50	0.50	0.25	0.50	0.75	0.50	1.00	0.25	0.25	0.13	0.10	0.25	0.25	0.13	0.25	0.25	0.25
Total Purged	gal	27.5	18.0	1.0	3.0	1.5	2.5	2.5	2.3	3.0	2.0	2.5	1.0	1.0	1.0	2.0	1.0	2.0	3.0	1.0	1.0	1.0
Depth to Water	ft bgs	45.75	43.48	43.50	44.30	44.47	44.10	44.24	44.45	44.59	44.90	45.12	45.10	45.20	45.42	45.84	46.24	46.38	46.54	47.27	46.84	47.69
Temperature	deg C	10.8	10.8	10.6	11.2	10.4	11.1	11.4	11.0	11.4	10.9	10.3	11.4	10.2	11.3	13.1	11.3	10.0	11.6	11.9	11.1	10.9
pH	SU	7.57	7.50	7.48	7.47	7.34	7.31	7.48	7.42	7.38	7.30	7.23	7.15	7.08	7.44	7.44	7.43	7.47	7.59	7.55	7.56	7.41
Specific Conductance	µS/cm	1786	1667	1651	1658	1643	1595	1639	1645	1658	1637	1689	1642	1651	1659	1598	1628	1468	1616	1554	1629	1596
Oxygen Reduction Potential	mV	-84.4	-177.1	-122.1	-113.3	-87.2	-54.4	-97.1	-116.4	-119.4	-88.4	-82.0	-59.3	-136.6	-184.9	-107.0	-112.2	-72.0	-131.9	-123.1	-115.9	-195.3
Lab Analytical Results:																						
Hardness as CaCO3	mg/L	167		249			273			253			267	254	309	355	339	376	288	377	317	406
pH (Lab)	SU	7.73		7.54			7.24			7.46			7.44	7.53	7.25	7.34	7.27	7.33	7.36	7.31	7.06	7.36
Total Dissolved Solids (Lab)	mg/L	1050		1030			1100			1110			1050	1060	1040	1010	1040	1060	1040	1000	1100	1050
Calcium	mg/L	34.0		48.5			52.4			49.7			51.3	48.7	58.5	65.9	62.6	69.7	54	70.3	59.8	75.5
Magnesium	mg/L	19.9		31.0			34.5			31.4			33.8	32.1	39.6	46.2	44.4	49.1	37.2	48.9	40.8	52.7
Sodium	mg/L	344		312			289			289			275	269	272	260	232	237	256	229	238	226
Potassium	mg/L	4.47		5.25			<5.00			4.55			5.07	4.71	5.00	5.56	5.22	5.88	5.05	5.69	5.14	5.98
Alkalinity, Total	mg/L	500		565			560			573			585	543	545	448	590	590	575	570	605	590
Alkalinity, Bicarbonate	mg/L	500		565			560			573			585	543	545	448	590	590	575	570	605	590
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	12.7		10.0			9.33			9.06			9.66	8.19	8.23	8.12	7.91	7.96	8.07	7.85	7.91	7.70
Fluoride	mg/L	<0.500		<0.200			<0.200			<0.200			<0.500	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200
Sulfate as SO4	mg/L	347		353			343			366			317	314	316	335	319	326	314	324	312	325
Total Organic Carbon (TOC)	mg/L	2.73		2.83			2.81			2.74			2.65	2.6	2.94	2.87	2.76	2.6	2.74	2.97	2.66	2.77
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			1.31	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.100			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250	<0.100	<0.050
Arsenic	mg/L	0.0008		<0.0010			0.0006			0.0005			0.0005	<0.0010	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0005
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0002	<0.0002	<0.0003	<0.0005	<0.0003	<0.0015	<0.0025	<0.0010	<0.0005
Copper	mg/L	0.0031		0.0066			0.0036			0.0035			0.0037	0.0027	<0.0010	<0.0015	<0.0025	0.0015	0.0046	0.0047	0.0054	0.0055
Iron	mg/L	0.137		0.162			<0.250			0.129			0.130	0.108	<0.250	<0.250	<0.250	<0.150	0.113	<0.250	0.168	0.113
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.0010	<0.0025	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0025
Manganese	mg/L	0.0495		0.0383			0.0327			0.0351			0.0377	0.0391	0.0393	0.0551	0.0546	0.0579	0.0412	0.0544	0.0443	0.0603
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.001	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0005
Selenium	mg/L	<0.0020		<0.0020			0.0010			0.0010			<0.0010	<0.0020	0.0020	<0.0030	<0.0050	0.0425	0.0037	0.0072	0.0264	0.0016
Silica (SiO2)	mg/L	12.1		12.4			12.8			12.5			12.6	12.2	11.9	12.9	12.1	13.5	13.2	13.6	13.7	15.2
Silicon	mg/L	5.65		5.78			5.99			5.83			5.88	5.71	5.55	6.05	5.67	6.32	6.17	6.35	6.39	7.08
Uranium	mg/L	0.0002		0.0002			0.0002			0.0001			0.0001	<0.0010	<0.0025	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0025
Zinc	mg/L	<0.0050		<0.0040			<0.0020			<0.0020			<0.0020	<0.0040	<0.0040	<0.0060	<0.0100	<0.0060	<0.0060	<0.0100	<0.0040	<0.0020

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-8-LM																						
Year	2018	2019										2020				2021				2022		
Quarter	Q4	Q1			Q2			Q3				Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	3	
Sample Date	12/28	1/29	2/19	3/21	4/16	5/29	6/18	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	11/30	3/23	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																						
Purge Flow Rate	gpm	NM	1.00	0.25	1.00	0.50	0.10	0.25	0.25	0.50	0.25	0.12	0.25	0.25	0.25	0.13	0.13	0.13	0.13	0.25	0.25	0.25
Total Purged	gal	30	4.0	1.5	1.0	2.0	1.3	6.8	2.0	2.0	1.0	1.0	1.5	1.0	1.0	2.0	1.0	2.0	1.5	1.0	1.0	1.0
Depth to Water	ft bgs	136.39	130.52	134.30	144.03	140.03	137.48	142.23	144.15	138.06	137.50	137.60	137.34	139.15	129.70	127.90	125.75	126.72	126.13	125.25	123.55	124.10
Temperature	deg C	4.1	13.9	13.2	8.7	13.6	13.9	12.8	13.7	13.4	13.0	11.7	13.3	11.4	13.4	13.6	8.8	12.1	12.8	13.5	12.5	12.3
pH	SU	8.37	8.70	8.71	8.41	8.70	8.50	8.66	8.64	8.58	8.44	8.44	8.47	7.98	8.76	8.83	8.81	8.82	8.90	8.90	8.91	8.79
Specific Conductance	µS/cm	2306	1274	1265	1310	1262	1234	1264	1226	1269	1252	1299	1255	1294	1282	1055	1117	1132	1121	1196	1262	1260
Oxygen Reduction Potential	mV	37.5	-114.3	112.8	77.0	-36.2	33.2	-63.9	-93.5	-103.0	-115.9	-94.4	-47.4	-106.6	-204.5	-106.9	-93.6	-87.8	-164.1	-106.1	-99.3	-241.3
Lab Analytical Results:																						
Hardness as CaCO3	mg/L	45.0		7.29			16.9			6.67			6.38	6.79	7.76	7.53	6.35	6.93	7.23	4.65	7.11	7.29
pH (Lab)	SU	8.57		8.63			8.02			8.56			8.52	8.55	8.41	8.45	8.48	8.54	8.57	8.48	8.31	8.61
Total Dissolved Solids (Lab)	mg/L	1420		770			780			785			780	840	730	740	700	795	720	740	760	740
Calcium	mg/L	10.8		1.93			3.84			1.78			1.68	1.77	2.09	2.05	1.71	1.87	1.92	1.86	1.88	1.96
Magnesium	mg/L	4.39		0.600			1.77			0.541			0.528	0.574	0.620	0.587	0.502	0.550	0.592	<0.500	0.587	0.580
Sodium	mg/L	382		341			317			306			305	309	315	337	304	319	315	308	291	316
Potassium	mg/L	45.7		3.49			<5.00			2.27			2.18	2.06	<5.00	<5.00	<5.00	<3.00	2.24	<5.00	2.12	2.31
Alkalinity, Total	mg/L	615		720			745			731			745	685	630	675	780	730	755	750	770	780
Alkalinity, Bicarbonate	mg/L	535		610			645			645			685	595	530	585	680	630	645	650	620	640
Alkalinity, Carbonate	mg/L	80.0		110			100			86.0			60.0	90	100	90	100	100	110	100	150	140
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	175		5.11			6.80			2.63			2.48	3.04	3.01	2.98	2.47	2.5	2.48	2.55	2.47	2.47
Fluoride	mg/L	2.06		3.91			3.95			3.97			3.88	3.61	3.63	3.53	3.66	3.58	3.48	3.67	3.40	3.44
Sulfate as SO4	mg/L	190		3.79			9.58			1.02			<1.00	<2.00	<2.00	<2.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Total Organic Carbon (TOC)	mg/L	2.80		1.80			3.33			1.94			1.69	1.69	1.92	1.82	1.66	1.2	1.71	1.79	1.60	1.70
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			0.282	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250	<0.100	<0.050
Arsenic	mg/L	0.0106		<0.0010			0.0006			0.0007			0.0006	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	0.0008
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0001	<0.0002	<0.0003	<0.0005	<0.0003	<0.0015	<0.0025	<0.0010	<0.0005
Copper	mg/L	0.0337		0.0077			0.0047			0.0041			0.0051	0.0033	0.0012	0.0017	<0.0025	0.0025	0.0057	0.0068	0.0065	0.0075
Iron	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250	<0.100	<0.050
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0010	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0025
Manganese	mg/L	0.0258		0.0038			0.0150			0.0020			0.0026	0.0025	0.0029	0.0026	0.0028	0.0024	0.0021	0.0025	0.0023	0.0022
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0142		<0.0010			0.0009			<0.0005			<0.0005	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0005
Selenium	mg/L	0.0020		<0.0020			<0.0010			<0.0010			<0.0010	<0.0010	<0.0020	<0.0030	<0.0050	0.0031	<0.0030	<0.0050	<0.0020	<0.0010
Silica (SiO2)	mg/L	9.09		8.45			8.68			8.28			7.77	7.62	7.40	7.84	7.4	8.17	8.21	7.82	8.28	8.44
Silicon	mg/L	4.25		3.95			4.06			3.87			3.63	3.56	3.46	3.67	3.46	3.82	3.84	3.66	3.87	3.95
Uranium	mg/L	0.0044		<0.0002			0.0001			0.0001			<0.0002	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0025
Zinc	mg/L	0.0080		<0.0040			0.0023			<0.0020			<0.0020	<0.002	<0.0040	<0.0060	<0.0100	<0.0060	<0.0060	<0.0100	<0.0040	<0.0020

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-8-PL																						
Year	2018	2019										2020				2021				2022		
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	3	
Sample Date	12/27	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	11/30	3/23	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																						
Purge Flow Rate	gpm	0.25	1.00	0.50	3.00	0.50	0.25	0.50	1.00	0.50	0.75	0.25	0.25	0.25	0.25	0.25	0.75	0.25	0.25	0.25	0.25	
Total Purged	gal	20.0	5.0	2.0	3.0	2.0	3.0	2.5	2.3	2.5	2.0	2.5	1.3	2.0	2.0	2.3	2.0	2.0	2.0	2.0	2.0	
Depth to Water	ft bgs	125.97	126.29	126.40	127.10	126.98	126.70	126.82	127.25	127.38	127.42	127.48	127.59	127.32	127.34	128.00	127.31	127.50	127.83	127.89	127.90	128.30
Temperature	deg C	10.3	14.2	13.4	12.9	13.2	14.2	14.8	14.7	14.9	14.0	13.2	14.9	13.8	14.8	14.9	14.1	12.9	14.6	14.8	13.4	14.1
pH	SU	7.50	7.30	7.49	7.30	7.29	7.31	7.57	7.56	7.52	7.45	7.47	7.52	7.55	7.47	7.52	7.52	7.53	7.58	7.55	7.57	7.43
Specific Conductance	µS/cm	1690	1531	1571	1558	1554	1411	1326	1165	1083	947	940	900	862	844	792	827	760	813	816	836	817
Oxygen Reduction Potential	mV	30.2	-116.5	97.9	-108.7	-110.6	34.2	-57.6	-74.0	-79.5	-51.3	-52.5	-30.8	-59.9	-101.9	-38.0	-37.3	-11.5	-76.6	-64.4	-53.5	-161.9
Lab Analytical Results:																						
Hardness as CaCO3	mg/L	617		644			596			411			294	278	298	292	268	281	283	280	272	292
pH (Lab)	SU	7.28		7.40			7.26			7.22			7.39	7.47	7.19	7.16	7.41	7.36	7.41	7.29	7.16	7.42
Total Dissolved Solids (Lab)	mg/L	1150		1090			995			705			620	500	490	525	465	525	505	475	465	485
Calcium	mg/L	112		120			105			73.1			52.1	49.3	53.8	53.3	49.1	52.2	53.3	53	51.1	55.7
Magnesium	mg/L	82.1		83.8			81.4			55.4			39.7	37.6	39.7	38.5	35.4	36.6	36.5	35.9	35.0	37.1
Sodium	mg/L	106		124			102			91.7			83.3	78.5	80.4	81.6	77.2	78.6	79.7	77.8	73.7	80.8
Potassium	mg/L	5.14		5.62			<5.00			2.80			2.35	2.32	2.11	<2.00	<2.00	1.78	1.73	<2.00	1.54	1.71
Alkalinity, Total	mg/L	370		415			435			393			390	339	340	315	410	370	385	360	385	362
Alkalinity, Bicarbonate	mg/L	370		415			435			393			390	339	340	315	410	370	385	360	385	362
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	18.8		18.5			9.03			5.61			5.66	3.51	3.38	3.33	3.32	3.39	3.30	3.33	3.38	3.33
Fluoride	mg/L	0.505		0.474			0.290			0.291			<0.500	0.258	0.240	0.233	0.224	0.219	0.200	0.222	0.196	0.195
Sulfate as SO4	mg/L	478		471			390			232			127	109	103	99.2	99	101	96.3	102	98.4	100
Total Organic Carbon (TOC)	mg/L	4.17		4.02			2.92			2.21			1.75	1.63	1.63	1.61	1.44	0.928	1.42	1.54	1.40	1.54
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.052
Ammonia as N ^	mg/L	NA		NA			NA			NA			0.199	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.050	<0.100	<0.100	<0.100	<0.050	<0.050	<0.100	<0.050	<0.050
Arsenic	mg/L	0.0074		0.0124			0.0190			0.0156			0.0104	0.0073	0.0075	0.0064	0.0058	0.0074	0.0055	0.0017	0.0051	0.0046
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0002	<0.0001	<0.0002	<0.0002	<0.0001	<0.0010	<0.0010	<0.0005	<0.0005
Copper	mg/L	0.0016		0.0025			0.0017			0.0011			0.0004	0.001	<0.0025	<0.001	0.0014	0.0005	0.0013	<0.0010	0.0015	0.0023
Iron	mg/L	<0.050		0.352			<0.250			0.129			0.075	0.054	<0.100	<0.100	<0.100	<0.050	<0.050	<0.100	0.070	0.079
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010	<0.0005	<0.0005
Manganese	mg/L	1.31		1.22			0.697			0.505			0.313	0.303	0.307	0.259	0.219	0.196	0.175	0.0772	0.161	0.163
Mercury	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Molybdenum	mg/L	0.0090		0.0068			0.0020			0.0021			0.0017	0.0008	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010	<0.0005	<0.0005
Selenium	mg/L	0.0012		<0.0020			<0.0010			<0.0010			<0.0010	<0.001	<0.0010	<0.0020	<0.0020	0.0038	<0.002	<0.0020	0.0031	<0.0010
Silica (SiO2)	mg/L	14.1		16.3			17.7			18.5			18.0	18.9	18.7	19.9	18.5	20.1	21.5	20	20.8	22.2
Silicon	mg/L	6.58		7.64			8.28			8.67			8.42	8.82	8.75	9.28	8.66	9.40	10.00	9.37	9.71	10.4
Uranium	mg/L	0.0052		0.0040			0.0010			0.0009			0.0004	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.001	<0.0010	<0.0005	<0.0005
Zinc	mg/L	0.0344		<0.0040			<0.0020			<0.0080			<0.0020	<0.0020	<0.0100	<0.0040	<0.0040	<0.0020	<0.004	<0.0040	<0.0020	<0.0020

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.