

GCC Energy Hydrologic Monitoring Data

Hay Gulch Ditch Upgradient																																							
Year	2016												2017				2018				2019				2020				2021				2022						
Quarter	Q1			Q2			Q3			Q4			Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4							
Month	3	4	5	6	7	8	9	10	11	12	1	2	3	6	9	11	2	5	8	11	2	5	8	11	2	5	8	11	2	5	8	11	2	5	8	11			
Sample Date	3/31	4/22	5/26	6/23	7/20	8/25	9/21	10/19	11/29	12/13	1/26	2/27	3/22	6/28	9/21	11/28	2/22	5/14	8/9	11/8	2/28	5/23	8/16	11/13	2/13	5/13	8/13	12/3	2/22	6/3	9/1	11/15	3/24	6/20	9/13	12/20			
Lab Analysis (Y/N)	Y	N	N	Y	N	N	Y	Y	Y	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y			
Field Parameters:																																							
Flow Rate	cfs	0.70	1.0	1.20	1.60	1.0	1.0	1.10	1.0	NM	1.0	NM	0.82	0.28	2.70	NM	NM	NM	0.60	0.70	0.70	0.25	3.63	1.17	NM	NM	0.92	0.13	1.02	0.06	0.16	NM	0.67	0.16	0.07	0.01	0.07		
Temperature	deg C	9.8	20.9	11.3	21.1	20.8	16.8	14.9	16.4	5.9	7.0	1.5	4.7	10.7	20.2	19.7	8.8	4.7	11.3	22.1	1.1	5.9	5.9	16.9	5.7	1.5	16.5	18.1	2.0	5.8	11.3	15.5	7.1	8.6	17.8	15.0	2.7		
pH	SU	7.75	8.27	7.95	8.15	8.24	8.26	8.47	8.19	8.79	8.58	8.2	8.69	8.77	8.88	8.39	7.60	7.9	7.58	9.07	7.16	6.4	7.53	8.03	7.33	7.75	8.39	8.65	8.08	7.83	7.75	8.07	6.94	7.11	7.94	7.15	6.19		
Specific Conductance	µS/cm	247	323	197	141	189	207	233	210	258	234	687	455	454	106	549	868	1041	304	307	307	752	306	275	682	902	314	528	434	1024	189	280	252	553	832	570	708		
Oxygen Reduction Potential	mV	76.4	114.7	97.2	51.6	53.6	82.8	72.5	105.9	92.4	116.3	66.3	-12	-10.6	23.8	86.1	95.10	-164.1	111.4	-181.3	13.9	103.7	-24.0	24.4	-22.4	-4.5	81.7	118.9	120.3	51.6	86.6	58.3	109.2	3.2	97.8	-108.9	-148.2		
Dissolved Oxygen	mg/L	8.1	6.4	8.0	6.0	6.5	6.9	7.2	4.7	6.7	6.1	10.6	9.0	6.9	4.8	6.7	9.3	9.4	8.5	6.4	10.2	8.0	8.9	7.8	7.9	7.0	7.5	8.4	10.4	8.7	8.5	7.1	9.2	8.5	8.5	8.1	10.4		
Lab Analytical Results:																																							
Hardness as CaCO3	mg/L	128			80.9				119						257	69.2	316	456	489	101	153	149	393	136	125	372	405	150	287	213	588	92.6	131	120	280	383	273	336	
pH (Lab)	SU	8.17			8.04				8.16						8.06	8.06	8.22	8.31	8.39	7.99	9.07	7.86	7.45	7.69	7.83	7.40	7.22	7.60	8.01	7.92	7.57	7.72	7.44	7.52	7.81	7.87	7.81	7.98	
Total Dissolved Solids (Lab)	mg/L	170			75				165						285	65.0	390	650	700	140	215	175	535	205	225	635	587	255	340	160	685	210	185	140	380	520	355	410	
Total Suspended Solids	mg/L	30.0			117				17.0						2.50	63.5	2.00	5.75	6.01	106	6.25	14.8	22.0	113	20.0	5.38	<4.0	140	19.5	13.2	55	133	51	13.2	13.4	5.07	45.4	<2.5	
Calcium	mg/L	33.5			24				33.0						53.6	20.8	64.9	86.6	87.3	26.3	39.1	40.3	79.8	34.6	32.4	79.3	81.5	36.1	63.2	49.9	113	25.8	35.8	34.2	61.7	70.8	55.0	69.9	
Magnesium	mg/L	10.9			5.08				9.01						29.8	4.21	37.5	58.3	65.9	8.61	13.5	11.9	47.0	12.1	10.8	42.2	49	14.5	31.3	21.5	74.3	6.87	10.1	8.35	30.5	50.1	33.1	39.2	
Sodium	mg/L	4.46			2.19				3.90						10.9	1.97	13.8	27.1	34.6	3.31	5.33	5.00	19.1	7.24	5.81	25.4	30.9	7.67	10.9	8.39	34.3	2.71	3.97	3.53	13.8	19.3	12.4	15.1	
Potassium	mg/L	<1			<1				1.35						<1.00	1.75	2.15	3.05	3.52	1.18	1.24	<1.00	3.89	1.57	1.07	3.25	3.65	1.86	1.85	1.53	4.74	<1.00	3.28	<1.00	3.39	3.58	2.18	2.82	
Alkalinity, Total	mg/L	160			65				98.0						185	55.0	177	305	244	67	111	120	260	390	103	233	315	102	220	137	340	68	98	87.0	162	330	209	231	
Alkalinity, Bicarbonate	mg/L	160			65				94.0						185	55.0	161	285	244	67	107	120	260	390	103	233	295	102	220	131	340	68	98	87.0	162	330	209	231	
Alkalinity, Carbonate	mg/L	<10.0			<10.0				<10.0						<10.0	<10.0	16.0	20.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0			<10.0				<10.0						<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	5.77			2.07				4.32						22.7	1.76	30.8	48.2	46.7	3.12	6.70	5.58	48.1	7.75	6.04	22.8	31.6	9.64	24.5	14.8	85.9	3.17	5.23	3.44	32.3	33.6	21.9	29.2	
Fluoride	mg/L	0.213			0.208				0.223						0.215	0.195	0.265	0.283	0.285	0.224	0.272	0.224	0.252	0.208	0.214	<0.500	0.239	<0.500	0.226	0.226	0.235	0.188	0.227	0.179	0.178	0.260	0.238	0.227	
Sulfate as SO4	mg/L	42.1			17.7				29.0						87.7	15.0	99.0	179	229	34	49.7	45.0	128	47.2	35.6	107	151	44.0	86.3	64.4	211	26.4	42.2	40.0	95.5	121	85.1	99.4	
Total Organic Carbon (TOC)	mg/L	1.41			1.6				2.21						2.49	1.15	1.90	1.99	1.81	2.31	1.61	1.09	4.94	3.08	1.84	4.54	5.45	2.93	1.65	1.22	2.69	1.39	2.8	0.832	1.86	5.18	1.74	0.897	
Oil & Grease	mg/L	<5.00			<5.00				<5.00						<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	
Nitrate/Nitrite as N	mg/L	<0.02			0.028				<0.020						0.053	<0.020	0.045	0.088	0.105	0.026	<0.020	<0.020	0.263	0.050	0.072	0.104	0.044	0.302	0.042	0.026	0.282	0.049	0.026	<0.02	0.118	0.165	<0.02	0.066	
Sodium Adsorption Ratio (SAR)	no unit	0.17			0.1				0.16						0.30	0.10	0.34	0.55	0.68	0.14	0.18	0.16	0.42	0.26	0.22	0.55	0.65	0.26	0.29	0.16	0.62	0.12	0.15	0.14	0.36	0.43	0.33	0.37	
Ammonia as N ^	mg/L	NA			NA				NA						NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA			NA				NA						NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.05			<0.05				<0.05						<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	
Arsenic	mg/L	<0.0005			<0.0005				<0.0005						0.0005	<0.0005	0.0009	0.0007	<0.0025	<0.0005	0.0009	<0.0005	0.0007	0.0006	0.0007	0.0005	0.0006	<0.0005	0.0007	<0.0005	0.0012	<0.0005	0.001	<0.0005	0.0005	0.0010	0.0007	0.0009	
Cadmium	mg/L	<0.0001			<0.0001				<0.0001						<0.0001	<0.0001	<0.0001	<0.0001	<0.0005	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	
Copper	mg/L	0.0006			0.0011				0.0011						0.0008	0.0013	0.0006	0.0005	0.0007	0.0011	0.0011	0.0013	0.0026	0.0013	0.0012	0.0005	0.0005	0.0010	0.0006	0.0005	0.0007	0.0009	0.0012	0.0006	0.0011	0.0011	0.0007	0.0069	
Iron	mg/L	<0.05			<0.05				<0.050						<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500	0.255	0.055	<0.0500	0.316	0.551	<0.0500	<0.0500	<0.0500	0.103	<0.0500	<0.0500	<0.0500	<0.0500	<0.0500		
Lead	mg/L	<0.0005			<0.0005				<0.0005						<0.0005	<0.0005	<0.0005	<0.0005	<0.0025	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
Manganese	mg/L	0.0059			0.0035				0.0043						0.0070	0.0024	0.0098	0.0049	0.0049	0.0093	0.0016	0.0043	0.127	0.0349	0.0096	0.113	0.368	0.0297	0.0087	0.0047	0.149	0.0042	0.0156	0.0074	0.0337</				

GCC Energy Hydrologic Monitoring Data

Hay Gulch Ditch Downgradient																																					
Year	2016												2017				2018				2019				2020				2021				2022				
Quarter	Q1	Q2			Q3			Q4			Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4							
Month	3	4	5	6	7	8	9	10	11	12	1	2	3	6	9	11	2	5	8	11	2	5	8	11	2	6	9	11	2	6	9	11					
Sample Date	3/31	4/22	5/26	6/23	7/20	8/25	9/21	10/19	11/29	12/13	1/26	2/27	3/22	6/28	9/21	11/28	2/22	5/7	8/9	11/7	2/28	5/23	8/16	11/13	2/6	6/1	8/13	12/3	2/22	6/3	9/1	11/15	3/24	6/20	9/13	12/20	
Lab Analysis (Y/N)	Y	N	N	Y	N	N	Y	N	Y	N	N	N	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																																					
Flow Rate	cfs	1.10	1.20	1.10	NM	1.10	1.10	NM	0.80	NM	NM	NM	0.80	0.30	0.30	NM	NM	NM	NM	0.50	0.25	0.30	1.05	NM	NM	1.50	0.13	NM	0.001	0.40	NM	0.67	0.06	0.04	0.01	0.07	
Temperature	deg C	11.8	17.6	10.9	21.9	21.3	18.8	16.1	11.8	7.0	6.6	7.2	5.0	12.7	17.6	18.7	6.3	11.3	20.6	4.7	6.88	8.23	15.15	3.51	3.73	14.21	20.4	6.83	10.37	13.35	10.47	4.00	9.21	17.71	18.02	4.05	
pH	SU	8.57	8.55	8.14	8.14	8.55	8.37	8.3	8.36	8.64	8.06	7.28	8.06	9.00	8.53	8.66	8.33	7.58	7.43	7.48	6.42	7.77	7.61	8.38	7.94	8.24	8.00	7.7	7.76	8.12	8.26	8.38	7.00	7.22	7.53	6.50	6.42
Specific Conductance	µS/cm	429	530	297	116	308	257	1183	420	421	728	678	987	17	114	164	742	304	356	309	577	202	295	554	882	137	237	478	815	131	184	311	636	150	248	292	
Oxygen Reduction Potential	mV	57.5	105.9	33.2	32.5	68.6	38.4	18.7	88.6	117.5	155.2	147.6	-15.5	137.8	185.3	48	51.6	111.4	-10.0	-88.9	125.6	50.6	111.6	-108.1	124.2	104.8	103.0	127.8	-26.5	85.1	119.5	122.7	-85.2	136.1	39.9	-132.7	
Dissolved Oxygen	mg/L	7.9	7.7	8.7	6.0	6.7	5.6	6.8	7.1	6.5	7.2	7.6	9.8	5.6	6.4	7.1	9.8	8.5	6.3	9.1	7.6	8.8	7.2	9.6	9.5	8.0	6.4	9.6	6.8	7.8	6.7	9.8	NM	7.2	7.0	9.7	
Lab Analytical Results:																																					
Hardness as CaCO3	mg/L	226			67.8			480		267				503	59.1	91.4	329	140	182	167	281	91.9	137	295	416	63.6	120	232	419	64.8	90.7	143	346	65.7	95.9	138	
pH (Lab)	SU	8.42			8.13			8.25		8.24				8.15	7.98	7.98	8.17	8.05	8.09	7.95	7.84	7.68	7.73	7.73	7.80	7.49	7.59	7.85	7.83	7.74	7.58	7.39	8.01	7.86	7.68	7.97	
Total Dissolved Solids (Lab)	mg/L	270			55			630		320				615	65.0	80.0	420	220	260	185	390	185	195	355	573	120	135	370	435	175	90	120	410	29.9	89.9	225	
Total Suspended Solids	mg/L	27.3			18			4.20		12.4				12.7	3.00	<0.500	49.5	<2.00	5.67	4.40	18.4	153.0	22.5	<4.00	4.20	17.5	28.6	10.5	28.0	8.4	4.8	5.44	18.3	29.2	3.67	8.00	
Calcium	mg/L	55.5			21.9			94.7		65.5				112	19.0	29.5	75.4	37.5	49.0	44.7	61.6	26.0	34.5	67.2	85.6	20.3	34.2	55.6	98.2	21.2	29.8	39.3	82.1	21.4	30.2	39.0	
Magnesium	mg/L	21.1			3.15			59.1		25.2				54.6	2.86	4.31	34.2	11.2	14.4	13.4	31	6.54	12.3	30.8	49.0	3.15	8.38	22.7	42.2	2.86	3.94	11.0	34.2	2.96	5.01	9.73	
Sodium	mg/L	8.69			1.57			16.8		10.7				22.5	1.49	2.37	18.1	5.42	6.49	5.15	16.5	5.03	6.62	17.0	28.5	1.90	3.68	9.03	15.8	1.14	1.75	4.71	16.4	1.58	2.04	4.08	
Potassium	mg/L	1.49			<1			4.48		1.46				2.33	<1.00	<1.00	2.84	1.14	1.58	1.34	3.13	1.31	1.27	2.60	3.81	<1.00	1.36	1.89	3.75	<1.00	1.02	1.30	2.89	<1.00	<1.00	1.07	
Alkalinity, Total	mg/L	220			59			220		225				320	47.0	85.0	265	112	170	140	150	340	140	194	297	48	110	158	315	52	72	116	282	46.0	73.0	103	
Alkalinity, Bicarbonate	mg/L	220			59			140		155				320	47.0	85.0	259	104	170	140	150	340	140	188	283	48	110	154	315	52	72	116	282	46.0	73.0	103	
Alkalinity, Carbonate	mg/L	<10			<10			80.0		70				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	14.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Alkalinity, Hydroxide	mg/L	<10			<10			<10		<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	9.40			1.26			97.9		12				31.9	<1.00	1.54	23.1	7.54	7.47	5.69	40.2	16.9	7.65	14.8	30.7	1.87	4.42	17.1	59	1.16	1.21	5.07	15.0	1.23	1.69	6.57	
Fluoride	mg/L	0.244			0.195			0.244		0.227				0.224	0.290	0.227	0.308	0.228	0.295	0.228	0.232	0.205	0.218	0.252	0.272	0.185	0.224	0.244	0.246	0.195	0.216	0.185	0.257	0.191	0.221	0.213	
Sulfate as SO4	mg/L	68.1			13.5			144		89.5				204	11.3	17.9	86.5	40.2	46.8	45.0	91.4	18.5	42.7	83.3	143	14.2	32.4	70.2	90.1	17.3	25.7	46.3	74.7	18.8	26.4	42.2	
Total Organic Carbon (TOC)	mg/L	1.53			1.4			3.48		1.65				2.31	2.16	0.932	1.56	1.28	1.33	1.76	2.90	2.37	2.10	3.26	4.53	1.39	1.47	1.55	2.31	1.18	1.48	1.12	1.42	1.10	1.13	1.01	
Oil & Grease	mg/L	<5			<5			<5		<5.00				<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	
Nitrate/Nitrite as N	mg/L	<0.02			0.026			0.027		<0.020				<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.17	0.146	0.090	<0.020	0.056	0.031	0.053	<0.020	0.148	0.021	<0.020	<0.020	0.041	<0.02	<0.02	<0.02	
Sodium Adsorption Ratio (SAR)	no unit	0.25			0.03			0.33		0.28				0.44	0.08	0.11	0.43	0.2	0.20	0.17	0.43	0.22	0.24	0.41	0.61	0.10	0.14	0.26	0.34	0.06	0.08	0.17	0.38	0.08	0.90	0.15	
Ammonia as N ^	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA			NA			NA		NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.05			<0.05			<0.05		<0.050				<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	
Arsenic	mg/L	0.0005			<0.0005			0.0015		0.0006				0.0006	0.0005	0.0006	0.0005	0.0005	0.0008	<0.0005	0.0006	0.0006	0.0006	0.0005	0.0006	<0.0005	0.0007	<0.0005	0.0013	<0.0005	0.0007	<0.0005	<0.0005	0.0010	0.0007	0.0005	
Cadmium	mg/L	<0.0001			<0.0001			<0.0001		<0.0001				<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	
Copper	mg/L	0.0004			0.0016			0.0012		0.0005				0.0004	0.0020	0.0013	0.0005	0.0008	0.0008	0.0008	<0.0010	0.0021	0.0009	0.0007	0.0006	0.0014	0.0009	0.0005	0.0006	0.0011	0.001	0.0007	0.0009	0.0034	0.0010	0.0045	
Iron	mg/L	<0.05			<0.05			<0.05		<0.050				<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.05	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	
Lead	mg/L	<0.0005			<0.0005			<0.0005		<0.0005				<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
Manganese	mg/L	0.0039			0.0044			0.0059		0.0063				0.0112	0.0009	0.0010	0.0962	0.0038	0.0445	0.0102	0.048	0.0125	0.0033	0.0102	0.0286	0.0012	0.0046	0.0116	0.133	0.0011	0.0021	0.0124	0.0082	0.0024	0.0175	0.0315	
Mercury (total)	mg/L	<0.0002																																			

GCC Energy Hydrologic Monitoring Data

Wiltse Well																																									
Year	2016												2017					2018				2019				2020				2021				2022							
Quarter	Q1			Q2			Q3			Q4			Q1		Q2		Q3	Q4		Q1		Q2		Q3	Q4		Q1		Q2		Q3		Q4								
Month	3	4	5	6	7	8	9	10	11	12	1	2	3	6	9	11	1	2	5	8	11	1	2	5	8	11	1	2	5	8	11	1	2	5	8	11	1	2	5	8	11
Sample Date	3/31	4/27	5/25	6/23	7/19	8/24	9/20	10/24	11/29	12/13	1/18	2/27	3/21	6/13	9/28	11/28	2/22	5/16	8/9	11/8	2/28	5/23	8/19	11/11	2/17	5/13	8/12	12/15	2/24	5/21	8/11	11/3	3/1	6/1	8/10	11/26					
Lab Analysis (Y/N)	Y	N	N	Y	N	N	Y	N	Y	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Field Parameters:																																									
Purge Flow Rate	gpm	150.0	38.5	23.4	18.6	19.9	17.3	15.8	17.0	10.6	18.1	39.5	39.6	39.6	NM	18.3	23.5	11.9	12.0	18.5	12.3	28.0	38.0	18.0	17.0	35.0	24.4	16.0	18.0	15.0	12.5	8.5	24.0	18.0	25.0	25.0	16.7				
Total Purged	gal	5850	4228	4229	3686	2844	2979	2637	2724	2992	2916	3595	3580	3560	2980	2712	2423	2700	2890	2783	2747	3017	3200	3010	3058	3825	3495	3200	3030	2920	3000	1800	2800	2900	2950	3000	3000				
Depth to Water	ft bgs	0.35	0.00	0.85	2.15	2.99	2.60	3.32	6.85	1.90	1.95	0.30	0.00	0.00	2.05	3.40	3.40	3.35	3.93	4.13	3.78	2.40	0.05	2.47	2.68	0.43	1.60	3.18	5.65	3.64	3.70	4.55	4.10	4.70	3.70	2.82	1.60				
Temperature	deg C	6.7	8.8	10.4	10.7	11.5	12.1	11.5	11.0	9.1	8.8	7.6	7.2	7.5	10.3	11.3	9.7	8.0	10.2	11.7	10.4	8.0	9.3	10.7	9.9	6.7	9.8	11.7	8.7	8.9	9.9	11.3	10.8	9.5	10.8	12.4	9.7				
pH	SU	7.22	7.32	7.34	7.26	7.26	7.24	7.22	7.22	7.32	7.29	7.2	7.17	7.12	7.41	7.27	7.3	7.26	7.13	7.04	7.07	7.17	7.08	7.09	7.09	7.01	7.12	7.22	7.26	7.25	7.23	7.33	7.23	7.17	7.21	7.14	7.07				
Specific Conductance	µS/cm	2043	1633	1805	1768	1478	1602	1941	1937	2014	2036	2262	2276	2085	1869	2074	2190	2232	2144	2072	2167	2170	2151	1964	1970	2171	2017	1450	1984	1739	1789	2012	2038	1965	2039	2285	2268				
Oxygen Reduction Potential	mV	105.6	17.9	20.1	38.5	26.9	20.0	28.6	21.6	13.7	20.9	3.2	18.3	6.0	13.3	19.5	19.2	14.3	29.9	-52.7	-18.8	22.7	-10.6	-23.7	51.9	49.33	71.9	72.2	73.7	6.9	31.2	41.5	50.5	-26.1	32.4	-76.3	41.4				
Lab Analytical Results:																																									
Hardness as CaCO3	mg/L	990			1050				1030					1040	1060	1140	1150	1090	1160	1130	1180	1150	1080	1080	1060	982	1060	1070	1130	1090	1070	1080	1080	1070	1070	1300	1200				
pH (Lab)	SU	7.22			7.34				7.29					7.22	7.46	7.30	7.33	7.70	8.35	7.22	7.42	7.38	7.35	7.11	7.09	7.12	7.09	7.29	6.86	7.27	6.98	7.25	7.52	7.25	7.15	7.39	7.42				
Total Dissolved Solids (Lab)	mg/L	1580			1480				1520					1480	1510	1680	1740	1740	1740	1750	1720	1710	1670	1520	1480	1600	1560	1580	1540	1550	1500	1580	1640	1520	1580	1850	1740				
Calcium	mg/L	197			208				206					205	211	219	226	211	216	221	230	226	214	214	208	191	206	206	215	208	199	206	209	208	206	255	232				
Magnesium	mg/L	121			128				126					128	129	143	142	136	150	139	147	143	132	132	132	123	132	136	144	138	140	136	136	133	135	160	151				
Sodium	mg/L	95.9			75.2				80.7					110	87.5	80.7	83.4	80.4	82.3	79.1	81.2	83.2	89.4	72.4	67.3	68.1	69.1	64	67.5	65.1	61.1	61.6	63.6	61.0	60.1	77.8	71.6				
Potassium	mg/L	4.64			4.56				4.90					4.61	4.79	4.62	<5.00	4.73	4.98	5.01	5.00	4.77	4.92	4.85	4.33	<5.00	4.48	4.54	<5.00	4.35	<5.00	4.41	4.42	4.41	4.92	4.20					
Alkalinity, Total	mg/L	460			500				470					410	445	510	475	445	435	463	505	515	469	474	460	460	431	475	470	480	480	480	520	505	485	530	468				
Alkalinity, Bicarbonate	mg/L	440			500				470					410	445	510	475	445	435	463	505	515	469	474	460	460	431	475	470	480	480	480	520	505	485	530	468				
Alkalinity, Carbonate	mg/L	20.0			<10.0				<10.0					<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0				
Alkalinity, Hydroxide	mg/L	<10.0			<10.0				<10.0					<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0			
Chloride	mg/L	81.0			76.3				62.3					72.5	72.5	68.7	68.9	66.7	60	57.2	57.5	67.2	67.8	49.9	48.2	57.7	51.8	58.1	57.9	54.8	52.3	49	52.4	49.8	45.7	57.5	52.2				
Fluoride	mg/L	0.285			<0.5				<0.5					<0.500	0.332	<0.500	<0.500	<0.500	<0.500	<0.500	0.298	0.324	0.306	<0.500	<0.500	<0.500	<0.500	0.304	0.292	0.276	0.28	<0.500	0.286	0.240	0.288	0.288					
Sulfate as SO4	mg/L	671			595				656					731	702	779	772	832	714	733	741	801	709	627	627	711	633	704	728	683	661	679	688	702	818	873					
Total Organic Carbon (TOC)	mg/L	3.54			4.1				3.15					3.40	3.54	3.34	3.26	3.37	3.5	3.51	3.63	3.82	4.87	4.27	3.30	4.22	3.80	3.69	3.43	3.29	3.33	3.48	3.37	3.21	3.19	3.72	1.95				
Nitrate/Nitrite as N	mg/L	0.456			0.891				1.08					0.492	1.07	1.80	1.94	2.26	2.48	2.26	1.99	1.95	0.651	0.896	1.31	1.05	0.865	1.25	1.48	1.82	1.49	2.06	1.87	1.69	1.53	1.16	1.01				
Ammonia as N ^	mg/L	NA			NA				NA					NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
Ortho-Phosphate as P ^	mg/L	NA			NA				NA					NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			
Aluminum	mg/L	<0.05			<0.05				<0.05					<0.050	<0.1	<0.050	<0.250	<0.100	<0.050	<0.050	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.250	<0.100	<0.050	<0.250	<0.050	<0.250	<0.050	<0.100	<0.100	<0.100	<0.100				
Arsenic	mg/L	<0.0025			<0.0025				0.0005					0.0009	0.0006	0.0005	0.0029	0.0009	0.0006	<0.0025	<0.001	<0.0010	0.0006	<0.0010	<0.0010	<0.0010	<0.0025	<0.0010	0.0005	<0.0025	<0.0025	<0.0025	<0.0010	<0.0005	0.0007	<0.001	<0.001				
Cadmium	mg/L	<0.0005			<0.0005				<0.0005					<0.0001	<0.0001	<0.0001	<0.0005	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0005	<0.0002	<0.0001	<0.0005	<0.0002	<0.0001	<0.0005	<0.0002	<0.0005	<0.0001	<0.0001				
Copper	mg/L	0.0018			0.0024				0.0020					0.0023	0.0019	0.0025	0.0097	0.0020	0.0019	0.0018	0.0030	0.002	0.0021	0.0021	0.0012	0.0020	<0.0025	0.0013	0.0006	0.0028	<0.0025	<0.0025	0.0033	0.0031	0.0049	0.0038	0.0060				
Iron	mg/L	0.100			<0.05				0.060					0.286	0.161	<0.050	<0.250	0.132	0.151	0.125	0.121	0.151	0.379	0.287	0.209	0.285	<0.250	<0.100	0.216	<0.250	0.304	<0.250	0.154	0.129	0.212	0.161	0.178				
Lead	mg/L	<0.0025			<0.0025				<0.0005					<0.0005	<0.0005	<0.0005	<0.0025	<0.0005	<0.0005	<0.0005	<0.001	<0.0010	<0.0005	<0.0010	<0.0010	<0.0025	<0.0010	<0.0005	<0.0025	<0.0025	<0.0025	<0.0010	<0.0005	<0.0005	<0.001	<0.0025					
Manganese	mg/L	0.673			0.857				0.756					0.440	0.797	0.881	4.50	0.845	0.997	1.37	1.08	0.937	0.357	0.902	0.892	0.419	0.816	1.03	0.943	1.21	0.98	1.4	1.34	1.26	1.35	0.974	0.982				
Mercury (dissolved)	mg/L	<0.0002			<0.0002				<0.0002					<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002					
Mercury (dissolved low-level)	ng/L																																					<5.00	<100	<100	
Molybdenum	mg/L	<0.0025			<																																				

GCC Energy Hydrologic Monitoring Data

MW-1-MI																																		
Year	2017								2018								2019				2020				2021				2022					
Quarter	Q2	7	Q3	9	10	11	12	Q1	2	3	4	5	6	7	8	11	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4		
Month	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	11	2	5	8	11	2	5	9	11	2	5	8	11	2	5	8	11		
Sample Date	6/7	7/18	8/23	9/26	10/26	11/16	12/5	1/2	2/9	3/22	4/11	5/10	--	7/23	8/7	11/1	2/20	5/30	8/14	11/5	2/12	5/28	9/1	11/16	2/15	5/20	8/23	11/17	3/17	6/14	9/12	12/4		
Lab Analysis (Y/N)	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N		
Field Parameters:																																		
Purge Flow Rate	gpm	NM	NM*	NM	NM																													
Total Purged	gal	19.5	NM*	<0.5	NM																													
Depth to Water	ft bgs	259.99	NM*	258.29	258.34																													
Temperature	deg C	15.8	NM*	11.8	21.7	dry	dry	dry	dry	dry	dry	dry	dry	***	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	
pH	SU	8	NM*	7.94	7.86																													
Specific Conductance	µS/cm	2032	NM*	2137	2119																													
Oxygen Reduction Potential	mV	160.5	NM*	65.7	61.4																													
Lab Analytical Results:																																		
Hardness as CaCO3	mg/L	231																																
pH (Lab)	SU	8.14																																
Total Dissolved Solids (Lab)	mg/L	1520																																
Calcium	mg/L	46.7																																
Magnesium	mg/L	27.9																																
Sodium	mg/L	470																																
Potassium	mg/L	2.55																																
Alkalinity, Total	mg/L	600																																
Alkalinity, Bicarbonate	mg/L	600																																
Alkalinity, Carbonate	mg/L	<10.0																																
Alkalinity, Hydroxide	mg/L	<10.0																																
Chloride	mg/L	7.69																																
Fluoride	mg/L	1.14																																
Sulfate as SO4	mg/L	739																																
Total Organic Carbon (TOC)	mg/L	5.14																																
Nitrate/Nitrite as N	mg/L	0.103																																
Aluminum	mg/L	<0.050																																
Arsenic	mg/L	0.0029																																
Cadmium	mg/L	<0.0001																																
Copper	mg/L	0.0067																																
Iron	mg/L	<0.050																																
Lead	mg/L	0.0010																																
Manganese	mg/L	0.0445																																
Mercury (dissolved)	mg/L	<0.0002																																
Mercury (dissolved low-level)	ng/L																																	
Molybdenum	mg/L	0.0796																																
Selenium	mg/L	0.0028																																
Silica (SiO2)	mg/L	11.6																																
Silicon	mg/L	5.44																																
Uranium	mg/L	0.0505																																
Zinc	mg/L	1.52																																

Notes & Definitions:

- *** La Plata County stage 3 fire restrictions prevented sampling activity**
- Y/N yes or no
 - gpm gallons per minute
 - deg C degrees Celsius
 - SU standard pH units
 - µS/cm microsiemens per centimeter
 - mV millivolts
 - mg/L milligram per liter
 - pCi/L picocuries per liter
 - NM not measured (field)
 - NA not analyzed (lab)
 - ng/L nanogram per liter
1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-1-C																																				
Year	2017								2018								2019				2020				2021				2022							
	Quarter	Q3			Q4			Q1			Q2			Q3			Q4			Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4					
Month	6	7	8	9	9	10	11	12	1	2	3	4	5	6	7	8	11	2	5	8	11	2	5	9	11	2	5	8	11	3	6	9	12			
Sample Date	6/7	7/18	8/23	9/7	9/26	10/26	11/16	12/5	1/2	2/9	3/22	4/11	5/10	--	7/23	8/7	11/18	2/20	5/30	8/14	11/5	2/12	5/28	9/1	11/16	2/15	5/20	8/23	11/17	3/17	6/14	9/12	12/4			
Lab Analysis (Y/N)	Y	N	N	N	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y			
Field Parameters:																																				
Purge Flow Rate	gpm	NM	NM*	NM*	NM	NM	NM	NM	MM	0.1	NM	0.1	0.1	***	0.05	0.1	0.10	0.06	0.02	0.03	0.01	0.01	0.10	0.05	0.05	0.05	0.05	0.01	0.13	0.13	0.13	0.13	0.15			
Total Purged	gal	5	NM*	NM*	NM	NM	1.00	1.00	1.00	1	1	1	1	1.25	1	1	1.10	1.00	1.10	1.00	1.00	1.00	0.75	0.80	1.00	1.00	2.00	1.00	1.25	1.00	1.00	1.00	1.00			
Depth to Water	ft bgs	216.5	NM*	216.91	216.95	216.59	216.52	216.48	216.52	216.38	216.38	216.37	216.35	216.41	216.41	216.05	216.04	216.41	216.20	216.02	216.04	216.12	216.10	216.41	216.66	216.66	216.66	216.66	216.66	216.66	216.66	216.66	216.66	216.04		
Temperature	deg C	16.0	NM*	NM*	NM	12.9	11.7	10.6	7.0	9.7	9.6	6.7	9.2	10.5	20.0	14.1	9.7	5.4	9.8	10.4	11.1	6.4	9.5	11.2	9.7	7.0	10.7	12.1	10.1	7.7	12.3	12.7	7.4	7.4		
pH	SU	7.52	NM*	NM*	NM	7.17	7.16	7.15	7.17	7.11	7.19	7.32	7.03	7.05	6.91	6.97	6.93	7.09	6.80	6.65	6.70	6.79	6.85	6.93	6.99	7.40	7.18	7.16	7.15	7.12	7.20	7.23	6.67	6.67		
Specific Conductance	µS/cm	2446	NM*	NM*	NM	2725	2738	2739	2778	2778	2738	2751	2700	2749	2693	2675	2751	2621	3139	3172	3080	3005	3002	2653	2709	2410	2249	2290	2554	2223	2362	2278	2104	2104		
Oxygen Reduction Potential	mV	74.3	NM*	NM*	NM	77.4	31.7	23.9	13.0	6.2	-4.3	-29.6	-15.3	-42.3	-41.8	-32.5	-110.0	-23.4	27.6	10.5	51.0	50.7	-57.7	21.8	49.6	57.5	-16.8	0.0	-7.0	-92.9	-49.3	-191.8	-77.0	-77.0		
Lab Analytical Results:																																				
Hardness as CaCO3	mg/L	498				1290		1180					1190				1120	1180	1010	1820	1840	1700	1600	1590	1400	1420	1320	953	975	920	750	766	638	640		
pH (Lab)	SU	8.35				7.36		7.34					7.22				7.2	7.20	7.02	7.24	6.93	6.67	6.63	6.80	6.62	6.83	7.12	7.08	6.86	7.04	6.89	7.22	7.06	7.40	6.98	6.98
Total Dissolved Solids (Lab)	mg/L	2020				2440		2360					2360				2340	2170	2200	1960	2880	2890	2750	2610	2460	2420	2450	2330	1910	1850	1840	1680	1770	1640	1490	1490
Calcium	mg/L	96.0				234		216					219				203	203	219	188	340	342	318	301	294	248	265	241	175	178	168	142	137	113	117	117
Magnesium	mg/L	62.8				172		155					156				150	148	154	131	237	240	219	207	207	189	183	173	126	129	122	95.7	103	86.6	84.4	84.4
Sodium	mg/L	506				242		253					260				239	239	255	265	146	119	119	143	155	168	194	206	196	214	234	229	240	261	266	266
Potassium	mg/L	11.4				3.81		<5.00					<5.00				3.07	3.04	2.65	3.13	<5.00	<5.00	<5.00	3.05	<5.00	2.82	<5.00	<5.00	2.68	<5.00	<3.00	2.68	2.48	<5.00	2.27	2.27
Alkalinity, Total	mg/L	530				700		540					570				580	560	410	525	530	518	505	515	490	445	520	580	480	485	640	510	530	570	454	454
Alkalinity, Bicarbonate	mg/L	530				700		540					570				580	560	410	525	530	518	505	515	490	445	520	580	480	485	640	510	530	570	454	454
Alkalinity, Carbonate	mg/L	<10.0				<10.0		<10.0					<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0				<10.0		<10.0					<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	24.2				6.97		8.03					7.75				5.97	5.97	6.22	6.36	10.2	9.31	8.78	8.54	8.20	8.15	7.14	7.13	5.3	5.04	7.12	4.87	5.55	5.59	4.32	4.32
Fluoride	mg/L	1.59				0.864		0.955					1.03				0.888	0.888	0.924	0.975	0.67	0.525	0.565	0.615	0.695	0.705	0.750	0.804	0.654	0.716	0.755	0.712	1.04	1.24	0.916	0.916
Sulfate as SO4	mg/L	1090				1350		1230					1160				1210	1090	1080	1070	1630	1730	1520	1400	1370	1280	1180	1150	940	872	886	805	908	821	728	728
Total Organic Carbon (TOC)	mg/L	4.56				2.84		2.12					2.21				2.2	2.35	2.37	2.32	2.62	2.52	2.30	2.30	2.32	2.2	2.13	2.26	1.92	1.93	1.91	1.79	1.80	1.74	1.77	1.77
Nitrate/Nitrite as N	mg/L	<2.00				<0.400		<0.100					<0.020				<0.020	0.036	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA				NA		NA					NA				NA	NA	NA	NA	NA	NA	NA	0.140	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA				NA		NA					NA				NA	NA	NA	NA	NA	NA	NA	<0.100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050				<0.050		<0.250					<0.250				<0.05	<0.05	<0.100	<0.100	<0.250	<0.250	<0.250	<0.150	<0.250	<0.050	<0.050	<0.250	<0.100	<0.250	<0.150	<0.050	<0.100	<0.250	<0.100	<0.100
Arsenic	mg/L	0.0029				0.0016		<0.0025					<0.0025				0.0051	0.0052	0.0035	0.0038	0.0048	0.0034	<0.0025	<0.0025	<0.0025	0.0019	<0.0025	<0.0005	<0.0025	<0.0025	<0.0025	<0.0010	0.0009	0.0024	0.0028	<0.0010
Cadmium	mg/L	<0.0001				<0.0001		<0.0005					<0.0005				<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0002	<0.0005	<0.0005	<0.0005	<0.0003	<0.0005	<0.0001	<0.0005	<0.0025	<0.0025	<0.0010	<0.0005	<0.001	<0.0025	<0.0010
Copper	mg/L	0.0088				0.0085		0.0036					0.0052				0.003	0.0049	0.0033	0.0054	0.0057	0.0014	0.0096	<0.0025	<0.0015	<0.0025	<0.0005	<0.0025	0.0042	0.0043	0.0064	0.0093	0.0086	0.0104	0.0120	0.0120
Iron	mg/L	<0.050				<0.050		<0.250					<0.250				0.643	1.01	1.12	0.988	2.3	0.819	0.543	0.570	0.606	0.619	0.855	0.769	0.552	0.573	0.724	0.630	0.671	0.679	<0.100	<0.100
Lead	mg/L	<0.0005				<0.0005		<0.0025					<0.0005				<0.0005	<0.0005	<0.0010	<0.0005	<0.0010	<0.0025	<0.0025	<0.0025	<0.0015	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0010	<0.0005	<0.0010	<0.0025	<0.0010
Manganese	mg/L	0.0744				0.0853		0.0959					0.153				0.0989	0.140	0.106	0.0807	0.075	0.0562	0.0512	0.0537	0.0473	0.0445	0.0496	0.0482	0.0419	0.0383	0.0346	0.0362	0.0342	0.0304	0.0295	0.0295
Mercury (dissolved)	mg/L	<0.0002				<0.0002		<0.0002					<0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Mercury (dissolved low-level)	ng/L																																			
Molybdenum	mg/L	0.0164				0.0049		<0.0025					<0.0025				0.0006	<0.0025	<0.0005	<0.0010	<0.0005	<0.0010	<0.0025	<0.0025	<0.0025	<0.0015	<0.0025	<0.0025	<0.0025	<0.0025	<0.0010	<0.0010	<0.0005	<0.0010	<0.0025	<0.0010
Selenium	mg/L	0.0136				0.0012		<0.0050					<0.0050				<0.001</																			

GCC Energy Hydrologic Monitoring Data

MW-2-A																															
Year	2017							2018							2019				2020				2021				2022				
Quarter	Q1	Q2	Q3		Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	
Month	3	6	7	8	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	9	11	2	5	8	11	3	6	9	12	
Sample Date	3/30	6/7	7/18	8/23	10/30	11/16	12/5	1/2	2/9	3/22	4/11	5/10	8/7	11/1	2/20	5/29	8/14	11/6	2/11	5/27	9/1	11/24	2/15	5/20	8/24	11/17	3/23	6/14	9/8	12/4	
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
Field Parameters:																															
Purge Flow Rate	gpm																														
Total Purged	gal																														
Depth to Water	ft bgs																														
Temperature	deg C	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
pH	SU																														
Specific Conductance	µS/cm																														
Oxygen Reduction Potential	mV																														
Lab Analytical Results:																															
Hardness as CaCO3	mg/L																														
pH (Lab)	SU																														
Total Dissolved Solids (Lab)	mg/L																														
Calcium	mg/L																														
Magnesium	mg/L																														
Sodium	mg/L																														
Potassium	mg/L																														
Alkalinity, Total	mg/L																														
Alkalinity, Bicarbonate	mg/L																														
Alkalinity, Carbonate	mg/L																														
Alkalinity, Hydroxide	mg/L																														
Chloride	mg/L																														
Fluoride	mg/L																														
Sulfate as SO4	mg/L																														
Total Organic Carbon (TOC)	mg/L																														
Nitrate/Nitrite as N	mg/L																														
Aluminum	mg/L																														
Arsenic	mg/L																														
Cadmium	mg/L																														
Copper	mg/L																														
Iron	mg/L																														
Lead	mg/L																														
Manganese	mg/L																														
Mercury (dissolved)	mg/L																														
Mercury (dissolved low-level)	ng/L																														
Molybdenum	mg/L																														
Selenium	mg/L																														
Silica (SiO2)	mg/L																														
Silicon	mg/L																														
Uranium	mg/L																														
Zinc	mg/L																														

Notes & Definitions:

Y/N	yes or no	
gpm	gallons per minute	1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
deg C	degrees Celsius	2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
SU	standard pH units	
µS/cm	microsiemens per centimeter	3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
mV	millivolts	
mg/L	milligram per liter	
pCi/L	picocuries per liter	
NM	not measured (field)	
NA	not analyzed (lab)	
ng/L	nanogram per liter	

GCC Energy Hydrologic Monitoring Data

MW-2-MI																														
Year	2017							2018							2019				2020				2021				2022			
Quarter	Q1	Q2	Q3		Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Month	3	6	7	8	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	9	11	2	5	8	11	3	6	9	12
Sample Date	3/30	6/7	7/18	8/23	10/30	11/16	12/5	1/2	2/9	3/22	4/11	5/10	8/7	11/1	2/20	5/29	8/14	11/6	2/11	5/27	9/1	11/24	2/15	5/20	8/24	11/17	3/23	6/14	9/8	12/4
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Field Parameters:																														
Purge Flow Rate	gpm																													
Total Purged	gal																													
Depth to Water	ft bgs																													
Temperature	deg C	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	
pH	SU																													
Specific Conductance	µS/cm																													
Oxygen Reduction Potential	mV																													
Lab Analytical Results:																														
Hardness as CaCO3	mg/L																													
pH (Lab)	SU																													
Total Dissolved Solids (Lab)	mg/L																													
Calcium	mg/L																													
Magnesium	mg/L																													
Sodium	mg/L																													
Potassium	mg/L																													
Alkalinity, Total	mg/L																													
Alkalinity, Bicarbonate	mg/L																													
Alkalinity, Carbonate	mg/L																													
Alkalinity, Hydroxide	mg/L																													
Chloride	mg/L																													
Fluoride	mg/L																													
Sulfate as SO4	mg/L																													
Total Organic Carbon (TOC)	mg/L																													
Nitrate/Nitrite as N	mg/L																													
Aluminum	mg/L																													
Arsenic	mg/L																													
Cadmium	mg/L																													
Copper	mg/L																													
Iron	mg/L																													
Lead	mg/L																													
Manganese	mg/L																													
Mercury (dissolved)	mg/L																													
Mercury (dissolved low-level)	ng/L																													
Molybdenum	mg/L																													
Selenium	mg/L																													
Silica (SiO2)	mg/L																													
Silicon	mg/L																													
Uranium	mg/L																													
Zinc	mg/L																													

Notes & Definitions:

- | | | |
|-------|-----------------------------|--|
| Y/N | yes or no | 1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards. |
| gpm | gallons per minute | |
| deg C | degrees Celsius | 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3. |
| SU | standard pH units | |
| µS/cm | microsiemens per centimeter | 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table. |
| mV | millivolts | |
| mg/L | milligram per liter | |
| pCi/L | picocuries per liter | |
| NM | not measured (field) | |
| NA | not analyzed (lab) | |
| ng/L | nanogram per liter | |

GCC Energy Hydrologic Monitoring Data

MW-2-C																														
Year	2017							2018							2019				2020				2021				2022			
Quarter	Q1	Q2	Q3		Q4			Q1		Q2			Q3		Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4		
Month	3	6	7	8	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	9	11	2	5	8	11	3	6	9	12
Sample Date	3/30	6/7	7/18	8/23	10/30	11/16	12/5	1/2	2/9	3/22	4/11	5/10	8/7	11/1	2/20	5/29	8/14	11/6	2/11	5/27	9/1	11/24	2/15	5/20	8/24	11/17	3/23	6/14	9/8	12/4
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Field Parameters:																														
Purge Flow Rate	gpm																													
Total Purged	gal																													
Depth to Water	ft bgs																													
Temperature	deg C	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
pH	SU																													
Specific Conductance	µS/cm																													
Oxygen Reduction Potential	mV																													
Lab Analytical Results:																														
Hardness as CaCO3	mg/L																													
pH (Lab)	SU																													
Total Dissolved Solids (Lab)	mg/L																													
Calcium	mg/L																													
Magnesium	mg/L																													
Sodium	mg/L																													
Potassium	mg/L																													
Alkalinity, Total	mg/L																													
Alkalinity, Bicarbonate	mg/L																													
Alkalinity, Carbonate	mg/L																													
Alkalinity, Hydroxide	mg/L																													
Chloride	mg/L																													
Fluoride	mg/L																													
Sulfate as SO4	mg/L																													
Total Organic Carbon (TOC)	mg/L																													
Nitrate/Nitrite as N	mg/L																													
Aluminum	mg/L																													
Arsenic	mg/L																													
Cadmium	mg/L																													
Copper	mg/L																													
Iron	mg/L																													
Lead	mg/L																													
Manganese	mg/L																													
Mercury (dissolved)	mg/L																													
Mercury (dissolved low-level)	ng/L																													
Molybdenum	mg/L																													
Selenium	mg/L																													
Silica (SiO2)	mg/L																													
Silicon	mg/L																													
Uranium	mg/L																													
Zinc	mg/L																													

Notes & Definitions:

- | | |
|--|---|
| <p>Y/N yes or no
 gpm gallons per minute
 deg C degrees Celsius
 SU standard pH units
 µS/cm microsiemens per centimeter
 mV millivolts
 mg/L milligram per liter
 pCi/L picocuries per liter
 NM not measured (field)
 NA not analyzed (lab)
 ng/L nanogram per liter</p> | <ol style="list-style-type: none"> 1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards. 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3. 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table. |
|--|---|

GCC Energy Hydrologic Monitoring Data

MW-3-A																																																
Year	2017								2018								2019								2020								2021								2022							
Quarter	Q1	Q2	Q3			Q4			Q1		Q2			Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4																	
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2	5	8	11	2	5	9	11																	
Sample Date	3/27	6/30	7/18	8/24	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	8/14	11/12	2/4	5/26	8/31	12/1	2/10	5/18	8/10	11/9	2/24	5/11	9/6	11/18																	
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y																	
Field Parameters:																																																
Purge Flow Rate	gpm	0.50	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.12	0.15	0.06	0.25	0.12	0.13	0.13	0.13	0.05	0.13	0.15	0.13	0.25	0.25	0.13	0.04																		
Total Purged	gal	30.0	2.0	NM	NM	NM	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.3	1.0	1.1	1.5	1.3	1.3	1.5	1.1	1.2	1.5	1.3	1.3	1.5	2.0	1.5	1.1																			
Depth to Water	ft bgs	297.35	298.24	297.45	298.24	298.11	298.12	298.01	298.37	298.04	297.86	297.76	298.17	298.55	298.27	297.85	296.79	297.27	297.33	296.47	296.87	297.21	297.02	296.97	296.72	297.47	297.46	296.67	296.74	296.96	296.62																	
Temperature	deg C	11.7	13.2	19.5	12.6	12.3	12.5	11.7	12.0	11.8	11.7	12.2	11.9	13.5	13.5	11.9	11.8	12.1	NM	13.1	11.5	13.2	13.1	11.9	12.1	12.4	13.6	12.2	11.4	13.0	15.6	12.2																
pH	SU	8.82	8.75	8.56	8.67	8.72	8.64	8.61	8.57	8.54	8.52	8.61	8.21	8.38	8.30	8.31	8.28	8.31	8.13	8.51	8.11	8.26	8.23	8.39	8.53	8.46	8.42	8.47	8.35	8.21	8.12	8.66																
Specific Conductance	µS/cm	2535	2446	2115	2524	2470	2430	2483	2494	2528	2506	2458	2415	2253	2336	2391	2355	2309	NM	2204	2211	2249	2112	2192	1930	1525	2091	2127	2121	2055	2066	2057																
Oxygen Reduction Potential	mV	-269.0	-101.5	-55.3	-87.4	-142.3	-124.5	-125.6	-146.8	-120.3	-125.2	-181.6	-135.8	-138.2	-155.8	-164.6	-145.9	-132.3	-138.6	-120.1	-65.7	-156.8	-98.8	-89.3	-101.3	-157.1	-149.0	-156.8	-221.2	-124.2	-269.9	-199.6																
Lab Analytical Results:																																																
Hardness as CaCO3	mg/L	7.53	12.6			12.6		10.4			11.5			11.2	12.6	14.1	11.9	10.7	10.4	11.1	10.8	10.3	11.1	9.41	10.5	8.14	8.89	8.68	8.56	9.01	9.33	7.59																
pH (Lab)	SU	8.63	8.69			8.53		8.29			8.45			8.36	8.37	8.24	8.28	8.29	8.27	8.39	8.09	7.68	8.16	8.13	8.13	8.22	8.21	8.19	8.17	8.28	8.09	8.15																
Total Dissolved Solids (Lab)	mg/L	1630	1670			1630		1690			1680			1670	1600	1540	1500	1530	1520	1510	1500	1460	1380	1460	1410	1350	1420	1360	1220	1400	1320	1280																
Calcium	mg/L	2.00	3.67			3.63		3.27			3.33			3.2	3.71	4.15	3.55	3.16	3.08	3.34	3.14	3.07	3.02	2.83	3.07	2.48	2.59	2.53	2.42	2.63	2.59	2.21																
Magnesium	mg/L	0.616	0.823			0.859		0.550			0.776			0.774	0.811	0.913	0.739	0.692	0.655	0.680	0.723	0.645	0.866	0.568	0.698	0.475	0.586	0.577	0.610	0.594	0.694	0.503																
Sodium	mg/L	566	585			589		551			562			542	562	605	543	525	553	528	520	507	510	505	536	471	462	448	462	473	476	420																
Potassium	mg/L	1.72	2.02			2.04		<5.00			<2.00			1.8	<2.00	2.17	<2.00	1.92	<2.00	<5.00	<3.00	<5.00	<5.00	<5.00	<5.00	<3.00	<5.00	<2.00	1.34	<2.00	<2.00	<5.00																
Alkalinity, Total	mg/L	530	470			500		490			430			480	480	475	540	450	459	420	460	430	440	470	520	530	465	485	495	560	500	400																
Alkalinity, Bicarbonate	mg/L	380	470			440		460			360			480	420	385	330	430	423	420	460	400	440	450	520	530	465	435	455	480	500	400																
Alkalinity, Carbonate	mg/L	150	<10.0			60.0		30.0			70.0			<10.0	60.0	90.0	210	20	36.0	<10.0	<10.0	30.0	<10.0	20	<10.0	<10.0	<10.0	50.0	40.0	80.0	<10.0	<10.0																
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0																
Chloride	mg/L	16.1	17.4			18.5		16.9			16.4			16.1	15.1	16.0	15.2	15	15.0	14.7	13.9	13.9	13.5	14	13.5	14	14.1	14.6	14.2	14.2	15.9	15.4																
Fluoride	mg/L	0.464	0.488			0.535		<0.500			<0.500			<0.5	NA	0.383	0.406	0.404	0.396	<0.500	0.370	0.374	0.366	0.372	0.336	0.352	0.366	0.314	0.356	0.324	0.362	<0.500																
Sulfate as SO4	mg/L	729	802			840		730			812			756	706	682	716	699	724	633	637	656	624	644	600	601	599	515	584	555	557	565																
Total Organic Carbon (TOC)	mg/L	3.52	10.0			7.26		6.07			5.32			4.7	4.62	4.52	4.15	4.10	3.84	3.81	3.42	3.48	3.39	3.15	3.16	3.18	3.01	3.02	2.96	2.84	3.02	1.54																
Nitrate/Nitrite as N	mg/L	<0.100	<0.100			<0.020		<0.020			<0.020			<0.020	<0.020	<0.020	0.266	<0.020	<0.020	<0.020	0.024	0.026	0.039	0.032	<0.020	0.024	<0.020	<0.020	0.022	0.030	<0.020	<0.020																
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA															
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA															
Aluminum	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100			<0.050	<0.050	<0.100	<0.100	<0.050	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250	<0.150	<0.250	<0.100	<0.050	<0.100	<0.100	<0.250																
Arsenic	mg/L	0.0025	<0.0025			<0.0025		<0.0025			<0.0025			0.0006	<0.0025	<0.0010	<0.0010	<0.0025	<0.0010	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	0.0026	0.0006	0.001	0.0018	0.0009	<0.0010	<0.0010	<0.0010																
Cadmium	mg/L	<0.0001	<0.0005			<0.0005		<0.0005			<0.0005			<0.0001	<0.0001	<0.0002	<0.0002	<0.0005	<0.0002	<0.0002	<0.0002	<0.0002	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010	<0.0010																
Copper	mg/L	0.0061	0.0081			0.0080		0.0079			0.0236			0.0063	0.0117	0.0086	0.0137	0.0078	0.0067	0.0039	0.0037	0.0021	0.0051	0.0055	0.0037	0.0157	0.0156	0.0113	0.0088	0.0114	0.0189	0.0106																
Iron	mg/L	<0.050	<0.050			<0.050		<0.250			<0.100			<0.05	<0.05	<0.100	<0.100	<0.050	<0.100	<0.250	<0.150	<0.250	<0.250	<0.250	<0.250	<0.150	<0.250	<0.100	<0.050	<0.100	<0.100	<0.250																
Lead	mg/L	<0.0005	<0.0025			<0.0025		<0.0025			<0.0025			<0.0005	<0.0005	<0.0010	<0.0010	<0.0025	<0.0010	<0.0010	<0.0010	<0.0025	<0.0025	<0.0025	<0.0025	<0.001	<0.0010	<0.0010	<0.0005	<0.001	<0.002	<0.0010																
Manganese	mg/L	0.0042	0.0251			0.0194		0.0269			0.0232			0.018	0.0222	0.0187	0.0172	0.0185	0.0166	0.0140	0.0162	0.0136	0.0120	0.0125	0.0128	0.0121	0.0096	0.0101	0.0113	0.0100	0.0097	0.0108																
Mercury (dissolved)	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002																	
Mercury (dissolved low-level)	ng/L																																															
Molybdenum	mg/L	0.0005	0.0274			0.0091		0.0078			0.0065			0.0046	0.0043	0.0033	0.003	0.003	0.0018	0.0027	0.0022	0.0015	<0.0025	<0.0025	<0.0025	0.0015	0.0013	<0.001	0.0012	<0.001	0.0017	0.0012																
Selenium	mg/L	0.0577	<0.0050			<0.0050		<0.0050			<0.0050			0.0109	<0.0050	0.0028	0.0039	<0.005	0.0020	<0.0020	<0.0020	0.0033	0.0086	<0.0050	0.129	0.0276	0.0167	0.0855	0.0162	0.0029	0.0106	<0.0020																
Silica (SiO2)	mg/L	10.1	10.9			11.6		7.66			11.1			11	12.0	12.8	11.7	11	12.7	11.8	11.6	10.5	11.0	11.2	11.3	10.1	10.7	10.9	10.8	10.7	11.1	9.39																
Silicon	mg/L	4.70	5.10			5.41		3.58			5.18			5.17	5.62	5.97	5.46	5.16	5.95	5.53	5.43	4.92	5.14	5.22	5.28	4.73	4.98	5.11	5.07	5.01	5.19	4.39																
Uranium	mg/L	0.0002	0.0040			0.0051		0.0036			0.0030			0.0026	0.0026	0.0027	0.0018	0.0014	0.0012	0.0011	0.0010	<0.0025	<0.0025	<0.0025	<0.0025	<0.0																						

GCC Energy Hydrologic Monitoring Data

MW-3-MI																																																
Year	2017								2018								2019								2020								2021								2022							
	Quarter	Q1	Q2	Q3		Q4		Q1	Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4																
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2	5	8	11	2	5	9	11																	
Sample Date	3/27	6/30	7/18	8/16	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	8/21	11/12	2/4	5/26	8/31	12/1	2/10	5/18	8/10	11/9	2/24	5/11	9/6	11/18																	
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y																	
Field Parameters:																																																
Purge Flow Rate	gpm	0.50	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.10	0.12	0.12	0.06	0.25	0.50	0.25	0.13	0.13	0.10	0.13	0.13	0.25	0.25	0.25	0.15	0.10																	
Total Purged	gal	19.0	2.0	NM	NM	NM	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.3	1.0	1.1	1.5	1.3	2.0	1.0	1.5	1.3	1.8	1.3	1.3	1.5	1.5	1.3	1.5	2.0	1.3	1.3																
Depth to Water	ft bgs	304.49	241.15	240.46	240.53	240.46	240.44	240.44	240.73	240.55	240.65	240.84	241.04	241.97	242.13	242.15	242.32	246.55	243.07	242.85	243.05	243.6	243.9	243.93	244.25	244.28	244.15	242.90	244.05	244.65	244.3																	
Temperature	deg C	10.0	12.6	22.0	12.9	11.0	12.1	11.7	11.7	11.9	11.3	11.9	11.8	12.6	13.0	12.4	11.6	11.3	13.2	12.3	11.6	12.6	12.8	11.7	11.5	12.8	13.0	11.9	11.4	13.2	13.7	11.6																
pH	SU	9.34	8.94	8.46	8.90	8.74	8.90	8.86	8.86	8.84	8.83	8.84	8.51	8.48	8.49	8.46	8.51	8.55	8.71	8.75	8.71	8.92	9.01	9.09	9.03	9.06	9.13	9.11	9.07	9.04	9.03	8.81																
Specific Conductance	µS/cm	1907	1699	1402	1598	1737	1729	1745	1786	1790	1810	1771	1772	1727	1709	1746	1753	1739	1691	1739	1758	1737	1560	1555	1519	1232	1647	1765	1705	1686	1720	1739																
Oxygen Reduction Potential	mV	-87.0	-54.5	-26.4	-108.2	-107.3	-113.8	-124.2	-163.1	-136.0	-131.4	-160.7	-99.9	-103.9	-127.8	-176.5	-113.0	-84.5	43.9	-130.8	-104.3	-174.5	-111.0	-132.4	-94.6	-120.4	-142.9	-163.3	-207.2	-104.2	-184.3	-158.9																
Lab Analytical Results:																																																
Hardness as CaCO3	mg/L	4.85	8.73			9.02		7.75			9.92			8.65	8.63	8.88	7.63	6.84	7.98	6.64	6.50	7.25	6.39	5.94	6.63	5.06	5.39	5.21	5.28	5.13	<3.31	<3.31																
pH (Lab)	SU	8.95	8.75			8.72		8.72			8.66			8.56	8.58	8.34	8.5	8.45	8.58	8.62	8.61	8.59	8.87	8.77	8.72	8.84	8.81	8.88	8.78	8.87	8.76	8.78																
Total Dissolved Solids (Lab)	mg/L	1550	1120			1140		1080			1170			1210	1110	1120	1120	1170	1010	1130	1130	1060	1160	1120	1110	1180	1130	1070	1140	1080	1070																	
Calcium	mg/L	1.32	2.32			2.34		2.06			2.22			1.91	1.95	2.03	1.87	1.7	2.04	1.73	1.63	1.76	1.62	1.42	1.66	1.28	1.34	1.25	1.30	1.32	1.14	1.15																
Magnesium	mg/L	0.374	0.714			0.775		0.632			1.07			0.945	0.911	0.926	0.715	0.629	0.703	0.561	0.591	0.694	0.570	0.579	0.606	0.454	0.5	0.508	0.496	0.442	<0.500	<0.500																
Sodium	mg/L	420	430			440		411			459			417	446	476	434	419	454	437	437	427	431	431	468	410	403	390	413	415	374	389																
Potassium	mg/L	2.15	2.21			1.93		<5.00			<2.00			1.63	<2.00	<2.00	1.39	1.65	<2.00	<5.00	<2.00	<5.00	<3.00	<4.00	<5.00	<2.00	<2.00	<2.00	1.27	<2.00	<5.00	<5.00																
Alkalinity, Total	mg/L	740	675			700		660			700			680	730	720	685	755	720	690	705	680	625	770	690	690	705	705	740	740	780	760																
Alkalinity, Bicarbonate	mg/L	510	555			600		570			600			500	630	610	485	605	590	610	645	550	465	690	450	550	555	565	580	580	480	540																
Alkalinity, Carbonate	mg/L	230	120			100		90.0			100			180	100	110	200	150	130	80.0	60.0	130	160	80	240	140	150	140	160	160	300	220																
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0																	
Chloride	mg/L	8.66	10.1			10.7		10.6			10.7			10.7	8.54	8.83	9.21	9.25	10.2	9.13	9.21	9.61	9.45	10	9.84	10.5	10.4	10.4	10.6	10.2	11.2	10.7																
Fluoride	mg/L	0.952	1.34			1.26		1.26			1.30			1.2	1.16	1.19	1.21	1.22	1.19	1.19	1.13	1.13	1.09	1.12	1.03	1.09	1.07	0.980	1.10	0.982	1.11	1.08																
Sulfate as SO4	mg/L	165	241			247		254			245			250	226	230	232	229	236	224	227	231	222	110	223	227	228	230	233	213	240	238																
Total Organic Carbon (TOC)	mg/L	8.34	14.8			10.9		10.3			9.24			8.67	7.83	7.28	6.73	6.56	6.17	5.78	5.58	6.07	5.79	5.46	5.34	5.33	5.4	5.26	5.14	4.94	5.06	2.89																
Nitrate/Nitrite as N	mg/L	<0.020	<0.020			<0.020		<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.034	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020																	
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA																
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA																
Aluminum	mg/L	<0.050	0.102			<0.050		<0.250			<0.100			<0.050	<0.050	<0.10	<0.050	<0.050	0.167	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100	<0.100	<0.100	<0.050	<0.100	<0.250	<0.250															
Arsenic	mg/L	0.0134	0.0167			0.0131		0.0135			0.0160			0.0152	0.0127	0.0104	0.0149	0.0107	0.0142	0.0099	0.0093	0.0086	0.0061	0.007	0.0083	0.0091	0.0091	0.0078	0.0095	0.0082	0.0084	0.0085																
Cadmium	mg/L	<0.0001	<0.0005			<0.0005		<0.0005			<0.0001			<0.0001	<0.0001	<0.0002	<0.0001	<0.0005	<0.0001	<0.0002	<0.0002	<0.0005	<0.0005	<0.0004	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010	<0.0010																
Copper	mg/L	0.0055	0.0058			0.0065		0.0059			0.0122			0.0048	0.0071	0.0073	0.0068	0.0063	0.0049	0.0037	0.0024	<0.0025	0.0046	0.0045	0.0031	0.0131	0.0143	0.0097	0.0072	0.0126	0.0170	0.0089																
Iron	mg/L	<0.050	<0.100			<0.050		<0.250			<0.100			<0.05	<0.05	<0.1	<0.050	<0.050	<0.100	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100	<0.100	<0.050	<0.100	<0.250	<0.25																
Lead	mg/L	0.0024	<0.0025			<0.0025		<0.0025			<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0025	<0.0005	<0.0010	<0.0010	<0.0025	<0.0025	<0.0020	<0.0025	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0020	<0.0010																
Manganese	mg/L	0.0022	0.0058			0.0033		0.0045			0.0049			0.006	0.0054	0.0072	0.0078	0.0082	0.0079	0.0099	0.0095	0.0102	0.0072	0.007	0.0069	0.0057	0.0058	0.0054	0.0051	0.0049	0.0047	0.0058																
Mercury (dissolved)	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002																	
Mercury (dissolved low-level)	ng/L																																															
Molybdenum	mg/L	0.0061	0.0211			0.0148		0.0152			0.0170			0.016	0.0149	0.0158	0.0157	0.0167	0.0277	0.0372	0.0204	0.0195	0.0149	0.0163	0.0162	0.016	0.0149	0.0140	0.0148	0.0143	0.0150	0.0150																
Selenium	mg/L	0.0013	<0.0050			<0.0050		<0.0050			0.0010			0.0019	<0.0050	<0.002	0.0034	<0.005	<0.0010	<0.0020	<0.0020	<0.0050	<0.0050	<0.004	0.0462	0.0033	<0.0020	0.0091	0.0018	<0.0020	<0.0020	<0.0020																
Silica (SiO2)	mg/L	7.97	8.18			9.05		5.35			9.33			8.83	9.49	10.2	8.95	8.85	9.73	9.46	8.80	8.24	8.84	9.11	9.64	8.11	8.77	8.82	9.04	8.63	7.45	7.80																
Silicon	mg/L	3.73	3.82			4.23		2.50			4.36			4.13	4.44	4.76	4.18	4.14	4.55	4.42	4.11	3.85	4.13	4.26	4.51	3.79	4.1	4.12	4.22	4.03	3.48	3.65																
Uranium	mg/L	0.0049	0.0084			0.0140		0.0124			0.0125			0.0126	0.0111	0.0110	0.011	0.0085	0.0080	0.0070	0.0063	0.0059	0																									

GCC Energy Hydrologic Monitoring Data

MW-3-C																																		
Year	2017								2018							2019				2020				2021				2022						
Quarter	Q1	Q2	Q3		Q4			Q1			Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4				
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	9	11	3	5	8	12	2	5	8	11	2	5	9	12			
Sample Date	3/27	6/30	7/27	8/24	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/7	8/8	11/6	2/27	5/21	9/17	11/12	3/13	5/26	8/31	12/1	2/10	5/18	8/10	11/10	2/24	5/11	9/6	12/13			
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y			
Field Parameters:																																		
Purge Flow Rate	gpm	0.50	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.10	0.06	0.06	0.13	0.13	0.10	0.03	0.08	0.13	0.13	0.13	0.13	0.15	0.10	0.15	0.03				
Total Purged	gal	20.0	2.0	NM	NM	NM	1.0	1.0	1.5	1.5	1.5	1.0	1.3	1.3	1.1	1.3	1.5	10.0	1.5	11.0	1.1	1.3	1.5	1.3	1.3	1.5	1.5	1.5	1.5	1.0				
Depth to Water	ft bgs	304.21	296.3	296.93	296.87	297.43	297.46	297.43	297.35	297.01	296.66	296.57	296.62	296.78	297.12	296.80	296.39	295.56	295.70	295.50	299.35	294.99	294.60	295.26	295.97	295.25	295.70	295.68	294.45	295.11	295.45	295.10		
Temperature	deg C	10.5	12.9	13.1	12.5	11.8	12.7	11.5	11.7	11.7	11.4	11.6	12.2	13.0	13.3	11.5	11.0	11.4	13.5	12.5	11.3	13.4	15.0	14.0	9.9	12.3	15.6	9.6	9.4	13.2	14.4	1.9		
pH	SU	8.61	8.57	8.51	8.46	8.44	8.48	8.41	8.48	8.43	8.43	8.45	8.25	8.28	8.26	8.17	8.28	8.29	8.31	8.20	7.98	8.44	8.45	8.73	8.71	8.50	8.71	8.85	8.62	8.43	8.29	9.15		
Specific Conductance	µS/cm	3549	3588	3815	4112	4351	4412	4659	4596	4923	4864	5063	5019	4916	4953	5127	5155	5184	5144	5144	4921	3143	5039	4251	4426	3755	4571	5244	4564	4694	5306	2397		
Oxygen Reduction Potential	mV	-129.0	-87.2	-137.5	-128.8	-149.9	-198.3	-200.7	-222.2	-187.9	-183.5	-155.4	-154.7	-161.4	-180.5	-217.6	-185.4	-188.5	-151.8	-184.4	-155.0	-240.5	-174.4	-150.0	-202.7	-149.6	-255.3	-227.4	-325.6	-223.4	-307.9	-277.2		
Lab Analytical Results:																																		
Hardness as CaCO3	mg/L	14.4	11.8			15.1		14.9				16.1			40.3	17.9	21.7	17.3	16.8	18.6	18.6	18.3	16.0	18.1	16.9	18.5	14.8	16.9	16.7	16.0	17.4	20.4	16.4	
pH (Lab)	SU	8.5	8.48			8.35		8.28				8.35			8.34	8.31	8.24	8.2	8.23	8.31	8.12	7.98	8.41	8.36	8.36	8.43	8.38	8.47	8.87	8.44	8.47	8.18	8.49	
Total Dissolved Solids (Lab)	mg/L	2130	2360			3070		3310				3540			3610	3520	3360	3300	3440	3500	3390	3220	3180	3170	3280	3200	3230	3300	3200	3270	3250	3280	3140	
Calcium	mg/L	3.60	2.87			3.50		3.58				3.81			7.28	4.01	4.70	4.05	3.74	4.30	4.23	4.26	3.81	3.97	3.72	4.25	3.59	3.84	3.76	3.66	4.10	4.49	3.68	
Magnesium	mg/L	1.31	1.12			1.55		1.44				1.59			5.38	1.92	2.41	1.75	1.8	1.91	1.94	1.86	1.58	1.98	1.84	1.92	1.42	1.77	1.78	1.67	1.74	2.23	1.75	
Sodium	mg/L	796	890			1100		1130				1200			1350	1220	1460	1270	1100	1360	1300	1280	1240	1250	1250	1360	1220	1220	1170	1200	1260	1360	1170	
Potassium	mg/L	3.47	3.24			4.01		<5.00				<5.00			<5.00	<5.00	<5.00	<5.00	5.24	<5.00	<10.0	<10.0	<10.0	<10.0	<10.0	<6.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00		
Alkalinity, Total	mg/L	1490	1570			1690		1880				1910			1760	1730	2050	2000	2110	2190	2130	2160	2050	1820	2090	2170	2130	2140	2230	2180	2170	2110	2120	
Alkalinity, Bicarbonate	mg/L	1360	1480			1650		1830				1810			1600	1670	1900	1830	2000	2020	2070	2000	1800	1690	1970	1710	1910	1950	1950	1820	1870	1990	2120	
Alkalinity, Carbonate	mg/L	130	90.0			40.0		50.0				100			160	60.0	150	170	110	170	60.0	160	250	130	120	460	220	190	280	360	300	120	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0				<10.0			<10.0	NA	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0		
Chloride	mg/L	182	330			477		506				549			544	524	561	577	575	620	542	549	555	552	578	574	577	582	462	608	605	613	604	
Fluoride	mg/L	4.89	4.94			4.52		4.34				4.15			3.52	3.84	4.04	4.04	3.91	3.78	3.66	3.61	3.51	3.47	3.53	3.37	3.34	3.36	3.16	3.37	3.06	3.51	3.25	
Sulfate as SO4	mg/L	73.4	73.5			46.4		24.5				<10.0			<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00		
Total Organic Carbon (TOC)	mg/L	10.6	58.5			219		251				337			343	306	141	122	129	132	107	81.9	23.4	17.1	15.7	15.7	16.3	15.7	16.4	17.9	16.2	16.1	10.4	
Nitrate/Nitrite as N	mg/L	<0.020	<0.400			<0.400		<0.020				<0.020			<0.02	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.100	<0.020		
Ammonia as N ^	mg/L	NA	NA			NA		NA				NA			NA	NA	NA	NA	NA	NA	NA	0.500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA				NA			NA	NA	NA	NA	NA	NA	0.212	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Aluminum	mg/L	<0.050	<0.100			<0.050		<0.250				<0.500			1.47	<0.500	<0.250	<0.250	<0.500	<0.250	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.300	<0.250	<0.250	<0.250	<0.250	<0.250		
Arsenic	mg/L	0.0115	0.0088			0.0098		0.0091				0.0194			0.0168	0.0148	0.0155	0.0218	0.0171	0.0192	0.0188	0.0087	0.0133	0.0106	0.0125	0.0113	0.0163	0.0195	0.0170	0.0157	0.0130	0.0151	0.0146	
Cadmium	mg/L	<0.0001	<0.0010			<0.0010		<0.0005				<0.0005			<0.0005	<0.0005	<0.0005	<0.0005	<0.001	<0.0005	<0.0005	<0.0005	<0.0005	<0.0010	<0.001	<0.0010	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025		
Copper	mg/L	0.0109	0.0147			0.0174		0.0160				0.0409			0.0183	0.0257	0.0227	0.0223	0.0168	0.0102	0.0109	0.0069	0.0064	0.0136	0.0156	0.0102	0.0499	0.0434	0.0323	0.0287	0.0347	0.0555	0.0268	
Iron	mg/L	<0.050	<0.050			<0.050		<0.250				<0.500			0.252	<0.500	<0.250	<0.250	0.344	0.328	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.300	0.464	0.310	0.260	0.305	0.427	<0.250	
Lead	mg/L	0.0085	<0.0050			<0.0050		<0.0025				<0.0025			<0.0025	<0.0025	<0.0025	<0.0025	<0.005	<0.0025	<0.0025	<0.0025	<0.0025	<0.0050	<0.0050	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025	<0.005	<0.0025		
Manganese	mg/L	0.0091	0.0188			0.0178		0.0202				0.0307			0.0275	0.0243	0.0252	0.0483	0.063	0.0378	0.0266	0.0245	0.0175	0.0102	0.0079	0.0052	0.0046	0.0034	0.0032	0.0028	0.0040	0.0025	0.0034	
Mercury (dissolved)	mg/L	<0.0002	<0.0002			<0.0002		<0.0002				<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002		
Mercury (dissolved low-level)	ng/L																																	
Molybdenum	mg/L	0.0143	0.0291			0.0241		0.0241				0.0221			0.0189	0.0155	0.0140	0.0134	0.0121	0.0081	0.0075	0.0082	0.0085	0.0076	0.0075	0.008	0.0069	0.0061	0.0061	0.0059	0.0065	0.0058	0.0056	
Selenium	mg/L	0.0233	0.0121			0.0149		0.0240				0.0383			0.0268	0.0232	0.0261	0.0464	0.0203	0.0203	0.0173	0.0125	0.0129	0.0135	0.0191	0.027	0.0411	0.0372	0.0319	0.0335	0.0185	0.0247	0.0199	
Silica (SiO2)	mg/L	7.82	8.86			9.16		6.01				<10.7			9.69	8.68	10.7	8.24	8.35	9.06	<10.7	<10.7	<10.7	<10.7	<10.7	<10.7	7.48	8.4	8.33	7.79	7.59	8.75	7.04	
Silicon	mg/L	3.66	4.14			4.28		2.81				<5.00			4.53	4.06	5.01	3.85	3.9	4.24	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	3.5	3.93	3.89	3.64	3.55	4.09	3.29	
Uranium	mg/L																																	

GCC Energy Hydrologic Monitoring Data

MW-4-A																																	
Year	2017								2018								2019				2020				2021				2022				
Quarter	Q1	Q2	Q3			Q4			Q1		Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4			
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	11	2	5	8	11	2	5	9	11		
Sample Date	3/29	6/30	7/19	8/23	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/6	5/26	8/27	11/25	2/10	5/18	8/10	11/10	2/23	5/11	9/1	11/17		
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Field Parameters:																																	
Purge Flow Rate	gpm	NM	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.10	0.06	0.06	0.06	0.13	0.03	0.03	0.13	0.13	0.05	0.13	0.25	0.20	0.22	0.13	0.13	0.06		
Total Purged	gal	19.0	2.0	1.5	0.5	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.5	1.5	1.1	1.5	1.3	1.1	1.0	1.5	1.2	1.3	1.3	1.3	1.3	1.5	1.3	1.8	1.5	1.0	1.1		
Depth to Water	ft bgs	338.6	334.96	335.59	334.79	334.81	334.86	332.29	334.09	334.31	334.73	334.81	335.07	335.58	336.06	336.73	335.6	335.07	335.21	335.16	336.35	337.16	336.88	336.13	335.46	335.72	335.93	336.16	336.01	336.31	336.74	337.16	
Temperature	deg C	15.6	16.8	25.5	17.6	11.9	11.6	10.8	10.1	10.9	9.8	11.4	10.9	17.8	12.9	11.6	11.1	10.4	13.6	11.6	10.3	12.5	14.0	12.3	10.3	11.2	12.1	11.6	9.4	12.4	15.6	12.4	
pH	SU	8.61	8.29	8.55	7.98	8.41	8.32	8.38	8.32	8.33	8.37	8.41	8.19	8.20	8.10	8.12	8.15	8.08	8.02	8.11	8.07	8.19	8.27	8.30	8.25	8.30	8.38	8.38	8.35	8.34	8.33	8.77	
Specific Conductance	µS/cm	2163	2053	1876	2096	2180	2165	2186	2261	2259	2267	2207	2214	2183	2192	2246	2205	2237	2201	2211	2271	2273	2165	2249	2052	1618	2205	2268	2294	2244	2236	2236	
Oxygen Reduction Potential	mV	28.6	54.0	60.2	61.7	-8.6	-27.0	-12.3	-51.8	-35.2	-75.9	-117.3	-77.9	-81.8	-137.5	-157.6	-92.3	-89.3	-54.3	-19.8	15.3	-71.3	-11.5	-10.6	29.0	-63.4	-48.7	-77.3	-153.2	-78.6	-203.9	-66.6	
Lab Analytical Results:																																	
Hardness as CaCO3	mg/L	9.16	9.85			7.77				7.73				7.84	7.69	8.81	7.76	7.31	8.62	8.00	8.19	7.46	7.87	7.77	8.87	7.02	5.81	7.54	8.32	7.88	8.44	7.41	
pH (Lab)	SU	8.2	8.40			8.36				8.28				8.31	8.21	8.24	8.05	8.08	8.15	8.02	8.11	7.90	8.19	8.16	8.04	8.15	8.09	8.21	8.24	8.24	8.50	8.29	
Total Dissolved Solids (Lab)	mg/L	1470	1470			1450				1490				1470	1430	1350	1450	1410	1540	1490	1500	1480	1460	1560	1370	1430	1510	1470	1400	1540	1480	1430	
Calcium	mg/L	2.23	2.43			1.76				1.81				1.75	1.71	1.92	1.77	1.68	1.94	1.82	1.88	1.67	1.79	1.73	2.04	1.65	1.41	1.76	1.87	1.88	1.95	1.67	
Magnesium	mg/L	0.871	0.916			0.823				0.591				0.846	0.832	0.973	0.809	0.756	0.914	0.837	0.850	0.798	0.826	0.836	0.917	0.704	0.555	0.765	0.890	0.771	0.868	0.783	
Sodium	mg/L	515	537			513				511				507	528	531	568	535	515	548	529	551	498	533	531	565	507	411	488	504	523	520	482
Potassium	mg/L	1.57	1.75			1.63				<5.00				<2.00	1.5	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	
Alkalinity, Total	mg/L	635	560			630				590				560	575	575	545	565	575	544	560	585	605	538	620	590	580	670	535	605	590	480	
Alkalinity, Bicarbonate	mg/L	635	560			590				560				560	555	575	505	544	535	528	560	545	565	530	620	530	580	670	485	455	590	480	
Alkalinity, Carbonate	mg/L	<10.0	<10.0			40.0				30.0				40.0	20.0	<10.0	40	32	40.0	16.0	<10.0	40.0	40	<10.0	<10.0	60	<10.0	<10.0	50.0	150	<10.0	<10.0	
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0				<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	9.56	9.66			10.3				10.3				9.94	9.55	8.60	8.93	8.99	8.91	8.76	8.83	8.89	10.1	9.15	8.79	9.15	9.17	9.04	9.04	8.97	9.89	9.61	
Fluoride	mg/L	<0.400	<0.400			<0.500				<0.500				<0.500	<0.500	0.143	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.500	
Sulfate as SO4	mg/L	594	588			783				594				561	522	450	567	584	615	559	557	580	542	607	561	577	593	551	581	525	580	590	
Total Organic Carbon (TOC)	mg/L	6.63	11.7			3.52				3.27				3.59	3.60	3.59	3.47	3.40	3.33	3.25	3.10	3.49	3.48	3.27	3.42	3.42	3.23	3.28	3.31	3.32	3.40	1.99	
Nitrate/Nitrite as N	mg/L	0.035	<0.020			<0.020				<0.020				<0.02	<0.02	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	
Ammonia as N ^	mg/L	NA	NA			NA				NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA				NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	<0.050			<0.050				<0.250				<0.05	<0.05	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	
Arsenic	mg/L	0.0016	<0.0025			<0.0025				<0.0025				0.0019																			
Cadmium	mg/L	<0.0001	<0.0005			<0.0005				<0.0005				<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	
Copper	mg/L	0.0053	0.0093			0.0076				0.0073				0.0124																			
Iron	mg/L	<0.050	<0.050			<0.050				<0.250				<0.100	<0.050	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	
Lead	mg/L	0.0014	<0.0025			<0.0025				<0.0025				<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	
Manganese	mg/L	0.0044	0.0063			0.0044				0.0040				0.0035																			
Mercury (dissolved)	mg/L	<0.0002	<0.0002			<0.0002				<0.0002				<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	
Mercury (dissolved low-level)	ng/L																																
Molybdenum	mg/L	0.0009	0.0275			<0.0025				<0.0025				0.0005																			
Selenium	mg/L	0.0016	<0.0050			<0.0050				<0.0050				0.0014																			
Silica (SiO2)	mg/L	10.2	10.6			9.99				6.85				9.47			</																

GCC Energy Hydrologic Monitoring Data

MW-4-MI																																	
Year	2017								2018								2019				2020				2021				2022				
Quarter	Q1	Q2	Q3		Q4		Q1		Q2		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4					
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	11	2	5	8	11	2	5	9	11		
Sample Date	3/30	6/16	7/27	8/23	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/6	5/26	8/27	11/25	2/10	5/18	8/10	11/10	2/23	5/11	9/1	11/17		
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Field Parameters:																																	
Purge Flow Rate	gpm	NM	NM	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.06	0.06	0.13	0.25	0.13	0.13	0.13	0.13	0.13	0.13	0.25	0.25	0.25	0.25	0.15	0.09		
Total Purged	gal	0.5	6.5	NM	NM	1.0	1.0	1.0	1.0	1.3	1.5	1.5	1.0	1.3	1.8	1.6	2.0	1.3	1.1	1.0	1.3	1.2	1.3	1.3	1.5	1.3	1.5	1.5	1.3	1.5	1.0	1.3	
Depth to Water	ft bgs	378.2	330.15	330.94	330.85	330.81	330.8	330.74	330.67	330.52	330.42	330.53	330.5	329.62	331.1	336.57	331.1	331.06	331.92	332.1	332.5	332.87	332.45	333.29	333.22	329.27	333.57	333.65	333.45	333.8	334.22	334.15	
Temperature	deg C	15.0	14.6	12.9	12.5	11.4	10.7	11.3	11.4	11.2	11.0	10.5	10.9	10.1	11.8	11.3	11.1	10.8	13.3	11.6	11.8	12.2	12.9	11.8	10.8	11.6	12.1	11.7	11.0	12.0	13.0	11.5	
pH	SU	9.08	8.91	8.78	8.79	8.76	8.76	8.73	8.67	8.62	8.48	8.53	8.01	8.50	8.14	8.25	8.38	8.23	8.14	8.26	8.18	8.42	8.45	8.57	8.57	8.60	8.59	8.59	8.46	8.56	8.51	7.87	
Specific Conductance	µS/cm	1581	1668	1731	1708	1784	1794	1804	1833	1848	1856	1841	1816	1739	1756	1808	1716	1800	1830	1776	1795	1794	1730	1777	1605	1258	1711	1761	1745	1727	1718	1749	
Oxygen Reduction Potential	mV	155.2	64.7	9.8	35.2	-29.6	-37.3	-111.5	-89.2	-112.5	-151.3	-145.7	-117.7	-130.0	-178.2	-202.3	-140.4	-154.7	-127.3	-76.8	-50.6	-131.2	-92.0	-87.7	-53.9	-105.9	-97.8	-118.1	-141.5	-128.8	-247.1	-131.9	
Lab Analytical Results:																																	
Hardness as CaCO3	mg/L	5.43	8.71			7.07		4.20			6.01			5.88	6.06	6.39	5.35	4.93	5.65	3.31	4.70	<3.31	5.19	2.84	4.91	3.79	4.59	4.53	4.17	4.15	4.59	<3.31	
pH (Lab)	SU	8.83	8.59			8.63		8.51			8.47			8.48	8.31	8.47	8.35	8.3	8.44	8.08	8.33	8.02	8.28	8.38	8.21	8.38	8.28	8.59	8.35	8.42	8.68	8.48	
Total Dissolved Solids (Lab)	mg/L	1160	1170			1180		1180			1220			1140	1120	1100	1130	1130	1140	1120	1110	1110	1070	1170	1130	1100	1130	1090	1100	1140	1070	1060	
Calcium	mg/L	1.53	2.32			1.88		1.68			1.64			1.55	1.56	1.60	1.44	1.3	1.51	1.32	1.21	1.22	1.32	1.14	1.97	1.05	1.23	1.09	1.05	1.13	1.13	0.971	
Magnesium	mg/L	0.392	0.707			0.579		<0.500			0.465			0.49	0.524	0.580	0.428	0.408	0.458	<0.500	0.406	<0.500	0.459	<0.400	<0.500	0.285	0.37	0.441	0.372	0.321	0.431	<0.500	
Sodium	mg/L	408	458			449		452			447			471	470	500	462	458	496	477	441	460	459	458	476	431	427	418	430	443	448	384	
Potassium	mg/L	1.46	<2.00			1.73		<5.00			<2.00			1.39	<2.00	<2.00	1.43	1.77	2.03	<5.00	<2.00	<5.00	<3.00	<4.00	<5.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<5.00	
Alkalinity, Total	mg/L	965	915			1100		985			965			955	968	995	510	890	970	978	985	1030	1020	1010	990	1020	985	1140	935	1020	1180	920	
Alkalinity, Bicarbonate	mg/L	775	825			880		885			875			865	896	885	420	650	880	886	895	935	940	965	910	900	865	1020	825	870	1040	720	
Alkalinity, Carbonate	mg/L	190	90.0			220		100			90.0			90	72.0	110	90	240	90.0	92.0	90.0	90.0	80	40	80	120	120	120	110	150	140	200	
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0		<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	
Chloride	mg/L	2.18	7.50			8.78		9.11			8.74			7.99	5.68	5.38	5.98	5.98	5.83	5.47	5.37	5.11	5.02	4.97	4.89	4.85	4.91	4.98	4.55	4.36	4.29	<5.00	
Fluoride	mg/L	4.72	5.02			5.09		5.10			5.02			4.82	4.84	4.94	5.49	5.44	5.38	5.31	5.11	5.16	5	5.27	4.92	5.03	5.2	4.78	5.16	4.73	5.42	5.13	
Sulfate as SO4	mg/L	17.4	64.7			76.6		77.5			68.6			54.4	48.3	47.6	38.7	34.4	31.9	28.2	24.6	21.9	20	18.7	17.1	16.1	16.4	13.7	13.4	12.4	12.7	11.7	
Total Organic Carbon (TOC)	mg/L	2.64	6.49			8.58		9.53			9.54			9.25	8.94	8.48	8.37	8.25	7.81	6.42	6.63	6.55	5.93	5.77	5.78	5.36	5.29	5.09	4.80	4.28	4.73	2.31	
Nitrate/Nitrite as N	mg/L	<0.020	<0.020			<0.020		<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	
Ammonia as N ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA	NA			NA		NA			NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050	<0.100			<0.050		<0.250			<0.100			<0.050	<0.100	<0.100	<0.050	<0.100	<0.100	<0.050	<0.100	<0.150	<0.200	<0.250	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.250		
Arsenic	mg/L	0.0099	0.0220			0.0131		0.0122			0.0139			0.0153	0.014	0.0119	0.0164	0.0111	0.0116	0.0107	0.0127	0.0139	0.0084	0.0092	0.0088	0.011	0.0099	0.0093	0.0120	0.0092	0.0094	0.0090	
Cadmium	mg/L	<0.0001	<0.0001			<0.0005		<0.0005			<0.0001			<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0005	<0.0004	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010		
Copper	mg/L	0.0059	0.0058			0.0071		0.0070			0.0079			0.0063	0.0071	0.0078	0.0087	0.0153	0.0051	0.0027	0.0028	0.0020	0.0052	0.0045	0.004	0.0103	0.0134	0.0107	0.0116	0.0177	0.0177		
Iron	mg/L	<0.050	<0.100			<0.050		<0.250			<0.100			<0.050	<0.100	<0.100	<0.050	<0.100	<0.100	<0.250	<0.100	<0.250	<0.150	<0.200	<0.250	<0.100	<0.100	<0.100	<0.100	<0.100	<0.250		
Lead	mg/L	0.0010	<0.0005			<0.0025		<0.0025			<0.0005			<0.0005	<0.0005	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0025	<0.0020	<0.0025	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010		
Manganese	mg/L	0.0020	0.0066			0.0081		0.0124			0.0080			0.007	0.0068	0.0084	0.0091	0.0084	0.0084	0.0073	0.0085	0.0086	0.0086	0.0092	0.0094	0.0073	0.0075	0.0077	0.0076	0.0080	0.0078	0.0084	
Mercury (dissolved)	mg/L	<0.0002	<0.0002			<0.0002		<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002		
Mercury (dissolved low-level)	ng/L																																
Molybdenum	mg/L	0.0020	0.0160			0.0127		0.0134			0.0151			0.0119	0.0115	0.0129	0.0121	0.0119	0.0108	0.0101	0.0096	0.0091	0.0081	0.0089	0.0082	0.0076	0.0068	0.0065	0.0065	0.0062	0.0064	0.0064	
Selenium	mg/L	<0.0010	0.0012			<0.0050		<0.0050			<0.0010			0.0022	0.0113	<0.0020	0.002	<0.0010	<0.0010	<0.0020	<0.0020	<0.0010	<0.005	<0.0040	0.0143	<0.0010	<0.0020	<0.0040	<0.0010	<0.0020	<0.0020		
Silica (SiO2)	mg/L	7.27	8.01			8.80		<5.35			8.30			8.9	9.29	10.3	8.86	9.06	10.2	9.51	8.21	7.81	8.39	8.88	9.26	7.82	8.69	8.54	8.49	8.30	8.76	6.89	
Silicon	mg/L	3.40	3.75			4.11		2.50			3.88			4.16	4.34	4.81	4.14	4.24	4.76	4.45	3.84	3.65	3.92	4.15	4.33	3.66	4.06	3.99	3.97	3.88	4.09	3.22	
Uranium	mg/L	0.0043	0.0126																														

GCC Energy Hydrologic Monitoring Data

MW-4-C																																																
Year	2017								2018								2019								2020								2021								2022							
Quarter	Q1		Q2		Q3		Q4		Q1		Q2		Q3		Q4		Q1		Q2		Q3		Q4		Q1		Q2		Q3		Q4		Q1		Q2		Q3		Q4									
Month	3	6	7	8	9	10	11	12	1	2	3	4	5	8	11	2	5	8	11	2	5	8	12	2	5	8	11	2	5	8	11	2	5	9	11													
Sample Date	3/30	6/16	7/27	8/23	9/28	10/27	11/17	12/7	1/3	2/21	3/23	4/12	5/14	8/8	11/5	2/27	5/22	8/15	11/12	2/4	5/26	8/27	12/1	2/10	5/18	8/10	11/10	2/23	5/11	9/1	11/17																	
Lab Analysis (Y/N)	Y	Y	N	N	Y	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y													
Field Parameters:																																																
Purge Flow Rate	gpm	NM	NM	NM	NM	NM	NM	NM	NM	0.10	NM	0.10	0.10	0.10	0.20	0.12	0.06	0.13	0.13	0.13	0.13	0.13	0.13	0.10	0.13	0.13	0.13	0.25	0.25	0.18	0.08																	
Total Purged	gal	7.0	1.5	NM	NM	1.0	1.0	1.0	1.0	1.5	1.5	1.5	1.0	1.5	1.0	1.5	1.3	1.1	1.0	1.5	1.3	1.5	1.3	1.5	1.5	1.5	1.5	1.5	1.5	1.0	1.1																	
Depth to Water	ft bgs	328.33	314.05	309.87	306.86	303.96	303.80	302.47	304.80	282.35	281.30	303.30	304.05	NM	302.55	302.45	303.93	304.93	305.73	306.44	304.90	307.80	308.05	308.65	308.58	309.32	309.90	309.80	311.45	310.88	311.37																	
Temperature	deg C	13.3	17.4	12.7	12.0	13.9	11.8	11.2	11.0	11.7	10.8	12.5	11.4	12.4	12.9	11.5	11.3	11.2	12.5	11.7	11.2	12.7	13.0	11.4	12.3	11.7	10.3	12.2	13.8	12.1	12.1																	
pH	SU	8.33	7.62	7.68	7.70	7.69	7.75	7.72	7.79	7.80	7.88	7.94	7.75	7.79	7.76	7.79	7.87	7.86	7.81	7.85	7.87	7.97	8.00	8.05	8.02	8.05	8.12	8.11	8.06	8.05	8.06	8.28	8.28	8.28	8.28													
Specific Conductance	µS/cm	3792	5944	5997	5885	5813	5721	5782	5604	5834	5903	5628	5792	5592	5583	5775	5710	5712	5930	5636	5729	5636	5429	5665	5106	4047	5454	5687	5698	5645	5589	5649	5649	5649	5649													
Oxygen Reduction Potential	mV	57.3	20.3	-101.5	-111.2	-103.7	-117.4	-109.0	-120.1	-123.8	-154.3	-131.3	-134.9	-129.3	-157.6	-209.0	-160.1	-180.1	-156.8	-148.7	-135.9	-147.7	-132.1	-128.7	-106.2	-100.6	-142.3	-173.0	-255.6	-178.7	-278.7	-161.3	-161.3	-161.3	-161.3													
Lab Analytical Results:																																																
Hardness as CaCO3	mg/L	46.3	55.9			38.9								26.5				26.2	25.9	28.6	23.6	22.5	25.2	24.4	24.0	22.7	23	21.8	25.6	19.6	21.9	20.9	22.2	21.4	26.0	20.1												
pH (Lab)	SU	7.61	7.77			7.79								7.84				7.97	7.96	8.27	7.9	7.92	7.95	7.85	7.95	7.76	7.92	7.94	7.96	7.97	7.96	8.08	8.01	8.07	8.19	8.15												
Total Dissolved Solids (Lab)	mg/L	3230	4050			3750								3730				3660	3650	3590	3580	3590	3610	3610	3580	3570	3510	3610	3720	3540	3600	3630	3520	3580	3670	3530												
Calcium	mg/L	13.6	13.7			9.15								6.32				6.15	5.90	6.60	5.5	5.21	5.83	5.61	5.57	5.31	5.3	5.15	5.98	4.64	5.07	4.77	5.04	5.14	6.01	4.65												
Magnesium	mg/L	2.99	5.26			3.90								2.76				2.62	2.72	2.94	2.39	2.3	2.57	2.53	2.44	2.30	2.36	2.18	2.58	1.95	2.25	2.19	2.33	2.07	2.68	2.07												
Sodium	mg/L	908	1510			1490								1400				1410	1410	1590	1410	1370	1440	1430	1440	1390	1400	1400	1520	1310	1340	1270	1360	1350	1530	1290												
Potassium	mg/L	4.38	5.71			6.07								<10.0				<10.0	<5.00	<5.00	5.36	<5.00	<5.00	5.42	<10.0	<5.00	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<5.00	<5.00	<5.00	<10.0												
Alkalinity, Total	mg/L	1250	2360			2780								2600				2410	2480	2450	2470	2550	2500	2470	2480	2460	2500	2950	2470	2500	2410	2630	2360	2500	2430	2250												
Alkalinity, Bicarbonate	mg/L	1250	2360			2780								2600				2330	2480	2450	2470	2350	2390	2410	2420	2340	2390	2880	2430	2360	2290	2410	2180	2300	2430	2250												
Alkalinity, Carbonate	mg/L	<10.0	<10.0			<10.0								40.0				80	<10.0	<10.0	<10.0	<10.0	200	110	60.0	60.0	120	110	70	40	140	120	180	200	<10.0	<10.0												
Alkalinity, Hydroxide	mg/L	<10.0	<10.0			<10.0								<10.0				<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0												
Chloride	mg/L	181	550			587								608				592	573	533	590	575	554	580	525	528	555	543	565	557	553	572	561	562	563	570												
Fluoride	mg/L	1.29	2.04			2.17								2.43				2.53	2.52	2.48	2.54	2.64	2.62	2.59	2.51	2.41	2.36	2.34	2.37	2.21	2.16	2.28	2.04	2.26	2.02	2.34												
Sulfate as SO4	mg/L	534	487			70.2								26.0				34.5	27	18.7	11.2	5.07	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<10.0												
Total Organic Carbon (TOC)	mg/L	30	6.42			5.08																																										

GCC Energy Hydrologic Monitoring Data

MW-6-A																											
Year	2018	2019										2020				2021				2022							
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4			
Month	12	1	2	3	4	5	6	7	8	9	11	2	5	8	11	2	5	8	11	2	5	8	11				
Sample Date	12/28	1/31	2/21	3/21	4/23	5/20	6/19	7/23	8/15	9/24	11/7	2/5	5/14	8/11	11/25	2/9	5/17	8/9	11/9	2/15	5/10	8/31	11/25				
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	N				
Field Parameters:																											
Purge Flow Rate	gpm	NM	NM	0.10	2.00	0.03	0.03	0.03	0.06	0.03	0.02	0.01	0.05	0.13	0.05	0.05	0.05	0.02	0.13	0.02	0.05	0.10	dry	dry			
Total Purged	gal	36.3	0.5	0.5	2.0	2.0	1.3	1.0	1.3	1.1	1.3	1.5	1.1	1.0	1.3	1.0	1.0	1.0	1.0	1.0	1.0	1.0					
Depth to Water	ft bgs	304.33	306.41	307.40	309.60	311.05	312.50	314.20	315.75	316.43	NM	318.70	315.46	319.63	319.64	319.65	319.66	319.66	319.66	319.64	319.66	320.30			320.68		
Temperature	deg C	7.4	10.7	8.1	7.5	9.6	7.3	12.5	12.3	11.9	10.4	10.4	7.8	9.8	19.5	8.0	9.7	12.6	19.4	10.7	11.5	17.3					
pH	SU	7.32	6.64	6.66	6.74	6.65	6.73	6.76	6.75	6.76	6.80	6.79	6.89	6.95	6.97	7.10	7.03	7.10	7.11	7.11	7.02	7.05					
Specific Conductance	µS/cm	6573	6053	6072	6107	6012	6057	5725	5598	5562	5451	5108	5043	4779	4339	4656	4051	3198	4238	4465	4486	4477					
Oxygen Reduction Potential	mV	-22.8	19.4	24.6	12.6	11.8	34.8	86.6	25.8	6.5	29.2	20.5	36.7	51.7	62.3	55.2	73.5	83.5	5.2	26.5	-56.1	2.4					
Lab Analytical Results:																											
Hardness as CaCO3	mg/L	4360		4190			3920			3540		3070	3200	2780	2690	2710	2660	2550	2740	2510	2440	2490					
pH (Lab)	SU	7.10		6.85			6.77			6.85		6.87	6.9	6.93	6.66	7.04	7.20	6.93	7.1	6.98	7.19	7.26					
Total Dissolved Solids (Lab)	mg/L	6520		6520			120*			6080		5210	4980	4670	4490	4570	4480	4390	4440	4310	4440	4450					
Calcium	mg/L	615		559			553			492		431	467	400	398	406	398	378	415	370	359	365					
Magnesium	mg/L	687		678			617			560		484	495	431	411	413	404	390	413	385	374	383					
Sodium	mg/L	294		283			296			304		276	296	274	261	273	272	266	263	254	257	268					
Potassium	mg/L	15.0		14.4			12.4			12.8		11.1	<20.0	10.6	10.3	10.5	11.1	10.7	11	10.4	10.7	10.6					
Alkalinity, Total	mg/L	160		160			143			183		220	215	233	236	246	245	290	255	295	285	270					
Alkalinity, Bicarbonate	mg/L	160		160			143			183		220	215	233	236	246	245	290	255	295	285	270					
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0					
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0		<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0					
Chloride	mg/L	97.4		28.6			27.3			29.9		29.6	28.4	29.0	26.0	26.6	24.9	25.8	26	26.6	26.2	26.1					
Fluoride	mg/L	2.83		<0.500			<0.500			<0.500		<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500	<0.500					
Sulfate as SO4	mg/L	205		4300			4280			4260		3460	3080	3020	3160	2890	2620	2740	2780	2790	2870	2820					
Total Organic Carbon (TOC)	mg/L	3.45		3.08			2.91			3.57		3.10	3.16	3.39	3.31	3.26	1.71	3.82	3.33	3.25	3.26	3.14					
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020		<0.020	0.049	0.154	0.117	0.093	0.039	0.156	0.118	0.096	0.131	0.103					
Ammonia as N ^	mg/L	NA		NA			NA			NA		2.72	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA					
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA		<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA					
Aluminum	mg/L	<0.500		<0.250			<0.250			<0.250		<0.250	<1.00	<0.500	<0.250	<0.500	<0.250	<0.250	<0.250	<0.250	<0.250	<0.250					
Arsenic	mg/L	<0.0025		<0.0025			0.0009			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025					
Cadmium	mg/L	<0.0005		<0.0005			0.0001			<0.0005		<0.0005	<0.0010	<0.0005	<0.0010	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005					
Copper	mg/L	0.0116		0.0081			0.0035			0.0039		0.0017	0.0028	<0.0050	<0.0025	<0.0050	<0.0025	0.0068	0.0082	0.0063	0.0065	0.0093					
Iron	mg/L	1.37		3.75			3.93			3.22		2.72	1.95	1.38	1.10	1.24	1.17	0.890	1.48	1.15	1.41	1.37					
Lead	mg/L	<0.0025		<0.0025			<0.0005			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025					
Manganese	mg/L	0.788		0.802			0.724			0.690		0.585	0.551	0.526	0.520	0.454	0.437	0.397	0.407	0.391	0.420	0.431					
Mercury (dissolved)	mg/L	<0.0002		<0.0002			<0.0002			<0.0002		<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002					
Mercury (dissolved low-level)	ng/L																					<5.00					
Molybdenum	mg/L	<0.0025		<0.0025			<0.0005			<0.0025		<0.0025	<0.0025	<0.0050	<0.0025	<0.005	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025					
Selenium	mg/L	<0.0050		<0.0050			0.0028			<0.0050		<0.0050	<0.005	<0.0100	<0.0050	<0.0100	<0.0050	<0.0050	<0.0050	<0.0100	<0.0040	<0.0050					
Silica (SiO2)	mg/L	12.3		11.9			14.3			13.4		12.5	<21.4	11.0	11.4	12.3	11.9	13.2	14.3	13.6	12.7	12.3					
Silicon	mg/L	5.77		5.57			6.69			6.28		5.83	<10.00	5.17	5.35	5.76	5.58	6.17	6.67	6.36	5.96	5.73					
Uranium	mg/L	<0.0005		<0.0005			<0.0001			<0.0005		<0.0005	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025					
Zinc	mg/L	0.0689		<0.0100			0.0082			0.0108		0.0117	0.0107	<0.0200	0.0159	<0.0200	<0.0100	<0.0100	<0.0100	<0.0100	<0.0080	<0.0100					

Notes & Definitions:

- * Anomalous value under review
- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)
- ng/L nanogram per liter

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-6-MI																									
Year	2018	2019											2020				2021				2022				
Quarter	Q4	Q1			Q2				Q3			Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	
Month	12	1	2	3	4	5	5	6	7	8	9	11	2	5	8	11	2	5	8	11	2	5	8	11	
Sample Date	12/29	1/31	2/25	3/21	4/19	5/20	5/30	6/19	7/23	8/15	9/24	11/7	2/5	5/14	8/11	11/24	2/9	5/17	8/9	11/9	2/15	5/10	8/1	11/25	
Lab Analysis (Y/N)	Y	N	Y	N	N	N [#]	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
Field Parameters:																									
Purge Flow Rate	gpm	NM	NM	NM	0.5	0.1	0.015																		
Total Purged	gal	11.3	0.5	1.5	0.5	1.0	0.9																		
Depth to Water	ft bgs	374.49	368.09	367.92	370.49	369.50	371.00																		
Temperature	deg C	14.3	13.6	10.8	9.7	16.7	3.9	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry	dry
pH	SU	8.26	7.43	7.21	7.55	7.97	7.84																		
Specific Conductance	µS/cm	3390	3620	3132	2619	2202	2527																		
Oxygen Reduction Potential	mV	103.0	-80.2	77.6	59.8	38.3	64.9																		
Lab Analytical Results:																									
Hardness as CaCO3	mg/L	679		147																					
pH (Lab)	SU	8.18		8.35																					
Total Dissolved Solids (Lab)	mg/L	2480		1880																					
Calcium	mg/L	104		23.4																					
Magnesium	mg/L	102		21.6																					
Sodium	mg/L	646		565																					
Potassium	mg/L	12.0		5.30																					
Alkalinity, Total	mg/L	395		615																					
Alkalinity, Bicarbonate	mg/L	345		615																					
Alkalinity, Carbonate	mg/L	50.0		<10.0																					
Alkalinity, Hydroxide	mg/L	<10.0		<10.0																					
Chloride	mg/L	175		178																					
Fluoride	mg/L	2.06		2.46																					
Sulfate as SO4	mg/L	1210		585																					
Total Organic Carbon (TOC)	mg/L	3.63		4.55																					
Nitrate/Nitrite as N	mg/L	0.023		<0.020																					
Aluminum	mg/L	<0.100		<0.100																					
Arsenic	mg/L	0.0084		0.0144																					
Cadmium	mg/L	<0.0001		<0.0002																					
Copper	mg/L	0.0113		0.0112																					
Iron	mg/L	<0.100		<0.100																					
Lead	mg/L	<0.0005		<0.0010																					
Manganese	mg/L	0.0500		0.0224																					
Mercury (dissolved)	mg/L	<0.0002		<0.0002																					
Mercury (dissolved low-level)	ng/L																								
Molybdenum	mg/L	0.0558		0.0690																					
Selenium	mg/L	0.0098		0.0127																					
Silica (SiO2)	mg/L	9.93		9.05																					
Silicon	mg/L	4.64		4.23																					
Uranium	mg/L	0.0200		0.0118																					
Zinc	mg/L	0.0092		0.0143																					

Notes & Definitions:

- # No sample collected, due to low yield, insufficient volume for lab sample after field parameters we measured
 - Y/N yes or no
 - gpm gallons per minute
 - deg C degrees Celsius
 - SU standard pH units
 - µS/cm microsiemens per centimeter
 - mV millivolts
 - mg/L milligram per liter
 - pCi/L picocuries per liter
 - NM not measured (field)
 - NA not analyzed (lab)
 - ng/L nanogram per liter
1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-6-C																							
Year	2018	2019										2020				2021				2022			
Quarter	Q4	Q1			Q2			Q3			Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Month	12	1	2	3	4	5	6	7	8	9	11	2	5	8	11	2	5	8	11	2	5	8	11
Sample Date	12/24	1/30	2/21	3/21	4/23	5/20	6/19	7/23	8/15	9/24	11/7	2/5	5/12	8/11	11/24	2/9	5/17	8/9	11/9	2/15	5/10	8/1	11/25
Lab Analysis (Y/N)	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Field Parameters:																							
Purge Flow Rate	gpm	dry																					
Total Purged	gal	dry																					
Depth to Water	ft bgs	dry																					
Temperature	deg C	dry																					
pH	SU	dry																					
Specific Conductance	µS/cm	dry																					
Oxygen Reduction Potential	mV	dry																					
Lab Analytical Results:																							
Hardness as CaCO3	mg/L																						
pH (Lab)	SU																						
Total Dissolved Solids (Lab)	mg/L																						
Calcium	mg/L																						
Magnesium	mg/L																						
Sodium	mg/L																						
Potassium	mg/L																						
Alkalinity, Total	mg/L																						
Alkalinity, Bicarbonate	mg/L																						
Alkalinity, Carbonate	mg/L																						
Alkalinity, Hydroxide	mg/L																						
Chloride	mg/L																						
Fluoride	mg/L																						
Sulfate as SO4	mg/L																						
Total Organic Carbon (TOC)	mg/L																						
Nitrate/Nitrite as N	mg/L																						
Aluminum	mg/L																						
Arsenic	mg/L																						
Cadmium	mg/L																						
Copper	mg/L																						
Iron	mg/L																						
Lead	mg/L																						
Manganese	mg/L																						
Mercury (dissolved)	mg/L																						
Mercury (dissolved low-level)	ng/L																						
Molybdenum	mg/L																						
Selenium	mg/L																						
Silica (SiO2)	mg/L																						
Silicon	mg/L																						
Uranium	mg/L																						
Zinc	mg/L																						

Notes & Definitions:		
Y/N	yes or no	<ol style="list-style-type: none"> "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.
gpm	gallons per minute	
deg C	degrees Celsius	
SU	standard pH units	
µS/cm	microsiemens per centimeter	
mV	millivolts	
mg/L	milligram per liter	
pCi/L	picocuries per liter	
NM	not measured (field)	
NA	not analyzed (lab)	
ng/L	nanogram per liter	

GCC Energy Hydrologic Monitoring Data

MW-6-LM																									
Year	2018	2019											2020				2021				2022				
	Quarter	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	2	5	8	11	
Sample Date	12/30	1/31	2/25	3/21	4/23	5/20	6/19	7/23	8/15	9/24	10/28	11/7	2/5	5/14	8/11	11/25	2/9	5/17	8/9	11/9	2/15	5/10	8/31	11/25	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																									
Purge Flow Rate	gpm	NM	NM	0.06	2.00	0.03	0.03	0.10	0.06	0.03	0.02	0.01	0.03	0.01	0.13	0.01	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.20	
Total Purged	gal	0.5	0.5	1.5	2.0	2.0	2.3	1.3	1.3	1.8	2.0	1.5	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.5	1.0	1.2
Depth to Water	ft bgs	535.72	538.73	539.34	540.64	539.98	537.58	540.00	540.35	540.24	540.17	539.80	540.18	539.70	539.45	539.98	540.30	539.78	540.20	541.25	541.34	541.00	541.30	542.20	541.30
Temperature	deg C	7.9	14.3	7.8	8.1	9.1	9.3	11.7	14.0	13.4	11.6	10.1	12.4	10.5	11.3	14.8	11.4	10.2	11.6	14.4	11.1	11.0	11.8	13.1	10.4
pH	SU	7.64	7.38	7.51	7.54	7.49	7.54	7.67	7.80	7.65	7.43	7.45	7.37	7.39	7.54	7.44	7.47	7.44	7.54	7.52	7.49	7.46	7.56	7.64	7.70
Specific Conductance	µS/cm	6011	3784	3503	1461	1164	1296	1400	1272	1532	2104	2267	2113	2283	2287	2442	2495	2136	1629	2531	2478	2362	2297	2053	1889
Oxygen Reduction Potential	mV	185.3	10.7	40.9	-32.8	-35.8	-111.0	-194.5	-163.6	-67.2	6.4	-48.0	19.9	-128.9	-222.9	32.1	21.8	3.5	-188.8	-2.6	-36.6	-135.8	-112.6	-181.6	-132.5
Lab Analytical Results:																									
Hardness as CaCO3	mg/L	2260		1270			431			621			843	1060	965	1130	1160	1120	1010	1280	1130	1030	954	971	870
pH (Lab)	SU	7.60		7.52			7.47			7.59			7.32	7.43	7.18	6.95	7.45	7.49	7.45	7.37	7.57	7.54	7.60	7.90	7.60
Total Dissolved Solids (Lab)	mg/L	5100		2840			875			1150			1630	1840	1840	2040	2020	1990	1830	2290	2050	1990	1840	1870	1620
Calcium	mg/L	367		216			75.9			103			136	173	150	179	184	176	154	201	174	159	145	152	133
Magnesium	mg/L	325		177			58.7			88.3			122	153	143	165	171	166	152	189	170	154	144	143	131
Sodium	mg/L	459		248			129			153			172	203	188	194	194	188	169	177	166	162	158	163	150
Potassium	mg/L	173		64.5			14.0			13.7			11.3	11	7.82	7.20	6.04	5.96	5.22	5.69	4.99	5.22	<5.00	4.84	4.34
Alkalinity, Total	mg/L	205		315			371			381			355	320	353	335	329	336	346	330	380	365	365	337	310
Alkalinity, Bicarbonate	mg/L	205		315			371			381			355	320	353	335	329	336	346	330	380	365	365	337	310
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	256		43.7			5.73			8.70			11.4	11	11.7	12.2	12.4	11	10.5	12.6	11.1	10.5	10.9	10.7	9.29
Fluoride	mg/L	0.530		<0.500			0.324			<0.500			<0.500	0.352	<0.500	0.346	0.356	0.318	0.340	0.418	0.306	0.328	<0.500	0.310	0.322
Sulfate as SO4	mg/L	3050		1790			338			492			830	951	904	1260	1170	1020	978	1300	1100	555	931	1010	848
Total Organic Carbon (TOC)	mg/L	3.46		2.61			1.57			1.78			1.85	1.76	1.84	1.87	1.93	3.17	1.81	1.91	1.94	1.83	1.74	2.08	1.29
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			1.99	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.250		<0.250			<0.050			<0.050			<0.100	<0.250	<0.250	<0.150	<0.250	<0.250	<0.150	<0.100	<0.100	<0.250	<0.250	<0.100	<0.100
Arsenic	mg/L	0.0039		0.0049			0.0036			0.0038			0.0035	0.0044	0.0034	0.0038	0.0036	0.0038	0.0038	0.0039	0.0038	0.0042	0.0034	0.0034	0.0043
Cadmium	mg/L	<0.0005		<0.0005			<0.0001			<0.0001			<0.0002	<0.0002	<0.0005	<0.0003	<0.0005	<0.0005	<0.0015	<0.0010	<0.0010	<0.0010	<0.0025	<0.001	<0.0010
Copper	mg/L	0.0135		0.0064			0.0017			0.0018			0.0069	0.0014	<0.0025	<0.0015	<0.0025	<0.0025	0.0042	0.0046	0.0040	0.0044	0.0038	0.0054	0.0030
Iron	mg/L	<0.250		<0.250			<0.050			<0.050			<0.100	<0.250	<0.250	<0.150	<0.250	<0.250	<0.150	<0.100	<0.100	<0.250	<0.250	<0.100	<0.100
Lead	mg/L	<0.0025		<0.0025			<0.0005			<0.0005			<0.0010	<0.001	<0.0025	<0.0015	<0.0025	<0.0025	<0.0015	<0.0010	<0.0010	<0.0010	<0.0025	<0.001	<0.0010
Manganese	mg/L	0.383		0.223			0.0692			0.148			0.166	0.184	0.171	0.267	0.292	0.253	0.203	0.257	0.263	0.339	0.249	0.174	0.220
Mercury (dissolved)	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Mercury (dissolved low-level)	ng/L																						<5.00	<100	<100
Molybdenum	mg/L	0.0490		0.0169			0.0037			0.0025			0.0022	0.002	<0.0025	0.0023	<0.0025	<0.0025	<0.0015	0.0016	0.0013	0.0013	<0.0025	0.0014	0.0011
Selenium	mg/L	0.0080		<0.0050			<0.0010			<0.0010			<0.0020	<0.002	<0.0050	<0.0030	<0.0050	0.0151	<0.0030	<0.0020	<0.0040	<0.0020	<0.0050	0.0028	0.0026
Silica (SiO2)	mg/L	10.5		13.5			17.0			17.4			15.9	17.1	15.1	14.7	16.0	15.6	16.4	16.8	16.6	16.0	15.5	17.3	16.7
Silicon	mg/L	4.91		6.29			7.96			8.12			7.43	7.97	7.07	6.88	7.47	7.3	7.68	7.85	7.75	7.49	7.24	8.07	7.80
Uranium	mg/L	0.0230		0.0075			0.0039			0.0054			0.0047	0.0055	0.0043	0.0046	0.0042	0.0039	0.0030	0.0037	0.0032	0.0028	0.0025	0.0026	0.0025
Zinc	mg/L	0.0323		<0.0100			<0.0020			<0.0040			<0.0040	<0.004	<0.0100	0.0069	<0.0100	<0.0100	<0.0060	<0.0040	<0.0040	<0.0040	<0.0100	<0.0040	<0.0040

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)
- ng/L nanogram per liter

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-7-EAA																									
Year	2018	2019												2020				2021				2022			
Quarter	Q4	Q1			Q2			Q3			Q4			Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	3	6	9	11	
Sample Date	12/23	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	11/30	3/23	6/7	9/8	11/28	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																									
Purge Flow Rate	gpm	1.10	1.10	1.00	3.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.25	0.13	0.25	0.25	0.13	0.25	0.25	0.25	0.25	0.25	0.25	0.25
Total Purged	gal	15.0	18.0	15.0	3.0	15.0	16.0	15.3	15.3	17.0	15.0	15.0	36.5	15.0	16.0	17.0	15.0	17.0	17.0	18.0	18.0	17.0	17.0	0.5	
Depth to Water	ft bgs	36.13	36.27	36.45	36.52	36.70	36.25	36.22	36.48	36.49	36.88	36.85	36.72	35.40	36.35	37.10	36.20	35.33	36.91	35.92	35.90	35.70	36.71	36.40	
Temperature	deg C	10.0	10.0	10.0	9.9	10.1	10.4	10.4	10.6	10.5	10.3	10.4	10.6	10.4	12.1	10.3	10.3	10.1	10.5	10.9	10.6	10.5	10.7	10.8	11.1
pH	SU	6.99	7.01	7.04	6.93	7.00	7.06	7.07	6.28	6.95	7.06	6.91	7.17	7.17	7.09	7.12	7.14	7.19	7.24	7.23	7.12	7.15	7.14	6.28	
Specific Conductance	µS/cm	2001	1910	1910	1926	1912	1767	1836	1885	1890	1913	1936	1922	1993	1890	1772	1628	1672	1805	1814	1878	1882	1896	1880	1808
Oxygen Reduction Potential	mV	-68.0	-36.7	-41.4	-38.1	-48.8	14.1	-13.8	-33.9	-37.8	-29.5	-25.6	-21.3	0.9	-49.2	17.6	-8.6	2.2	-55.8	-41.9	-20.4	-133.6	-73.8	-196.7	-86.9
Lab Analytical Results:																									
Hardness as CaCO3	mg/L	936		1030			982			997			1020	963	1020	1080	939	1090	958	986	957	1040	958	916	962
pH (Lab)	SU	7.2		7.37			7.17			7.09			6.99	6.92	6.89	7.23	7.06	6.99	6.92	7.03	7.01	7.11	7.12	7.24	7.18
Total Dissolved Solids (Lab)	mg/L	1460		1480			1490			1480			1530	1520	1430	1480	1450	1590	1460	1510	1580	1500	1500	1490	1420
Calcium	mg/L	170		179			171			173			162	165	175	183	157	186	167	167	164	173	166	154	165
Magnesium	mg/L	124		142			135			137			144	134	142	150	133	152	131	138	133	149	132	129	134
Sodium	mg/L	75.3		81.3			75.0			75.2			74.9	73.7	76.0	80.9	73.4	81.4	75	74.6	72.0	77.8	71.9	71.6	72.3
Potassium	mg/L	3.87		3.9			<5.00			3.74			3.74	3.82	<5.00	<5.00	<5.00	4.25	<5.00	<5.00	3.69	3.88	3.59	3.71	3.66
Alkalinity, Total	mg/L	380		367			405			392			350	357	355	268	430	420	395	340	440	425	425	400	310
Alkalinity, Bicarbonate	mg/L	380		367			405			392			425	357	355	268	430	420	395	340	440	425	425	400	310
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	11.9		10.7			10.8			10.9			11.6	10.3	10.7	10.2	10.1	10.4	10.1	10.5	10.3	10.1	10.3	11.2	11.0
Fluoride	mg/L	<0.500		0.332			0.322			0.322			<0.500	0.354	0.330	0.322	0.322	0.300	0.304	0.312	0.260	0.292	<0.200	0.310	0.306
Sulfate as SO4	mg/L	732		736			733			844			746	774	803	767	742	757	746	796	751	755	743	759	761
Total Organic Carbon (TOC)	mg/L	3.72		3.57			3.73			3.70			3.45	3.42	3.63	4.01	3.39	3.00	3.42	3.63	3.38	3.50	3.42	3.38	2.12
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			0.178	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.100			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.250	<0.250	<0.100	<0.050	<0.050	<0.100	<0.100
Arsenic	mg/L	0.0014		0.0015			0.0013			0.0016			0.0013	0.0013	0.0011	<0.0015	<0.0025	0.0016	<0.0025	<0.0025	0.0011	0.0009	0.0014	<0.0025	0.0013
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0002	<0.0002	<0.0002	<0.0003	<0.0005	<0.0001	<0.00025	<0.00025	<0.0010	<0.0005	<0.0005	<0.0025	<0.0010
Copper	mg/L	0.0003		0.0018			0.0011			0.0008			0.0006	<0.0010	<0.0010	<0.0015	<0.0025	0.0007	<0.0025	<0.0025	0.0018	0.0021	0.0036	<0.0025	0.0030
Iron	mg/L	1.82		1.95			1.81			2.12			2.00	1.84	1.71	2.16	2.15	2.08	1.92	1.75	1.63	2.05	1.69	1.75	1.57
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0010	<0.001	<0.0010	<0.0015	<0.0025	<0.0005	<0.0025	<0.0025	<0.0010	<0.0025	<0.0005	<0.0025	<0.0025
Manganese	mg/L	3.72		4.49			4.01			4.22			4.76	4.86	3.63	4.49	4.42	5.22	4.21	4.39	4.66	4.48	4.58	4.61	4.75
Mercury (dissolved)	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Mercury (dissolved low-level)	ng/L																						<5.00	<100	<100
Molybdenum	mg/L	0.0008		0.0011			0.0007			0.0009			<0.0010	0.001	<0.0010	<0.0015	<0.0025	0.0006	<0.0025	<0.0025	<0.0010	0.0007	0.0007	<0.0025	<0.0010
Selenium	mg/L	<0.0020		<0.0020			<0.0010			0.0011			<0.0020	<0.002	<0.0020	<0.0030	<0.0050	<0.0010	<0.0050	<0.0050	<0.0020	<0.0010	0.0012	<0.0050	<0.0020
Silica (SiO2)	mg/L	16.6		16.1			16.1			16.9			16.8	16.4	15.8	16.9	14.9	17.7	17.1	16.7	17.2	18.3	16.8	16.1	16.9
Silicon	mg/L	7.75		7.52			7.55			7.90			7.83	7.67	7.37	7.91	6.96	8.28	7.97	7.81	8.03	8.57	7.86	7.54	7.92
Uranium	mg/L	0.0021		0.0018			0.0017			0.0018			0.0020	0.0019	0.0016	0.0018	<0.0025	0.0018	<0.0025	<0.0025	0.0015	<0.0025	0.0018	<0.0025	0.0016
Zinc	mg/L	<0.0050		<0.0040			0.0021			0.0020			<0.0040	<0.004	<0.0040	<0.0060	<0.0100	0.0022	<0.0100	<0.0100	<0.0040	<0.0020	0.0041	<0.0100	<0.0040

Notes & Definitions:

- ^ one-time analysis
 - Y/N yes or no
 - gpm gallons per minute
 - deg C degrees Celsius
 - SU standard pH units
 - µS/cm microsiemens per centimeter
 - mV millivolts
 - mg/L milligram per liter
 - pCi/L picocuries per liter
 - NM not measured (field)
 - NA not analyzed (lab)
 - ng/L nanogram per liter
1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
 2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
 3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-8-EAA																									
Year	2018	2019										2020				2021				2022					
Quarter	Q4	Q1			Q2			Q3				Q4				Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4		
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	3	6	9	11	
Sample Date	12/23	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	11/30	3/23	6/7	9/8	11/28	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																									
Purge Flow Rate	<i>gpm</i>	0.85	1.10	0.50	3.00	0.50	0.75	1.00	1.00	0.75	0.50	1.00	0.25	1.00	0.25	0.13	0.13	0.13	0.13	0.25	0.25	0.25	0.25	0.25	0.25
Total Purged	<i>gal</i>	18.0	14.0	15.0	3.0	15.0	17.0	15.3	15.3	18.0	15.3	15.5	15.0	15.2	15.0	16.0	15.0	15.0	16.0	15.0	14.0	15.0	15.0	16.0	0.5
Depth to Water	<i>ft bgs</i>	40.00	39.95	40.10	43.45	40.44	40.05	39.94	40.10	40.08	40.25	40.31	40.22	40.40	40.45	34.50	40.83	41.22	41.00	40.98	48.04	40.95	41.00	41.30	41.30
Temperature	<i>deg C</i>	10.3	10.2	10.0	9.9	10.3	10.5	10.6	10.5	10.6	10.3	10.2	11.2	10.5	11.0	11.1	11.0	10.9	11.0	11.2	10.7	10.7	10.8	10.7	9.7
pH	<i>SU</i>	7.12	7.09	7.13	7.17	7.09	7.02	7.17	7.09	7.05	7.03	6.99	6.99	6.99	7.14	7.19	7.19	7.20	7.27	7.31	7.30	7.18	7.23	7.23	6.59
Specific Conductance	<i>µS/cm</i>	1781	1696	1720	1725	1729	1628	1676	1699	172	1739	1774	1739	1758	1760	1675	1716	1570	1642	1671	1746	1750	1763	1763	1793
Oxygen Reduction Potential	<i>mV</i>	-65.0	-52.8	-51.8	-53.0	-59.7	11.0	-29.5	-46.6	-44.8	-33.5	-38.8	-39.2	-18.2	-72.4	1.4	-14.7	-20.2	-63.3	-57.4	-37.2	-156.9	-111.7	-230.9	-23.9
Lab Analytical Results:																									
Hardness as CaCO3	<i>mg/L</i>	870		861			864			883			867	861	907	937	810	914	838	859	859	937	867	831	871
pH (Lab)	<i>SU</i>	7.28		7.36			7.13			7.05			7.01	7.11	6.96	7.18	7.1	7.03	6.97	7.06	6.81	7.19	7.16	7.27	7.25
Total Dissolved Solids (Lab)	<i>mg/L</i>	1220		1290			1240			1280			1380	1290	1260	1280	1310	1400	1320	1320	1340	1380	1330	1360	1300
Calcium	<i>mg/L</i>	152		151			148			154			143	149	153	160	134	156	146	146	149	158	150	143	149
Magnesium	<i>mg/L</i>	119		118			120			121			124	119	127	130	115	127	115	120	118	131	119	115	121
Sodium	<i>mg/L</i>	81.7		82.6			77.2			78.6			77.1	77.2	77.7	82.9	74.3	80.9	76.1	75.8	74.9	81.2	75.0	75.0	75.3
Potassium	<i>mg/L</i>	3.80		3.27			3.55			3.18			3.52	3.8	<5.00	<5.00	<5.00	3.63	3.49	<5.00	3.36	3.65	3.35	3.45	3.42
Alkalinity, Total	<i>mg/L</i>	400		435			450			431			445	404	385	288	480	450	445	385	490	460	465	480	430
Alkalinity, Bicarbonate	<i>mg/L</i>	400		435			450			431			445	404	385	288	480	450	445	385	490	460	465	480	430
Alkalinity, Carbonate	<i>mg/L</i>	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	<i>mg/L</i>	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	<i>mg/L</i>	9.83		10.5			10.3			11.1			11.0	10.2	10.3	10.1	11.3	10.4	10.2	10.3	10.5	10.5	10.6	11.7	11.4
Fluoride	<i>mg/L</i>	0.380		0.370			0.338			0.342			<0.500	0.33	0.346	0.336	0.334	0.292	0.306	0.35	0.272	0.304	0.204	0.332	0.316
Sulfate as SO4	<i>mg/L</i>	533		559			606			643			577	602	625	605	582	609	595	615	599	608	597	627	619
Total Organic Carbon (TOC)	<i>mg/L</i>	3.77		3.59			3.77			3.68			3.52	3.49	3.56	3.82	3.54	3.04	3.65	3.71	3.48	3.49	3.56	3.64	1.82
Nitrate/Nitrite as N	<i>mg/L</i>	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	<i>mg/L</i>	NA		NA			NA			NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	<i>mg/L</i>	NA		NA			NA			NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	<i>mg/L</i>	<0.100		<0.100			<0.050			<0.100			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250	<0.100	<0.050	<0.050	<0.100	<0.100
Arsenic	<i>mg/L</i>	0.0020		0.0018			0.0018			0.0021			0.0018	0.0017	0.0017	0.0018	<0.0025	0.0018	0.0018	<0.0025	0.0017	0.0015	0.0019	<0.0025	0.0020
Cadmium	<i>mg/L</i>	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0002	<0.0002	<0.0003	<0.0005	<0.0003	<0.0015	<0.0025	<0.0010	<0.0005	<0.0005	<0.0025	<0.0010
Copper	<i>mg/L</i>	0.0004		0.0024			0.0023			0.0008			0.0010	0.001	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	0.0017	0.0021	0.0031	<0.0025	0.0021
Iron	<i>mg/L</i>	2.12		2.13			2.42			2.46			2.30	2.28	2.29	2.31	0.762	2.33	2.25	2.2	2.22	2.52	2.22	2.28	2.27
Lead	<i>mg/L</i>	<0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.001	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.001	<0.0025	<0.0025	<0.0025	<0.0025
Manganese	<i>mg/L</i>	3.17		3.52			3.06			3.37			3.39	3.7	3.36	3.54	3.81	3.55	3.5	3.6	3.66	3.77	3.70	3.77	3.87
Mercury (dissolved)	<i>mg/L</i>	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Mercury (dissolved low-level)	<i>ng/L</i>																								<5.00
Molybdenum	<i>mg/L</i>	0.0009		0.0011			0.0008			0.0011			0.0008	<0.0010	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	0.0009	0.0009	<0.0025	<0.0010
Selenium	<i>mg/L</i>	<0.0020		<0.0020			0.0010			0.0013			<0.0010	<0.0020	<0.0020	<0.0030	<0.0050	0.0046	<0.0030	<0.0050	0.0035	<0.0010	0.0015	<0.0050	<0.0020
Silica (SiO2)	<i>mg/L</i>	16.3		15.3			15.7			16.1			15.9	15.7	15.0	16.1	14.2	16.0	16.5	15.5	16.4	17.3	16.0	15.4	16.2
Silicon	<i>mg/L</i>	7.63		7.15			7.32			7.52			7.42	7.32	7.02	7.53	6.63	7.48	7.72	7.24	7.68	8.10	7.47	7.18	7.60
Uranium	<i>mg/L</i>	0.0021		0.0017			0.0016			0.0018			0.0019	0.0019	0.0017	0.0017	<0.0025	0.0016	0.0016	<0.0025	0.0015	<0.0025	<0.0025	<0.0025	0.0016
Zinc	<i>mg/L</i>	<0.0050		<0.0040			<0.0020			<0.0020			<0.0020	<0.0040	<0.0040	<0.0060	<0.0100	<0.0060	<0.0060	<0.0100	<0.0040	<0.0020	0.0021	<0.0100	<0.0040

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)
- ng/L nanogram per liter

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-8-MI																									
Year	2018	2019											2020				2021				2022				
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	3	6	9	11	
Sample Date	12/23	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	11/30	3/23	6/7	9/8	11/28	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																									
Purge Flow Rate	gpm	1.10	1.00	0.50	3.00	0.50	0.50	0.25	0.50	0.75	0.50	1.00	0.25	0.25	0.13	0.10	0.25	0.25	0.13	0.25	0.25	0.25	0.13	0.15	0.50
Total Purged	gal	27.5	18.0	1.0	3.0	1.5	2.5	2.5	2.3	3.0	2.0	2.5	1.0	1.0	1.0	2.0	1.0	2.0	3.0	1.0	1.0	0.8	0.5	0.5	
Depth to Water	ft bgs	45.75	43.48	43.50	44.30	44.47	44.10	44.24	44.45	44.59	44.90	45.12	45.10	45.20	45.42	45.84	46.24	46.38	46.54	47.27	46.84	47.69	48.00	48.00	48.25
Temperature	deg C	10.8	10.8	10.6	11.2	10.4	11.1	11.4	11.0	11.4	10.9	10.3	11.4	10.2	11.3	13.1	11.3	10.0	11.6	11.9	11.1	10.9	12.5	14.3	9.9
pH	SU	7.57	7.50	7.48	7.47	7.34	7.31	7.48	7.42	7.38	7.30	7.23	7.15	7.08	7.44	7.44	7.43	7.47	7.59	7.55	7.56	7.41	7.54	7.59	6.92
Specific Conductance	µS/cm	1786	1667	1651	1658	1643	1595	1639	1645	1658	1637	1689	1642	1651	1659	1598	1628	1468	1616	1554	1629	1596	1575	1505	1631
Oxygen Reduction Potential	mV	-84.4	-177.1	-122.1	-113.3	-87.2	-54.4	-97.1	-116.4	-119.4	-88.4	-82.0	-59.3	-136.6	-184.9	-107.0	-112.2	-72.0	-131.9	-123.1	-115.9	-195.3	-150.6	-262.2	-172.4
Lab Analytical Results:																									
Hardness as CaCO3	mg/L	167		249			273			253			267	254	309	355	339	376	288	377	317	406	378	374	390
pH (Lab)	SU	7.73		7.54			7.24			7.46			7.44	7.53	7.25	7.34	7.27	7.33	7.36	7.31	7.06	7.36	7.38	7.70	7.45
Total Dissolved Solids (Lab)	mg/L	1050		1030			1100			1110			1050	1060	1040	1010	1040	1060	1040	1000	1100	1050	1040	1050	990
Calcium	mg/L	34.0		48.5			52.4			49.7			51.3	48.7	58.5	65.9	62.6	69.7	54	70.3	59.8	75.5	71.2	69.2	72.3
Magnesium	mg/L	19.9		31.0			34.5			31.4			33.8	32.1	39.6	46.2	44.4	49.1	37.2	48.9	40.8	52.7	48.7	48.8	50.8
Sodium	mg/L	344		312			289			289			275	269	272	260	232	237	256	229	238	226	220	213	210
Potassium	mg/L	4.47		5.25			<5.00			4.55			5.07	4.71	5.00	5.56	5.22	5.88	5.05	5.69	5.14	5.98	5.47	5.59	5.63
Alkalinity, Total	mg/L	500		565			560			573			585	543	545	448	590	590	575	570	605	590	590	500	540
Alkalinity, Bicarbonate	mg/L	500		565			560			573			585	543	545	448	590	590	575	570	605	590	590	500	540
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	12.7		10.0			9.33			9.06			9.66	8.19	8.23	8.12	7.91	7.96	8.07	7.85	7.91	7.70	8.36	8.88	8.60
Fluoride	mg/L	<0.500		<0.200			<0.200			<0.200			<0.500	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200	<0.200
Sulfate as SO4	mg/L	347		353			343			366			317	314	316	335	319	326	314	324	312	325	322	352	351
Total Organic Carbon (TOC)	mg/L	2.73		2.83			2.81			2.74			2.65	2.6	2.94	2.87	2.76	2.6	2.74	2.97	2.66	2.77	2.77	2.96	1.66
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			1.31	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.100			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250	<0.100	<0.050	<0.050	<0.100	<0.100
Arsenic	mg/L	0.0008		<0.0010			0.0006			0.0005			0.0005	<0.0010	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0005	0.0006	<0.0025	0.0010
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0002	<0.0003	<0.0005	<0.0003	<0.0003	<0.0015	<0.0025	<0.0010	<0.0005	<0.0005	<0.0025	<0.0010
Copper	mg/L	0.0031		0.0066			0.0036			0.0035			0.0037	0.0027	<0.0010	<0.0015	<0.0025	0.0015	0.0046	0.0047	0.0054	0.0055	0.0087	0.0038	0.0044
Iron	mg/L	0.137		0.162			<0.250			0.129			0.130	0.108	<0.250	<0.250	<0.250	<0.150	0.113	<0.250	0.168	0.113	0.090	<0.100	<0.100
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.0010	<0.0025	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0025	<0.0025	<0.0025	<0.0025
Manganese	mg/L	0.0495		0.0383			0.0327			0.0351			0.0377	0.0391	0.0393	0.0551	0.0546	0.0579	0.0412	0.0544	0.0443	0.0603	0.0553	0.0597	0.0693
Mercury (dissolved)	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Mercury (dissolved low-level)	ng/L																						<5.00	<100	<100
Molybdenum	mg/L	0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.001	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0005	<0.0005	<0.0025	<0.0010
Selenium	mg/L	<0.0020		<0.0020			0.0010			0.0010			<0.0010	<0.0020	0.0020	<0.0030	<0.0050	0.0425	0.0037	0.0072	0.0264	0.0016	0.0040	<0.0050	0.0183
Silica (SiO2)	mg/L	12.1		12.4			12.8			12.5			12.6	12.2	11.9	12.9	12.1	13.5	13.2	13.6	13.7	15.2	14.0	13.6	14.0
Silicon	mg/L	5.65		5.78			5.99			5.83			5.88	5.71	5.55	6.05	5.67	6.32	6.17	6.35	6.39	7.08	6.57	6.35	6.52
Uranium	mg/L	0.0002		0.0002			0.0002			0.0001			0.0001	<0.0010	<0.0025	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0025	<0.0025	<0.0025	<0.0010
Zinc	mg/L	<0.0050		<0.0040			<0.0020			<0.0020			<0.0020	<0.0040	<0.0040	<0.0060	<0.0100	<0.0060	<0.0060	<0.0100	<0.0040	<0.0020	<0.0020	<0.0100	<0.0040

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)
- ng/L nanogram per liter

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-8-LM																									
Year	2018	2019											2020				2021				2022				
Quarter	Q4	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	3	6	9	11	
Sample Date	12/28	1/29	2/19	3/21	4/16	5/29	6/18	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	11/30	3/23	6/7	9/8	11/28	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																									
Purge Flow Rate	gpm	NM	1.00	0.25	1.00	0.50	0.10	0.25	0.25	0.50	0.12	0.25	0.25	0.25	0.13	0.13	0.13	0.13	0.25	0.25	0.25	0.25	0.15	NM	
Total Purged	gal	30	4.0	1.5	1.0	2.0	1.3	6.8	2.0	2.0	1.0	1.0	1.5	1.0	1.0	2.0	1.0	2.0	1.5	1.0	1.0	1.0	1.0	NM	
Depth to Water	ft bgs	136.39	130.52	134.30	144.03	140.03	137.48	142.23	144.15	138.06	137.50	137.60	137.34	139.15	129.70	127.90	125.75	126.72	126.13	125.25	123.55	124.10	123.75	126.81	NM
Temperature	deg C	4.1	13.9	13.2	8.7	13.6	13.9	12.8	13.7	13.4	13.0	11.7	13.3	11.4	13.4	13.6	8.8	12.1	12.8	13.5	12.5	12.3	14.1	13.4	11.9
pH	SU	8.37	8.70	8.71	8.41	8.70	8.50	8.66	8.64	8.58	8.44	8.44	8.47	7.98	8.76	8.83	8.81	8.82	8.90	8.90	8.91	8.79	8.84	8.82	8.29
Specific Conductance	µS/cm	2306	1274	1265	1310	1262	1234	1264	1226	1269	1252	1299	1255	1294	1282	1055	1117	1132	1121	1196	1262	1260	1232	1255	1276
Oxygen Reduction Potential	mV	37.5	-114.3	112.8	77.0	-36.2	33.2	-63.9	-93.5	-103.0	-115.9	-94.4	-47.4	-106.6	-204.5	-106.9	-93.6	-87.8	-164.1	-106.1	-99.3	-241.3	-149.4	-247.4	-66.9
Lab Analytical Results:																									
Hardness as CaCO3	mg/L	45.0		7.29			16.9			6.67			6.38	6.79	7.76	7.53	6.35	6.93	7.23	4.65	7.11	7.29	6.61	6.43	6.29
pH (Lab)	SU	8.57		8.63			8.02			8.56			8.52	8.55	8.41	8.45	8.48	8.54	8.57	8.48	8.31	8.61	8.63	8.99	8.59
Total Dissolved Solids (Lab)	mg/L	1420		770			780			785			780	840	730	740	700	795	720	740	760	740	795	755	685
Calcium	mg/L	10.8		1.93			3.84			1.78			1.68	1.77	2.09	2.05	1.71	1.87	1.92	1.86	1.88	1.96	1.77	1.70	1.65
Magnesium	mg/L	4.39		0.600			1.77			0.541			0.528	0.574	0.620	0.587	0.502	0.550	0.592	<0.500	0.587	0.580	0.530	0.532	0.524
Sodium	mg/L	382		341			317			306			305	309	315	337	304	319	315	308	291	316	298	298	301
Potassium	mg/L	45.7		3.49			<5.00			2.27			2.18	2.06	<5.00	<5.00	<5.00	<3.00	2.24	<5.00	2.12	2.31	2.06	<2.00	2.12
Alkalinity, Total	mg/L	615		720			745			731			745	685	630	675	780	730	755	750	770	780	765	760	750
Alkalinity, Bicarbonate	mg/L	535		610			645			645			685	595	530	585	680	630	645	650	620	640	655	580	510
Alkalinity, Carbonate	mg/L	80.0		110			100			86.0			60.0	90	100	90	100	100	110	100	150	140	110	180	240
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	175		5.11			6.80			2.63			2.48	3.04	3.01	2.98	2.47	2.5	2.48	2.55	2.47	2.47	2.49	2.64	2.65
Fluoride	mg/L	2.06		3.91			3.95			3.97			3.88	3.61	3.63	3.53	3.66	3.58	3.48	3.67	3.40	3.44	3.25	3.79	3.73
Sulfate as SO4	mg/L	190		3.79			9.58			1.02			<1.00	<2.00	<2.00	<2.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	
Total Organic Carbon (TOC)	mg/L	2.80		1.80			3.33			1.94			1.69	1.69	1.92	1.82	1.66	1.2	1.71	1.79	1.60	1.70	1.72	1.77	1.13
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			0.282	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250	<0.100	<0.050	<0.050	<0.100	<0.050
Arsenic	mg/L	0.0106		<0.0010			0.0006			0.0007			0.0006	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	0.0008	0.0008	<0.0025	<0.0005
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0001	<0.0002	<0.0003	<0.0005	<0.0003	<0.0015	<0.0025	<0.0010	<0.0005	<0.0005	<0.0025	<0.0005
Copper	mg/L	0.0337		0.0077			0.0047			0.0041			0.0051	0.0033	0.0012	0.0017	<0.0025	0.0025	0.0057	0.0068	0.0065	0.0075	0.0167	0.0052	0.0079
Iron	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.100	<0.250	<0.250	<0.250	<0.150	<0.050	<0.250	<0.100	<0.050	<0.050	<0.100	<0.050
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0010	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0025	<0.0025	<0.0025	<0.0005
Manganese	mg/L	0.0258		0.0038			0.0150			0.0020			0.0026	0.0025	0.0029	0.0026	0.0028	0.0024	0.0021	0.0025	0.0023	0.0022	0.0027	<0.0025	0.0027
Mercury (dissolved)	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Mercury (dissolved low-level)	ng/L																						<5.00	<100	<100
Molybdenum	mg/L	0.0142		<0.0010			0.0009			<0.0005			<0.0005	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0005	<0.0005	<0.0025	<0.0005
Selenium	mg/L	0.0020		<0.0020			<0.0010			<0.0010			<0.0010	<0.0010	<0.0020	<0.0030	<0.0050	0.0031	<0.0030	<0.0050	<0.0020	<0.0010	<0.0010	<0.0050	<0.0010
Silica (SiO2)	mg/L	9.09		8.45			8.68			8.28			7.77	7.62	7.40	7.84	7.4	8.17	8.21	7.82	8.28	8.44	8.13	7.63	8.45
Silicon	mg/L	4.25		3.95			4.06			3.87			3.63	3.56	3.46	3.67	3.46	3.82	3.84	3.66	3.87	3.95	3.80	3.56	3.95
Uranium	mg/L	0.0044		<0.0002			0.0001			0.0001			<0.0002	<0.0005	<0.0010	<0.0015	<0.0025	<0.0015	<0.0015	<0.0025	<0.0010	<0.0025	<0.0025	<0.0025	<0.0005
Zinc	mg/L	0.0080		<0.0040			0.0023			<0.0020			<0.0020	<0.002	<0.0040	<0.0060	<0.0100	<0.0060	<0.0060	<0.0100	<0.0040	<0.0020	0.0079	<0.0100	0.0022

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- pCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)
- ng/L nanogram per liter

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.

GCC Energy Hydrologic Monitoring Data

MW-8-PL																									
Year	2018	2019											2020				2021				2022				
	Quarter	Q1			Q2			Q3			Q4		Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	
Month	12	1	2	3	4	5	6	7	8	9	10	11	2	5	8	11	2	5	8	11	3	6	9	11	
Sample Date	12/27	1/29	2/19	3/20	4/16	5/29	6/20	7/24	8/13	9/27	10/24	11/6	2/11	5/27	8/25	11/11	2/16	5/24	8/24	11/30	3/23	6/7	9/8	11/28	
Lab Analysis (Y/N)	Y	N	Y	N	N	Y	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Field Parameters:																									
Purge Flow Rate	gpm	0.25	1.00	0.50	3.00	0.50	0.25	0.50	1.00	0.50	0.50	0.75	0.25	0.25	0.25	0.25	0.75	0.25	0.25	0.25	0.25	0.25	0.13	1.00	
Total Purged	gal	20.0	5.0	2.0	3.0	2.0	3.0	2.5	2.3	2.5	2.0	2.5	1.3	2.0	2.0	2.3	2.0	2.0	2.0	2.0	2.0	2.0	1.8	1.0	
Depth to Water	ft bgs	125.97	126.29	126.40	127.10	126.98	126.70	126.82	127.25	127.38	127.42	127.48	127.59	127.32	127.34	128.00	127.31	127.50	127.83	127.89	127.90	128.30	128.40	128.53	128.75
Temperature	deg C	10.3	14.2	13.4	12.9	13.2	14.2	14.8	14.7	14.9	14.0	13.2	14.9	13.8	14.8	14.9	14.1	12.9	14.6	14.8	13.4	14.1	14.1	14.3	12.8
pH	SU	7.50	7.30	7.49	7.30	7.29	7.31	7.57	7.56	7.52	7.45	7.47	7.52	7.55	7.47	7.52	7.52	7.53	7.58	7.55	7.57	7.43	7.49	7.44	7.67
Specific Conductance	µS/cm	1690	1531	1571	1558	1554	1411	1326	1165	1083	947	940	900	862	844	792	827	760	813	816	836	817	826	822	848
Oxygen Reduction Potential	mV	30.2	-116.5	97.9	-108.7	-110.6	34.2	-57.6	-74.0	-79.5	-51.3	-52.5	-30.8	-59.9	-101.9	-38.0	-37.3	-11.5	-76.6	-64.4	-53.5	-161.9	-94.6	-215.9	-104.0
Lab Analytical Results:																									
Hardness as CaCO3	mg/L	617		644			596			411			294	278	298	292	268	281	283	280	272	292	276	275	274
pH (Lab)	SU	7.28		7.40			7.26			7.22			7.39	7.47	7.19	7.16	7.41	7.36	7.41	7.29	7.16	7.42	7.47	7.88	7.39
Total Dissolved Solids (Lab)	mg/L	1150		1090			995			705			620	500	490	525	465	525	505	475	465	485	505	500	430
Calcium	mg/L	112		120			105			73.1			52.1	49.3	53.8	53.3	49.1	52.2	53.3	53	51.1	55.7	53.1	52.4	52.0
Magnesium	mg/L	82.1		83.8			81.4			55.4			39.7	37.6	39.7	38.5	35.4	36.6	36.5	35.9	35.0	37.1	34.9	35.1	34.9
Sodium	mg/L	106		124			102			91.7			83.3	78.5	80.4	81.6	77.2	78.6	79.7	77.8	73.7	80.8	75.4	76.3	75.0
Potassium	mg/L	5.14		5.62			<5.00			2.80			2.35	2.32	2.11	<2.00	<2.00	1.78	1.73	<2.00	1.54	1.71	1.48	1.53	1.55
Alkalinity, Total	mg/L	370		415			435			393			390	339	340	315	410	370	385	360	385	362	380	356	410
Alkalinity, Bicarbonate	mg/L	370		415			435			393			390	339	340	315	410	370	385	360	385	362	380	340	410
Alkalinity, Carbonate	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	16.0	<10.0
Alkalinity, Hydroxide	mg/L	<10.0		<10.0			<10.0			<10.0			<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0	<10.0
Chloride	mg/L	18.8		18.5			9.03			5.61			5.66	3.51	3.38	3.33	3.32	3.39	3.30	3.33	3.38	3.33	3.34	3.66	3.51
Fluoride	mg/L	0.505		0.474			0.290			0.291			<0.500	0.258	0.240	0.233	0.224	0.219	0.200	0.222	0.196	0.195	0.159	0.198	0.187
Sulfate as SO4	mg/L	478		471			390			232			127	109	103	99.2	99	101	96.3	102	98.4	100	94.7	106	107
Total Organic Carbon (TOC)	mg/L	4.17		4.02			2.92			2.21			1.75	1.63	1.63	1.61	1.44	0.928	1.42	1.54	1.40	1.54	1.36	1.60	0.774
Nitrate/Nitrite as N	mg/L	<0.020		<0.020			<0.020			<0.020			<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.052	<0.020	<0.020	<0.020
Ammonia as N ^	mg/L	NA		NA			NA			NA			0.199	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ortho-Phosphate as P ^	mg/L	NA		NA			NA			NA			<0.0500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Aluminum	mg/L	<0.050		<0.100			<0.250			<0.050			<0.050	<0.050	<0.100	<0.100	<0.100	<0.050	<0.050	<0.100	<0.050	<0.050	<0.050	<0.050	<0.050
Arsenic	mg/L	0.0074		0.0124			0.0190			0.0156			0.0104	0.0073	0.0075	0.0064	0.0058	0.0074	0.0055	0.0017	0.0051	0.0046	0.0047	0.0042	0.0037
Cadmium	mg/L	<0.0001		<0.0002			<0.0001			<0.0001			<0.0001	<0.0002	<0.0001	<0.0002	<0.0002	<0.0001	<0.0010	<0.0010	<0.0005	<0.0005	<0.0010	<0.0005	<0.0005
Copper	mg/L	0.0016		0.0025			0.0017			0.0011			0.0004	0.001	<0.0025	<0.001	0.0014	0.0005	0.0013	<0.0010	0.0015	0.0023	0.0040	0.0014	0.0015
Iron	mg/L	<0.050		0.352			<0.250			0.129			0.075	0.054	<0.100	<0.100	<0.100	<0.050	<0.050	<0.100	0.070	0.079	<0.050	0.063	0.057
Lead	mg/L	<0.0005		<0.0010			<0.0005			<0.0005			<0.0005	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010	<0.0005	<0.0005	<0.0025	<0.0010	<0.0025
Manganese	mg/L	1.31		1.22			0.697			0.505			0.313	0.303	0.307	0.259	0.219	0.196	0.175	0.0772	0.161	0.163	0.150	0.145	0.134
Mercury (dissolved)	mg/L	<0.0002		<0.0002			<0.0002			<0.0002			<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Mercury (dissolved low-level)	ng/L																					<5.00	<100	<100	<100
Molybdenum	mg/L	0.0090		0.0068			0.0020			0.0021			0.0017	0.0008	<0.0005	<0.0010	<0.0010	<0.0005	<0.0010	<0.0010	<0.0005	<0.0005	<0.0005	<0.0010	<0.0005
Selenium	mg/L	0.0012		<0.0020			<0.0010			<0.0010			<0.0010	<0.001	<0.0010	<0.0020	<0.0020	0.0038	<0.0020	<0.0020	0.0031	<0.0010	0.0014	<0.0020	0.0012
Silica (SiO2)	mg/L	14.1		16.3			17.7			18.5			18.0	18.9	18.7	19.9	18.5	20.1	21.5	20	20.8	22.2	20.4	20.8	20.9
Silicon	mg/L	6.58		7.64			8.28			8.67			8.42	8.82	8.75	9.28	8.66	9.40	10.00	9.37	9.71	10.4	9.54	9.75	9.75
Uranium	mg/L	0.0052		0.0040			0.0010			0.0009			0.0004	<0.0005	<0.0005	<0.0010	<0.0010	<0.0005	<0.001	<0.0010	<0.0005	<0.0005	<0.0025	<0.0010	<0.0005
Zinc	mg/L	0.0344		<0.0040			<0.0020			<0.0080			<0.0020	<0.0020	<0.0100	<0.0040	<0.0040	<0.0020	<0.004	<0.0040	<0.0020	<0.0020	<0.0020	<0.0040	<0.0020

Notes & Definitions:

- ^ one-time analysis
- Y/N yes or no
- gpm gallons per minute
- deg C degrees Celsius
- SU standard pH units
- µS/cm microsiemens per centimeter
- mV millivolts
- mg/L milligram per liter
- µCi/L picocuries per liter
- NM not measured (field)
- NA not analyzed (lab)
- ng/L nanogram per liter

1. "<" values denote that the quantification of that analyte is below the reporting level for the analytical laboratory, acceptable by environmental water quality laboratory industry standards.
2. Total alkalinity is measured by titration with hydrochloric acid to a set pH point, reporting this value as an equivalent amount of calcium carbonate. This value is then partitioned into bicarbonate, carbonate and hydroxide depending on the initial pH of the sample solution, each components reported as equivalent CaCO3.
3. Industry standard Quality Assurance/Quality Control (QA/QC) protocol are followed for this hydrologic monitoring program by both GCC Energy and the contracted environmental water quality analytical laboratories. QA/QC results are not shown in this table.